

Section IV Emergency Rules

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

Section V Petitions and Dispositions Regarding Rule Variance or Waiver

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

WATER MANAGEMENT DISTRICTS

NOTICE IS HEREBY GIVEN THAT on June 17, 2009, the St. Johns River Water Management District, received a petition for variance from DiPrima Holdings, Ltd., pursuant to Section 120.542, Florida Statutes. Petitioner is seeking a variance from subparagraph 40C-41.063(1)(c)1., F.A.C., and Section 11.1.3 of the Applicant's Handbook: Management and Storage of Surface Waters (February 1, 2005) (A.H.), for Environmental Resource Permit (ERP) Application 4-009-119715-1. The permit applicant is proposing to construct a surface water management system known as DiPrima Dairy within the Upper St. Johns River Hydrologic Basin to serve a 10.66 acre project in Brevard County, Florida, that discharges into the Melbourne-Tillman Water Control District canal system. Subparagraph 40C-41.063(1)(c)1., F.A.C., and Section 11.1.3, A.H., prohibit the construction, operation, and maintenance of a surface water management system in the Upper St. Johns River Hydrologic Basin that results in an increase in the amount of water being diverted from the Basin to coastal receiving waters. These rules are intended to protect the water resources of the state by limiting discharges of fresh water to estuarine waters and curtailing interbasin diversion. Comments on this petition should be filed with: Sandra Bertram, Acting

District Clerk, St. Johns River Water Management District, 4049 Reid Street, Palatka, Florida 32177-2529, within 14 days of publication of this notice. The petition has been assigned F.O.R. Number 2009-65.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Gail L. Hankinson, Assistant General Counsel, Office of General Counsel, St. Johns River Water Management District, 4049 Reid Street, Palatka, FL 32177, (386)329-4391.

NOTICE IS HEREBY GIVEN THAT on July 13, 2009, the South Florida Water Management District ("District"), received a petition for waiver from Miami-Dade County, Office of Public Transportation Management, Application No. 09-0708-2M, Permit (MOD) Number 9884 for utilization of Works or Lands of the District known as the C-103N Canal to allow 2 existing culvert connections within the C-103 canal in conjunction with the Busway Extension to Florida City to remain. C-103 Canal, Section 5, Township 57S, Range 39E, Miami-Dade County. The petition seeks relief from paragraph 40E-6.221(2)(j), Florida Administrative Code, which governs the maximum invert elevation of culvert connections, requiring that the crown elevation be a minimum of 1/2 foot below the design water surface or optimum water surface whichever is lower within Works and Lands of the District.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juli Russell at (561)682-6268 or e-mail: jurussel@sfwmd.gov. The District will accept comments concerning the petition for 14 days from the date of publication of this notice. To be considered, comments must be received by the end of business on the 14th day at: South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406, Attn.: Juli Russell, Office of Counsel.

NOTICE IS HEREBY GIVEN THAT on July 13, 2009, the South Florida Water Management District (District), received a petition for waiver from Miami-Dade County, Office of Public Transportation Management, Application No. 09-0708-3M, Permit (MOD) Number 9885 for utilization of Works or Lands of the District known as the C-103N Canal to allow 4 existing culvert connections within the C-103N canal in conjunction with the Busway Extension to Florida City to remain. C-103N Canal, Section 33, Township 56S, Range 39E, Miami-Dade County. The petition seeks relief from paragraph 40E-6.221(2)(j), Florida Administrative Code, which governs the maximum invert elevation of culvert connections, requiring that the crown elevation be a minimum of 1/2 foot below the design water surface or optimum water surface whichever is lower within Works and Lands of the District.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juli Russell at (561)682-6268 or e-mail: jurussel@sfwmd.gov. The District will accept comments concerning the petition for 14 days from the date of publication of this notice. To be considered, comments must be received

by the end of business on the 14th day at: South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406, Attn.: Juli Russell, Office of Counsel.

NOTICE IS HEREBY GIVEN THAT on July 17, 2009, the South Florida Water Management District ("District"), received a petition for waiver from Fernando Munilla, Application No. 09-0508-1, for utilization of Works or Lands of the District known as the C-100C Canal, for existing trees that are within 40 feet from top of bank on the west right of way of C-100C, Section 22, Township 55 South, Range 40 East, Miami-Dade County. The petition seeks relief from subsections 40E-6.011(4) and (6), Florida Administrative Code, which governs the placement of permanent or semi-permanent above-ground facilities within 40 feet of the top of the canal bank within Works or Lands of the District.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juli Russell at (561)682-6268 or email: jurussel@sfwmd.gov. The District will accept comments concerning the petition for 14 days from the date of publication of this notice. To be considered, comments must be received by the end of business on the 14th day at the: South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406, Attn.: Juli Russell, Office of Counsel.

NOTICE IS HEREBY GIVEN THAT on July 17, 2009, the South Florida Water Management District ("District"), received a petition for waiver from Albert Palmer, Application No. 09-0619-1, for utilization of Works or Lands of the District known as the L-28 Canal, for the temporary utilization of L-28 for traveling to and from property located 1.3 miles from L-28 in Collier County; Section 36, Township 52 South, Range 34 East, Miami-Dade and Collier Counties. The petition seeks relief from subsection 40E-6.221(9), Florida Administrative Code, which governs the requirement that, except for both private and public utilities, an applicant must own or lease the land lying adjacent to the District Work within Works or Lands of the District.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juli Russell at (561)682-6268 or e-mail: jurussel@sfwmd.gov. The District will accept comments concerning the petition for 14 days from the date of publication of this notice. To be considered, comments must be received by the end of business on the 14th day at the: South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406, Attn.: Juli Russell, Office of Counsel.

NOTICE IS HEREBY GIVEN THAT on July 17, 2009, the South Florida Water Management District ("District"), received a petition for waiver from Steven Patrick, Application No. 09-0619-2, for utilization of Works or Lands of the District

known as the L-28 Canal, for the temporary utilization of L-28 for traveling to and from property located 1.3 miles from L-28 in Collier County; Section 36, Township 52 South, Range 34 East, Miami-Dade and Collier Counties. The petition seeks relief from subsection 40E-6.221(9), Florida Administrative Code, which governs the requirement that, except for both private and public utilities, an applicant must own or lease the land lying adjacent to the District Work within Works or Lands of the District.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juli Russell at (561)682-6268 or e-mail: jurussel@sfwmd.gov. The District will accept comments concerning the petition for 14 days from the date of publication of this notice. To be considered, comments must be received by the end of business on the 14th day at the: South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406, Attn.: Juli Russell, Office of Counsel.

DEPARTMENT OF MANANGEMENT SERVICES

NOTICE IS HEREBY GIVEN THAT on July 23, 2009, the Agency for Workforce Innovation, received a petition for Variance from subsection 60BB-4.100(22), F.A.C., which provides the definition of "working family." The Petition was filed by the Early Learning Coalition of Brevard County, Inc., 1018 Florida Avenue, Rockledge, Florida 32956.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Stephanie Savestanan, Agency for Workforce Innovation, Office of Early Learning, 107 E. Madison Street, MSC #140, Tallahassee, Florida 32399.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

NOTICE IS HEREBY GIVEN THAT on June 29, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency amended request for a variance from Rule 3.11.3 and 2.7.4, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 and restricted door openings from Mark J. Stempler on behalf of Lake Harbour Cove Condominium in Riviera Beach, FL. License Number 24912 and 24813 (VW 2009-017).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 21, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency permanent variance from Rules 2.7.4.1, ASME A17.1, 2005 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires machinerrooms have 7'0" clearance. The request

was submitted by Lee Rigby on behalf of Freedom Pointe Brookdale Senior Living in Lady Lake, FL. License Number 96331 and 96332 (VW 2009-185).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 22, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for variance from Brian Hood, on behalf of Sky Angel Center, LLC. The petitioner is requesting a temporary variance for extension of time in order to make the necessary corrections per ASME A17.1 (2004), Rule 2.2.2.5, sump pump (VW 2009-231).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Department of Business and Professional Regulation, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 25, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Harvey Landress on behalf of Madeira Towers Condominium Association, Inc. in Madeira Beach, FL. License Number 28156 (VW 2009-233).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 26, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Danial DeRussy on behalf of Ranger Condominium Association, Inc. in South Pasadena, FL. License Number 31287 & 31288 (VW 2009-234).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 26, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Thomas Shewan on behalf of FSU – Westcott in Tallahassee, FL. License Number 21442 (VW 2009-235).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 26, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Thomas Shewan on behalf of FSU – Rogers in Tallahassee, FL. License Number 4890 (VW 2009-242).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 26, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Jennifer Warren on behalf of Siesta Harbor Condominium Association in Sarasota, FL. License Number 7702, 8225, 8893, 9054 & 9463 (VW 2009-243).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 29, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Kyle Hubler on behalf of Moorings Point Condominium Association, Inc. in Fort Myers, FL. License Number 34102 & 34103 (VW 2009-249).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 29, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Carolyn Gullett on behalf of Promenade at Boca Pointe Homeowners Association, Inc. in Boca Raton, FL. License Number 33868, 35960, 33866, 33869, 33865, 33867, 35963, 37826, 37827, 35961, 35964, 37825, 37823, 35959 (VW 2009-250).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 30, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for petition for a variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Pat Bell on behalf of Boca Entrada I Condominium Association, Inc. in Boca Raton, FL. License Number 20721 (VW 2009-251).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 2, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Trista Sue Youngquist on behalf of Gordon River Hotel Associates (Bayfront Inn) in Naples, FL. License Number 38398 & 38399 (VW 2009-259).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 2, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for petition for a temporary variance from Rule 3.11.3 and 2.7.4, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 and restricted door openings from Rich Cassate on behalf of Chalet of San Marco Condominium Association, Inc. in Marco Island, FL. License Number 30193-30195 (VW 2009-261).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 2, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from unspecified rules as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., from Shirley Marschke on behalf of Barefoot Pelican in Naples, FL. License Number 38298 & 34441 (VW 2009-262).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 6, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Danya K. Luby on behalf of 555 Winderly in Maitland, FL. License Number 36036-36038 (VW 2009-265).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 6, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Danya K. Luby on behalf of Maitland 200 Building in Maitland, FL. License Number 32815 & 32816 (VW 2009-266).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 6, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from unreferenced rules as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2, door closing force, lighting and receptacles, restricted door openings, no water and oil in pit from Cynthia Noble on behalf of Advantist Health Systems/Florida Hospital in Altamonte Springs, FL. License Number 10753, 35921, 21987, 21986 (VW 2009-267).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 6, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for petition for a temporary variance from Rule 3.11.3 and 2.7.4, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 and restricted door openings from Denise Vaters on behalf of Vanderbilt Beach & Harbour Club in Naples, FL. License Number 31746 (VW 2009-268).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 7, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for petition for a temporary variance from Rule 3.11.3 and 2.7.4, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 and restricted door openings from David Vondenberger on behalf of Calvary Towers in Winter Park, FL. License Number 30409 & 30410 (VW 2009-269).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 6, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Rich Peterson on behalf of The Breakers Condominium Association, Inc. in Redington Beach, FL. License Number 11693 (VW 2009-274).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 9, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for petition for a variance from unspecified sections of A17.2, as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires a pit ladder from Richard Higgins on behalf of Villa Del Verde Condominium Association in Boca Raton, FL. License Number 24680 (VW 2009-275).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 9, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for petition for a temporary variance from Rule 3.11.3 and 2.7.4, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 and restricted door openings from William Snyder on behalf of The Towers at Westshore in Tampa, FL. License Number 28521, 28522, 28523, 31120, 31121 & 31122 (VW 2009-276).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 10, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for petition for a temporary variance from

Rule 3.11.3 and 2.7.4, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 and restricted door openings from The Board of Directors of San Marco Residences in Marco Island, FL. License Number 29828 (VW 2009-277).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 10, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Sharon Surless on behalf of Kress Building in Orlando, FL. License Number 7665 (VW 2009-278).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 08, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Paul Komie on behalf of Palm Beach Airport Hilton in West Palm Beach, FL. License Number 34313, 34314, 34569 & 34570 (VW 2009-280).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for variance from Vincent Mennella, on behalf of Presidential Golfview Condominium Association, Inc. The petitioner is requesting a temporary variance for extension of time in order to make the necessary corrections per ASME A17.3 (1996), for Rule 3.11.3 Firefighters' Service and Rule 2.7.4 Door Restrictors (VW 2009-281).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Department Of Business and Professional Regulation, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 13, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for variance from Roger Brooks, on behalf of FDG Bridgeport Center, LLC. The

petitioner is requesting a temporary variance for extension of time due to financial constraints per ASME A17.3 (1996), for Rule 3.11.3 Firefighters' Service. (VW 2009-282).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Department Of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 13, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for variance from Courtney L. Collins, CAM, on behalf of Centre Court Condominium Association, Inc. The petitioner is requesting a temporary variance for extension of time due to financial constraints per ASME A17.3 (1996), for Rule 3.11.3 Firefighters' Service. (VW 2009-283).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Department Of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 13, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for variance from Lanny English, President, on behalf of Imperial Cove Condominium Association. The petitioner is requesting a temporary variance for extension of time in order to make the necessary corrections per ASME A17.3 (1996), for Rule 3.11.3 (H603f) Firefighters' Service, Rule 3.10.4, (H102d) Cab Stop Switch ON/Off Key, and Rule 2.7.4 (H118c) Door Restrictors (VW 2009-284).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on July 14, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for variance from Oscar Keuker, on behalf of lemon Bay Breezes Condominium Association, Inc. The petitioner is requesting a temporary variance for extension of time in order to make the necessary corrections per ASME A17.3 (1996), for Rule 3.11.3 Firefighters' Service. (VW 2009-285).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Department Of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 15, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from unspecified rules as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., from Pierre Thiemann on behalf of Port Belleair Condominium Association in Belleaire Bluffs, FL. License Number 8495 (VW 2009-286).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for variance from Lorraine J. Thomas, on behalf of Trafalgar Condominiums. The petitioner is requesting a temporary variance for extension of time in order to make the necessary corrections per ASME A17.3 (1996), for Rule 3.11.3 Firefighters' Service, (VW 2009-287).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for variance from Robert Adamczewski, on behalf of Meridian Club Condominium Association, Inc. The petitioner is requesting a temporary variance for extension of time in order to make the necessary corrections per ASME A17.3 (1996), for Rule 3.11.3 Firefighters' Service, and Rule 2.7.4 Door Restrictors (VW 2009-288).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Department Of Business and Professional Regulation, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for variance from Sue O'Connor, on behalf of, Oceans One Condominium Association, Inc. The petitioner is requesting a temporary variance for extension of time in order to make the necessary corrections per ASME A17.3 (1996), for Rule 3.11.3

Firefighters' Service (E-603A), Rule 2.7.4 Door Restrictors (118A), A17.0 Part XII (E-115A) update Braille and rule 3.4.2, update of the Gibs (E317A). (VW 2009-289).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Department of Business and Professional Regulation, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 15, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for petition for a temporary variance from Rule 3.11.3 and 2.7.4, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 and restricted door openings from Larry Woodard on behalf of Ocean Trail in Jupiter, FL. License Number 23433 & 2343426325 (VW 2009-290).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for variance from an Rowell, on behalf of The Chambre Condominium Association. The petitioner is requesting a temporary variance for extension of time in order to make the necessary corrections per ASME A17.3 (1996), for Rule 3.11.3 Firefighters' Service. (VW 2009-291).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 16, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for petition for a temporary variance from Rule 2.27.1.1.2, A17.1, 2005 and 2.7.4, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Emergency Communication and restricted door openings from Jane Calhoon on behalf of Raymond James Office Park in Fort Myers, FL. License Number 11463 & 10723 (VW 2009-292).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 16, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire

Fighter Service Phase 1 and 2 from Cynthia J. Waypa on behalf of Lakewood Mid-Rise Condominium in Boca Raton, FL (VW 2009-294).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for variance from Suzi Ford, Livery Property Trust on behalf of Butler Plaza II. The petitioner is requesting a temporary variance for extension of time in order to make the necessary corrections per ASME A17.3 (1996), for Rule 2.7.4 Door Restrictors (VW 2009-295).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 16, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Richard N. Arcuri on behalf of Park Trammel Building in Tampa, FL. License Number 24430-24433 (VW 2009-296).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 16, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Jack Korsan on behalf of Lender Processing Services Inc. in Jacksonville, FL. License Number 9052 & 9053 (VW 2009-297).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 16, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Melvyn Van Dyke on behalf of Vantage Point Pool & Racquet Club Condominium Association, Inc. in Daytona Beach, FL. License Number 22030 through 22033 (VW 2009-298).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 12, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for variance from Glorinda & Tim Higham on behalf of Highland Properties W Florida. The petitioner is requesting a permanent variance regarding floor-to-floor height as indicated in ASME A18.1. (VW 2009-299).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 17, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from Rule 3.11.1, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 with a door close button from Rochelle Murray on behalf of One Capital Center in St. Petersburg, FL. License Number 35700 and 35701 (VW 2009-300).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 20, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from unspecified sections of A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., from Martha Hulgán on behalf of Diagnostic Clinic in Largo, FL. License Number 38444 (VW 2009-301).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 8, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Laura Melton on behalf of Anglers Cove in Marco Island, FL. License Number 31376, 31377, 31471, 31472 & 38030 (VW 2009-302).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 21, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for petition for a temporary variance from Rule 2.7.4, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires restricted door openings from Gary Tresnowsky on behalf of Lake Clarde Gardens Condominium in Lake Worth, FL. (VW 2009-303).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 21, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from James Watkins on behalf of Verizon in Sarasota, FL. License Number 2817 and 7508 (VW 2009-304).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 21, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Thomas Shewan on behalf of FSU – Old FHP in Tallahassee, FL. License Number 32154 (VW 2009-306).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 21, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Thomas Shewan on behalf of FSU – Housewright in Tallahassee, FL. License Number 27076 (VW 2009-307).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 21, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Thomas Shewan on behalf of FSU – Duxbury Hall in Tallahassee, FL. License Number 22491 & 22494 (VW 2009-308).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 21, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Thomas Shewan on behalf of FSU – Westcott in Tallahassee, FL. License Number 21443 (VW 2009-309).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 21, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Thomas Shewan on behalf of FSU – Rogers Hall in Tallahassee, FL. License Number 4890 (VW 2009-310).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 21, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Thomas Shewan on behalf of FSU – Love Building in Tallahassee, FL. License Number 5351 (VW 2009-311).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 21, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires

Fire Fighter Service Phase 1 and 2 from Thomas Shewan on behalf of FSU – Strozier Annex in Tallahassee, FL. License Number 4316 & 4317 (VW 2009-312).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 21, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Thomas Shewan on behalf of FSU – Diffenbaugh in Tallahassee, FL. License Number 24517 (VW 2009-313).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 21, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Thomas Shewan on behalf of FSU – Shores Library in Tallahassee, FL. License Number 30551 (VW 2009-314).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 22, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for petition for a temporary variance from unspecified sections of A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., from Karen S. Wright on behalf of Oceans Seven Condominium Association, Inc. in Daytona Beach Shores, FL. License Number 22704 & 22705 (VW 2009-315).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 22, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Ted L. Strand on behalf of the City of Clearwater in Clearwater, FL. License Number 6591 & 6592 (VW 2009-316).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 22, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Brad Bainhill on behalf of The Westshore Hotel in Tampa, FL. License Number 17788-17790 (VW 2009-317).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 22, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from unspecified sections of A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., from Stephen Dilluvio on behalf of Island Winds in Fort Myers Beach, FL. License Number 20804 & 20805 (VW 2009-318).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 22, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for variance from William Snyder, on behalf of Town Shores Condominiums – Chatham House Building. The petitioner is requesting a temporary variance for extension of time in order to make the necessary corrections per ASME A17.1 (1996) and ASME A17.3, Section 1.2A Application of Code, Section 3.11.2 Firefighters' Service, and Section 2.7.4 Restricted Opening of Hoistway Doors. (VW 2009-319).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Department Of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 23, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for petition for a temporary variance from Rule 3.11.3 and 211.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 and Identicle Key for Fire Fighter Service from James Rafiner on behalf of Village on the Isle in Venice, FL. License Number 35501 (VW 2009-321).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 24, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from unreferences section(s) of A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., from Keith Rogers on behalf of City of Tampa, FL. License Number 31508, 31509 & 31510 (VW 2009-323).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 24, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Danica Suarez on behalf of One Barbados Condominiums in Tampa, FL. License Number 35920 (VW 2009-324).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 24, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Sandi Parris on behalf of The 3560 Condominium in South Palm Beach, FL. License Number 32482-32483 (VW 2009-325).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 24, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Richard H. Jones on behalf of Siesta Towers Condominium Association, Inc. in Sarasota, FL. License Number 15101 & 15102 (VW 2009-326).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 24, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from Rule 3.11.1, 3.11.3, 2.7.4, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighters Service Phase 1 and 2, emergency communication and restricted door openings from Rick Chapman on behalf of Anheuser Busch in Jacksonville, FL. (VW 2009-327).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 1, 2009, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for a Routine Variance for subsection 61C-4.010(5), Florida Administrative Code, Paragraph 4-301.12(A), 2001 FDA Food Code, Paragraph 5-204.11(A), 2001 FDA Food Code and subsection 61C-1.004(1), Florida Administrative Code, from Best Western University Inn located in Boca Raton, FL. The above referenced F.A.C. addresses the requirement that each establishment have facilities for washing, rinsing and sanitizing dishes and utensils and an accessible hand wash sink in the food preparation area. They are requesting to utilize the food preparation area, dishwashing facility and hand wash sink located within another licensed establishment.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on June 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

On May 21, 2009, the department received a Petition for a Routine Variance for Subparagraph 3-305.11(A)(2), 2001 FDA Food Code, Paragraph 3-305.14, 2001 FDA Food Code, Paragraph 6-202.15, 2001 FDA Food Code, Paragraph 6-202.16, 2001 FDA Food Code, subsections 61C-4.010(1) and 61C-4.010(6), Florida Administrative Code, from Cappy's Pizzeria located in Tampa, FL. The above referenced F.A.C. addresses the requirement that only frankfurters may be prepared in an open air location. They are requesting to install open cooking equipment within an open air screened enclosure for preparation of food other than frankfurters. The request was published in Vol. 35, No. 24, June 19, 2009 of the Florida Administrative Weekly. On June 30, 2009, the Petitioner decided to withdraw this request.

A copy of the Order may be obtained by contacting: Rhonda.Steele@DBPR.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on July 23, 2009, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for an Emergency Variance for Section 509.221(1)(b), Florida Statutes, subsection 61C-1.004(1), paragraph 61C-1.004(1)(d), Florida Administrative Code, and Paragraph 5-202.11(A), 2001 FDA Food Code from Corona Beach House located in Miami. The above referenced F.A.C. addresses the requirement that each establishment must discharge sewage into an approved collection system and have an approved plumbing system installed. They are requesting to utilize holding tanks to provide potable water and to collect waste water.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on July 22, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order. The Department of Business and Professional Regulation, Division of Hotels and Restaurants received a Petition for an Emergency Variance for Subparagraph 3-305.11(A)(2), 2001 FDA Food Code, Paragraph 3-305.14, 2001 FDA Food Code, Paragraph 6-202.15, 2001 FDA Food Code, Paragraph 6-202.16, 2001 FDA Food Code, subsections 61C-4.010(1) and 61C-4.010(6), Florida Administrative Code, from El Porto Catering located in Orlando, FL. The above referenced F.A.C. addresses the requirement for proper handling and dispensing of food. They are requesting to dispense bulk potentially hazardous foods other than frankfurters from an open air mobile food dispensing vehicle.

The request was published in Vol. 35, No. 29, July 24, 2009 and approved contingent upon the Petitioner ensuring that each pan within the steam table is properly covered with an individual lid, the steam table is enclosed within a cabinet with tight-fitting doors and protected by an air curtain installed and operated according to manufacturer's specifications that protects against flying vermin or other environmental contaminants; all steam table foods must be properly reheated for hot holding at approved commissaries per the parameters of the currently adopted FDA Food Code, and held hot at the proper minimum temperature per the parameters of the currently adopted FDA Food Code; and steam table food is to be dispensed by the operator with no customer self-service. The Petitioner shall strictly adhere to the operating procedures and copies of the variance and operating procedures are to be

present on the MFDV during all periods of operation. Any violation of the variance or operating procedures is the equivalent of a violation of the Rule and may result in a rescission of the variance and subject the Petitioner to disciplinary sanctions as enumerated in Section 509.261, Florida Statutes.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@DBPR.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on July 27, 2009, the The Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The department received a Petition on July 1, 2009 for an Emergency Variance for Subparagraph 3-305.11(A)(2), 2001 FDA Food Code, Paragraph 3-305.14, 2001 FDA Food Code, Paragraph 6-202.15, 2001 FDA Food Code, Paragraph 6-202.16, 2001 FDA Food Code, subsections 61C-4.010(1), and 61C-4.010(6), Florida Administrative Code, from Las Delicias Grill located in Orlando. The above referenced F.A.C. addresses the requirement for proper handling and dispensing of food. They are requesting to dispense bulk potentially hazardous foods other than frankfurters from an open air mobile food dispensing vehicle.

This variance request was published in Vol. 35, No. 29, July 24, 2009 and approved contingent upon the Petitioner ensuring that each pan within the steam table is properly covered with an individual lid, the steam table is enclosed within a cabinet with tight-fitting doors and protected by an air curtain installed and operated according to manufacturer's specifications that protects against flying vermin or other environmental contaminants; all steam table foods must be properly reheated for hot holding at approved commissaries per the parameters of the currently adopted FDA Food Code, and held hot at the proper minimum temperature per the parameters of the currently adopted FDA Food Code; and steam table food is to be dispensed by the operator with no customer self-service. The Petitioner shall strictly adhere to the operating procedures and copies of the variance and operating procedures are to be present on the MFDV during all periods of operation.

The Petitioner shall strictly adhere to the operating procedures submitted and copies of the variance and operating procedures are to be present on the MFDV during all periods of operation and shall be adhered to as approved by the Division. Any violation of the variance or operating procedures is the equivalent of a violation of the Rule and may result in a rescission of the variance, and subject the Petitioner to disciplinary sanctions as enumerated in Section 509.261, Florida Statutes.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@DBPR.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on July 27, 2009, the The Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The department received a Petition on June 26, 2009 for a ROUTINE Variance for subparagraph 61C-1.002(5)(a)2., Florida Administrative Code, from Vend PSL located in Port St. Lucie. The above referenced F.A.C. addresses the requirement that a mobile food dispensing vehicle be a vehicle that is otherwise movable. They are requesting to mount the mobile food dispensing vehicle on casters rather than an axle.

This variance request was published in Vol. 35, No. 29, July 24, 2009, and approved contingent upon the Petitioner maintaining the casters in good repair. No additional equipment is to be installed. The unit must report to its commissary each day of operation for support services. The operation of this unit is restricted to the sports complex currently named Tradition Field. Any violation of the variance is the equivalent of a violation of the Rule and may result in a rescission of the variance and subject the Petitioner to disciplinary sanctions as enumerated in Section 509.261, Florida Statutes.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

NOTICE IS HEREBY GIVEN THAT on July 27, 2009, the Florida Department of Environmental Protection, Bureau of Beaches and Coastal Systems, has issued an order.

The Bureau issued a final agency action denying the petition for variance received from Sand Cliffs Owners Association, Inc., regarding permit number WL-943 AR ATF. Notice of receipt of this petition was published in the F.A.W. on September 19, 2008. The property is located at 9064 East Coastal Highway 30A, Panama City Beach, Florida. The petition requested a variance from general coastal armoring criteria under subparagraphs 62B-33.0051(2)(b)1. and 62B-33.0051(2)(b)3., F.A.C.

The request was denied based on the petitioner's inability to demonstrate that strict application of the rules would serve the purpose of the underlying statute.

A copy of the Order may be obtained by contacting: Rosaline Beckham at (850)488-7815 or e-mail: rosaline.beckham@dep.state.fl.us.

DEPARTMENT OF HEALTH

NOTICE IS HEREBY GIVEN THAT on July 27, 2009, the Department of Health, received a petition for an Emergency Temporary Variance from Rule 64E-13.004, Florida Administrative Code, from Savary Academy for Virtual Education, located at 70-A and 70-C Feli Way, Crawfordville, Florida. This rule requires that every school should be provided with toilet and hand washing facilities for all occupants. These facilities shall be located for convenient student access and faculty supervision and kept clean and in good repair. Faculty and staff facilities shall be provided in separate rooms from student facilities. Common toilet facilities for both sexes shall not be allowed above the third grade. Comments on this petition should be filed with: Sam Power, Agency Clerk, Department of Health, Office of General Counsel, 4052 Bald Cypress Way, Bin #A02, Tallahassee, Florida, 32399-1703, within 14 days of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Tracy Perez, Bureau of Community Environmental Health, 4052 Bald Cypress Way, Bin #A08, Tallahassee, Florida 32399-1710, (850)245-4277.

DEPARTMENT OF CHILDREN AND FAMILY SERVICES

NOTICE IS HEREBY GIVEN THAT on July 17, 2009, the Department of Children and Families, received a petition for waiver of subsection 65C-15.017(3), Florida Administrative Code, from Kids Hope United and Veronica Bell Pelt, assigned Case No. 09-024W. Subsection 65C-15.017(3), F.A.C. require agency staff responsible for performing casework services shall have a bachelor's or master's degree in social work or a related area of study from an accredited college or university.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Children and Families, 1317 Winewood Blvd., Bldg. 2, Room 204, Tallahassee, FL 32399-0700.

NOTICE IS HEREBY GIVEN that on July 20, 2009, the Agency for Persons with Disabilities, received a petition for Variance from or waiver of paragraph 65G-2.012(23)(d), F.A.C.

Petitioners Name: Diaz Group Home #2 and Carmen I Diaz, Operator
 Rule No: 65G-2.012(23)(d), F.A.C.

Nature of Rule: requires Group Homes to have at least one telephone accessible to staff and clients for emergency use.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Pete Mallison, Agency Clerk, Agency for Persons with Disabilities, 4030 Esplanade Way, Suite 380, Tallahassee, Florida 32399, (850)921-3779.

**Section VI
 Notices of Meetings, Workshops and Public Hearings**

The following state governmental agencies, boards and commissions announce a public meeting to which all persons are invited:

- State Board of Administration
- Division of Bond Finance
- Financial Services Commission:
- Office of Insurance Regulation
- Office of Financial Regulation
- Agency for Enterprise Information Technology
- Department of Veterans' Affairs
- Department of Highway Safety and Motor Vehicles
- Department of Law Enforcement
- Department of Revenue
- Administration Commission
- Florida Land and Water Adjudicatory Commission
- Board of Trustees of the Internal Improvement Trust Fund
- Department of Environmental Protection

DATE AND TIME: August 25, 2009, 9:00 a.m.

PLACE: Cabinet Meeting Room, Lower Level, The Capitol, Tallahassee, Florida

GENERAL SUBJECT MATTER TO BE CONSIDERED: Regular scheduled meeting of the Governor and Cabinet to act on all executive branch matters provided by law and to act on any agendas submitted for their consideration. The Governor and Cabinet will proceed through each agenda, item by item.

The State Board of Administration will take action on matters duly presented on its agenda, which may include such matters as Executive Director's reports; approval of fiscal sufficiency of state bond issues; approval of sale of local bonds at an interest rate in excess of statutory interest rate limitation; reports on investment performance; designation of banks as depositories for state funds; adoption of rules and regulations; investment of state funds pursuant to Chapter 215, F.S.; and consideration of other matters within its authority pursuant to Chapters 215 and 344, F.S., and Section 16 of Article IX of the Florida Constitution of 1885, as continued by subsection 9(c) of Article XII of the Florida Constitution of 1968.