

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

**Section V
Petitions and Dispositions Regarding Rule
Variance or Waiver**

DEPARTMENT OF EDUCATION

NOTICE IS HEREBY GIVEN THAT on October 12, 2009, the Department of Education has issued an order.

The Department has denied the request for a variance or waiver of subparagraphs 6A-1.039(3)(a)2. and (4), F.A.C., as the established deadline for submission of applications to be a Supplemental Educational Services Provider did not create a substantial hardship upon the Petitioners nor would it violate the principles of fairness. This order was issued in response to the petition filed RE: Applications by Sylvan Learning Centers of Collier and Lee Counties, Sylvan Learning Centers of Charlotte and Sarasota Counties, Ace It! Powered by Sylvan of Collier and Lee Counties, and Ace It! Powered by Sylvan of Charlotte and Sarasota Counties for Authorization to Serve as SES Providers. DOE Agency Case No.: DOE-2009-1872.

A copy of the Order may be obtained by contacting: Lynn Abbott, Agency Clerk, Department of Education, lynn.abbott@fldoe.org or (850)245-9661.

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

NOTICE IS HEREBY GIVEN THAT on February 19, 2009 the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Michael Marlowe, West Cove, Maitland, FL, to not comply with Rules 3.11.3, and 2.7.4, ASME A17.3, 1996 edition until August 31, 2009 (VW 2008-326).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 10, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Dr. Mickey Carter, Landmark Baptist, Haines City, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition to allow installation of door restrictors for a manned, attendant operated elevator operated by a trained operator in a building where it would be impossible to meet code (VW 2009-009).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 27, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That the order is denied as the petitioner has not met its burden to meet the intent of the code and a substantial hardship, as submitted by Mark J. Stempler, Lake Harbor Cove Condominium Association and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-017).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on April 29, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to William Snyder, Willow Lake Condominiums, Kenneth City, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 addenda edition to allow installation firefighters' service at the above project because the elevator travel is less than the required 25 feet (VW 2009-023).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on April 27, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That the order is denied as the petitioner has not met its burden to meet the intent of the code to address the factor of safety and breaking strength of ropes smaller than 9.5mm (3/8") as submitted by Ryan Fish, USF, Tampa, FL, Residence Facility and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-024).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 19, 2009 the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. The Request for Variance is withdrawn by the petitioner, Steve Austin, The Palms, Sebring, FL, as specified in Section 120.542, Florida Statutes (VW 2009-062). A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Chuck Sanz, Horizon House, Naples, FL, to not comply with Rule 3.3.4, ASME A17.3, 1996 edition to allow installation of top of car hatch as it is not feasible by engineering standards to safely install the emergency hatch at the above project (VW 2009-077 and 080). A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 7, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That the order is denied as the petitioner has not met its burden to meet the intent of the code to have other than 12 inch channel girls in the hoistway be beveled 75 degrees, as submitted by Larry Bradley, St. Johns River Power Park and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-079).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 20, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Michael Shumack, Greater Orlando Aviation Authority, Orlando, FL, to not comply with Rule 2.7.2.1, ASME A17.1, 2005 edition to allow foreign wiring in the machine room at the above project (VW 2009-093).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 19, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Mark DeWitt, Most Worshipful Union Grand Lodge, Jacksonville, FL, to not comply with Rule 2.7.2.1, ASME A17.1, 2005 edition to allow access to another room through the elevator machine room in a building where it would be impossible to meet code (VW 2009-096).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Michael Shumack, Greater Orlando Aviation Authority, Orlando, FL, to not comply with Rule 5.4, ASME A17.3, 1996 edition to allow use of 5 foot candles of illumination above all escalators until January 1, 2011 (VW 2009-099).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on May 22, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Wayne Ernst, University of South Florida, Tampa Residence Facility, Tampa, FL, to not comply with Rule 2.14.1.7.1, ASME A17.1, 2005 addenda edition to allow installation of a car top railing on the outside perimeter of the car at the above project (VW 2009-103).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 23, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That the order is denied as the petitioner has not met its burden to meet the intent of the code within a reasonable time as submitted by Cy Hornsby, Sunshine Towers and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-115).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That the order is denied as the petitioner has not met its burden to meet the intent of the code to address the factor of safety when installing a lift greater than the required 12 feet per 2.7.1 ASME 18.1a 2003 edition as submitted by Gloria Higham, 320 1st Avenue and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-129).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 17, 2009 the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. The Request for Variance is withdrawn by the petitioner, Donna A. Kish, Waterview Towers Condominium Association, Inc., as specified in Section 120.542, Florida Statutes (VW 2009-132).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 29, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Deighton Babis, The Grove Wesley Chapel, Wesley Chapel, FL, to not comply with Chapter 3002.1, 2007 Florida Building Code and Chapter 3006.4, 2007 Florida Building Code to allow the machine room door and roof deck assembly as constructed, in a building where it would be impossible to meet code (VW 2009-141).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 24, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

The Request for Variance is withdrawn by the petitioner, Terry Carpenter, Sterling Health, as specified in Section 120.542, Florida Statutes (VW 2009-179).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 27, 2009 the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to David Thompson, 1st Union Building, Bradenton, FL, to not comply with Rules 3.11.3, and 2.7.4, ASME A17.3, 1996 edition until October 1, 2009 (VW 2009-180).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 26, 2009 the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. The Request for Variance is withdrawn by the petitioner, Monica Giglio, Villa D'Este Condominium Association, Inc., as specified in Section 120.542, Florida Statutes (VW 2009-182).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 3, 2009 the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. The Request for Variance is withdrawn by the petitioner, Jeanne S. Dufresne, The Housing Authority of the City of Ft. Myers, Ft. Myers, FL, as specified in Section 120.542, Florida Statutes (VW 2009-187).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Stephen Ritz, Tower East, Pensacola, FL, to not comply with Rules 2.1.3, 3.3.2 and 2.3.1(a), ASME A17.3, 1996 addenda edition to allow installation of permanent pit access, flush hoistway walls and a 21 inch faceplate in a historic building at the above project (VW 2009-195).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

The Request for Variance is withdrawn by the petitioner, Dave Wilson, Surfside North Condominium, as specified in Section 120.542, Florida Statutes (VW 2009-197).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 11, 2009 the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. The Request for Variance is withdrawn by the petitioner, Mark R. Lapp, Esq., Hendry County, as specified in Section 120.542, Florida Statutes (VW 2009-203). A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 18, 2009 the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. The Request for Variance is withdrawn by the petitioner, Helen Ruisi, Seacrest Country Day School, as specified in Section 120.542, Florida Statutes (VW 2009-213). A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Lee Rigby, Westin Village of Imagine, Orlando, FL, to not comply with Rule 2.20.4, ASME A17.1, 2000 edition to allow the removal of previously used Kevlar ropes in light of their failure in other similar installations and replace them with steel ropes (VW 2009-220). A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 22, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

The Request for Variance is withdrawn by the petitioner, Brian Hood, DeAngelis Diamond Construction, Inc., as specified in Section 120.542, Florida Statutes (VW 2009-231).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 5, 2009 the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to John D. Lambert, Terrace East Condominium Association, Maitland, FL, to not comply with Rules 3.11.3, 3.10.4(t) and 2.7.4, ASME A17.3, 1996 edition until October 1, 2011 (VW 2009-248).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 7, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Danya Luby, 555 Winderly Place, Maitland, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until July 1, 2010 (VW 2009-265).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 7, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Danya K. Luby, Maitland 200 Bldg., Maitland, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until July 1, 2010 (VW 2009-266).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Denise Vaters, Vanderbilt Beach and Harbour Club, Naples, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until December 1, 2009 (VW 2009-268).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to David Vondenberger, Calvary Towers, Winter Park, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until March 1, 2010 (VW 2009-269).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 7, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Sharon Brown, Cathedral Gerontology Center, Jacksonville, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until October 1, 2012 (VW 2009-271).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 7, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Rich Peterson, The Breakers, Redington Beach, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until August 1, 2011 (VW 2009-274).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Jim McGregor, San Marco Residences, Marco Island, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until December 31, 2010 (VW 2009-277).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 7, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Paul Komie, Palm Beach Airport Hilton, Palm Beach, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until October 1, 2013 (VW 2009-280).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Vincent Mennella, Presidential Golfview Condominium Association, Inc., West Palm Beach, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until December 31, 2010 (VW 2009-281).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 7, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Oscar Keuker, Lemon Bay Breezes Condo Association, Inc., Port Charlotte, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until June 30, 2011 (VW 2009-285).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 7, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Lorraine J. Thomas, Trafalgar Condominium Association, Inc., Highland Beach, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until October 1, 2012 (VW 2009-287).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Robert Adamczewski, Maridian Club Condominium Association, Naples, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until October 15, 2010 (VW 2009-288).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Larry Woodward, Ocean Trail Condominium, Jupiter, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until December 31, 2010 (VW 2009-290).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 7, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Dan Rowell, Chambre Condominium Association, Madeira Beach, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until October 1, 2012 (VW 2009-291).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Cynthia J. Waypa, Lakewood Mid-Rise Condominium, Boca Raton, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until October 1, 2012 (VW 2009-294).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Richard N. Arcuri, The Park Trammell Building, Tampa, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until October 1, 2011 (VW 2009-296).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That the order is denied as the petitioner has not met its burden to meet the intent of the code within a reasonable period of time, as submitted by Melvyn Van Dyke, Vantage Pointe and, as specified in Section 120.542, Florida Statutes (VW 2009-298).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to James Watkins, Verizon Building, Sarasota, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until December 31, 2009 (VW 2009-304).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Karen S. Wright, Oceans Seven Condominium Association, Inc., Daytona Beach Shores, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until October 1, 2012 (VW 2009-315).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Ted L. Strand, City of Clearwater, Clearwater, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 addenda edition to allow installation firefighters' service at the above project because the elevator travel exceeds the required 25 feet of travel threshold by 1/2 inch (VW 2009-316).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to William Snyder, Town Shores Condominiums, Chatham House Building, Gulfport, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until October 1, 2011 (VW 2009-319).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to James Rafiner, Sarasota County Health, Trinity "B" Cart, Venice, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until March 1, 2010 (VW 2009-321).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Sandi Parris, The 3560 Condominium Association, South Palm Beach, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until June 30, 2010 (VW 2009-325).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Richard H. Jones, Siesta Towers, Sarasota, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until October 1, 2010 (VW 2009-326).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to David S. Maglich, Galleon Resort, Key West, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until October 1, 2011 (VW 2009-329).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Dieter Walz, Westgate, Naples, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until October 30, 2010 (VW 2009-330).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Bea Green, Southtrust Center, West Palm Beach, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until December 31, 2011 (VW 2009-331).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Steve Carpenter, 6000 Park Place Condominium Association, St. Petersburg, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until October 1, 2012 (VW 2009-332).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Bud Guyer, The Addison Condominium Association, Boca Raton, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until August 1, 2012 (VW 2009-333).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Janette Mackesy, Sayana Condominium Association, Sanibel, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until August 31, 2010 (VW 2009-334).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Janette Mackesy, Sand Pointe Condominium Association, Sanibel, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until October 1, 2010 (VW 2009-335).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Janette Mackesy, By The Sea Condominium, Sanibel, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until August 31, 2012 (VW 2009-336).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Janette Mackesy, Sanibel Surfside, Sanibel, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until October 1, 2010 (VW 2009-337).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Cathy Ballinger, Caxambas Towers Condominium Association, Marco Island, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until October 1, 2010 (VW 2009-343).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 3, 2009 the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. The Request for Variance is withdrawn by the petitioner, Jeff Rock, Azalea Trace, as specified in Section 120.542, Florida Statutes (VW 2009-344).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Gary Niznik, Shipwatch 1, Largo, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until December 31, 2013 (VW 2009-346).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2009 the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Jack Marraccini on behalf of FelCor Lodging Trust, Holiday Inn Select, Orlando, FL, to not comply with Rules 3.11.3, 3.11.1(a)(1), 3.4.5(d)(1) and 2.7.4, ASME A17.3, 1996 edition until January 1, 2012 (VW 2009-365).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2009 the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has

received an order. That order granted a variance to Jack Marraccini on behalf of FelCor Lodging Trust, Embassy Suites, Jacksonville, FL, to not comply with Rules 3.11.3, 3.11.1(a)(1), 3.4.5(d)(1) and 2.7.4, ASME A17.3, 1996 edition until January 1, 2012 (VW 2009-366).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 27, 2009 the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Keith Tompkins, Fairway Building, Naples, FL to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until August 1, 2010 (VW 2009-368).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 2, 2009 the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Lindsay A. Morgan, City of Brooksville, Brooksville, FL, to not comply with Rules 3.11.3, and 2.7.4, ASME A17.3, 1996 edition until October 1, 2009 (VW 2009-372).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2009 the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. The Request for Variance is withdrawn by the petitioner, Jeff Rock, Azalea Trace, as specified in Section 120.542, Florida Statutes (VW 2009-382).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 23, 2009 the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. The Request for Variance is withdrawn by the petitioner, Chuck O' Grady, FIMC, as specified in Section 120.542, Florida Statutes (VW 2009-401).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 7, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Mark Velez, Sea Harbor Office Center, Orlando, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until August 31, 2011 (VW 2009-467).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 22, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, El Caribe Resort & Conference Center, Daytona Beach, FL and location of the Serial Number 26908, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Stephen E. Farley (VW 2009-495).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 23, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Carter House, Live Oak, FL and location of the Serial Numbers 30419 and 30420, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from James Schenck (VW 2009-499).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 23, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Admiralty House, Inc., Marco Island, FL and location of the Serial Numbers 20053, 20054, 20055 and 20056, requests the variance for an

extension of time to complete repairs and for economic/financial hardship. The petition was received from Lou Wolfenson, Property Manager (VW 2009-500).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 23, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3 and A17.1, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Midnight Cove II Association, Inc., Sarasota, FL and location of the Serial Number 30919, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Kenneth W. Brand, General Manager (VW 2009-501).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 23, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, M&I Bank, Sarasota, FL and location of the Serial Numbers 42908, 42909, 42910, 42797 and 42798, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Bob Smith, Property Manager (VW 2009-502).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 23, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Ocean Royale Condominium Association, Satellite Beach, FL and location of the Serial Number 39588, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Stephen J. Murray, Secretary (VW 2009-503).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 24, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Maitland Green I, Maitland, FL and location of the Serial Numbers 36894, 36895 and 36896, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Karen S. Padgett, Property Manager (VW 2009-504).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 24, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Venice Regional Medical Center, Venice, FL and location of the Serial Numbers 8065, 24285, 3112, 20046, 6259, 24286, 30950 and 30951, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from James T. Childers, Branch Manager of Otis Elevator Company (VW 2009-506).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 24, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Boca Teeca Condo 1 Inc., Boca Raton, FL and location of the Serial Number 7092, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Tate Fuller, Manager (VW 2009-507).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 24, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Boca Inlet Apartment Association, Inc., Boca Raton, FL and location of the Serial Number 6482, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Tom R. Foster, President (VW 2009-508).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 24, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Wilder Corporation of Clearwater and location of the Serial Numbers 37085, 37086, 37087, 37088 and 37807, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Michael Dean (VW 2009-509).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 24, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Chateau Bayonne Condominium Association, Oldsmar, FL and location of the Serial Numbers 31477 and 31478, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Bernadette Massaro, Manager (VW 2009-510).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 28, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30,

Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Overby Enterprise, Pensacola, FL and location of the Serial Number 62022, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from George R. Overby (VW 2009-511).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 28, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Martinique South Condominium, Sarasota, FL and location of the Serial Number 8848, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from David Ricereto, Property Manager for Argus Property Management, Inc. (VW 2009-512).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 28, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Ironwood Third Condominium, Englewood, FL and location of the Serial Number 10630, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from David Ricereto, Property Manager with Argus Property Management, Inc. (VW 2009-513).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 25, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Old Port Cove Condominium Association Five, Inc., North Palm Beach, FL and location of the Serial Numbers 22521 and 22522, requests

the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Steven L. Cohen, President (VW 2009-514).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 25, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Section 311.3.18, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Fairview Isles Condominium Association, Inc., Fort Myers Beach, FL and location of the Serial Numbers 29084, 29085 and 29086, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Nancy R. Mead, Manager (VW 2009-515).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 25, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Section 3.11.3, 2.7.4 and 3.3.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, University Community Medical Center, Inc., Tampa, FL and location of the License Number 23876, requests the variance for an extension of time to complete repairs and for economic/ financial hardship. The petition was received from B.A. Bobanic, Property Manager (VW 2009-516).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 25, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Section 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Visual Health @ Jupiter Eye Center, Jupiter, FL and location of the License Number 37102, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Madonna Coffman, Administrator (VW 2009-517).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 28, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Bellair Condominium, Daytona Beach, FL and location of the Serial Number 12553 and 12554, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Sheila Sostarich, Manager (VW 2009-518).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 28, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3 and A17.1, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Ironwood Fifteenth Condominium Association, Inc., Bradenton, FL and location of the License Number 35098, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Thomas Cook, CAM (VW 2009-519).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 28, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Century Plaza, Orlando, FL and location of the Serial Number 32777, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Carol Bryant, Manager (VW 2009-520).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 28, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Century Plaza, Orlando, FL and location of the Serial Number 32775, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Carol Bryant (VW 2009-521).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 28, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Century Plaza, Orlando, FL and location of the Serial Number 32776, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Carol Bryant, Agent (VW 2009-522).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 28, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Buccaneer Condominium of Satellite Beach and location of the Serial Number 22776, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Larry Nelson, agent (VW 2009-523).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 28, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Century Plaza of Orlando and location

of the Serial Number 32778, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Carol Bryant (VW 2009-524).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 28, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Fort Walton Beach Medical Center, Fort Walton Beach, FL and location of the Serial Numbers 20262, 20263, 20264 and 33954, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Robert Settles, Director of Facilities (VW 2009-525).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 28, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Cypress Cathedral Apartments, Winter Haven, FL and location of the Serial Numbers 33395 and 33396, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from David Vondenberger, Manager Agent (VW 2009-526).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 28, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Argus Property Management, Inc., Sarasota, FL and location of the License Number 21035, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from David Ricereto, Property Manager (VW 2009-527).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 28, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Section 3.11.3 and A17.1, Section 211.3c, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Enterprise Center, Clearwater, FL and location of the Serial Numbers 33499 and 33500, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Steve Engelhardt, President of Hallmark Development of FL, Inc. (VW 2009-528).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 28, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Sarasota Sands, Sarasota, FL and location of the License Numbers 24034, 24033 and 16278, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Daniel C. Breiding, General Manager (VW 2009-529).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 28, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Pierce 100, Inc., Clearwater, FL and location of the Serial Numbers 21431 and 21432, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Judy K. Schweikert, CAM (VW 2009-530).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 28, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Island Gulf Resort Condominium Association, Inc., Madeira Beach, FL and location of the Serial Number 33038, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Jo-Ann McNew, General Manager (VW 2009-531).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 28, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Sections 3.11.3 and 1.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Pinellas County, Criminal Justice Center, Clearwater, FL and location of the Serial Numbers 31346 and 31347, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from William Snyder (VW 2009-536).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 29, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Sections H603F and H118C, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Ironwood Fifth Condominium Association, Inc., Bradenton, FL and location of the Serial Number 11868, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Carole S. Bowden, CAM (VW 2009-537).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 29, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Sections H603F and H118C, as adopted by Chapter 30,

Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Ironwood Fourth Condominium Association, Inc., Bradenton, FL and location of the Serial Number 11129, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Carole S. Bowden, CAM (VW 2009-538).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 29, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Sections H603F and H118C, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Ironwood Sixth Condominium Association, Inc., Bradenton, FL and location of the Serial Number 20086, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Carole S. Bowden, CAM (VW 2009-539).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 29, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Pelican Walk Condominium, Juno Beach, FL and location of the Serial Number 34698, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from William R Wedral, President (VW 2009-540).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 29, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Sections H603F and H118C, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Ironwood Seventh Condominium Association, Inc., Bradenton, FL and location of the Serial Number 20087, requests the variance for an

extension of time to complete repairs and for economic/financial hardship. The petition was received from Carole S. Bowden, CAM (VW 2009-541).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 29, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, MG Tower, LLC, Brookfield, FL and location of the Serial Numbers 22444, 22445, 22446 and 22447, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Chester J. Oszkandy, President (VW 2009-542).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 29, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Liberty Property Trust, Jacksonville, FL and location of the Serial Number 40191, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Suzi Ford, Property Manager (VW 2009-543).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 29, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, The Art Institute of Jacksonville, Jacksonville, FL and location of the Serial Numbers 43298 and 94105, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Suzi Ford, Property Manager (VW 2009-544).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 29, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Butler Plaza I, Jacksonville, FL and location of the Serial Numbers 56133 and 56134, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Suzi Ford, Property Manager (VW 2009-545).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 29, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Butler Plaza II, Jacksonville, FL and location of the Serial Numbers 59838, 59839 and 59969, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Suzi Ford, Property Manager (VW 2009-546).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 29, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Centurion Plaza, Jacksonville, FL and location of the Serial Numbers 51244 and 51245, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Suzi Ford, Property Manager (VW 2009-547).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 29, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Bank of America Building, Jacksonville, FL and location of the Serial Numbers 33903 and 33904, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Suzi Ford, Property Manager (VW 2009-548).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 29, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, PSS Worldmed Shared Services, Jacksonville, FL and location of the Serial Numbers 52143, 52144 and 52145, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Suzi Ford, Property Manager (VW 2009-549).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 29, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Enterprise Park, Jacksonville, FL and location of the Serial Numbers 37368, 37369 and 37370, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Suzi Ford, Property Manager (VW 2009-550).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 29, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30,

Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Liberty Center, Jacksonville, FL and location of the Serial Numbers 41262, 41263 and 41264, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Suzi Ford, Property Manager (VW 2009-551).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Central Florida Regional Hospital of Sanford and location of the Serial Number 32249, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Eddie G. Brooks, Director (VW 2009-552).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Central Florida Regional Hospital, Sanford, FL and location of the Serial Number 32248, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Eddie G. Brooks, Director (VW 2009-553).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Central Florida Regional Hospital, Sanford, FL and location of the Serial Number 32247, requests the variance for an extension of time

to complete repairs and for economic/financial hardship. The petition was received from Eddie G. Brooks, Director (VW 2009-554).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Central Florida Regional Hospital, Sanford, FL and location of the Serial Number 32242, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Eddie G. Brooks, Director (VW 2009-555).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Central Florida Regional Hospital of Sanford and location of the Serial Number 32245, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Eddie G. Brooks, Director (VW 2009-556).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Central Florida Regional Hospital, Sanford, FL and location of the Serial Number 32246, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Eddie G. Brooks, Director (VW 2009-557).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Sections 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Fairview Isles of Fort Myers Beach and location of the Serial Numbers 29084, 29085 and 29086, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Lee Rigby, President (VW 2009-558).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 29, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, La Playa East Condominium Association, Inc., Satellite Beach, FL, and location of the Serial Numbers 11632 and 11633, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Gene Craig, Secretary (VW 2009-559).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, The Enclave Hotel & Suites, Orlando, FL, and location of the Serial Numbers 37797, 37798, 38767 and 38768, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Lee Rigby, VAA President (VW 2009-560).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Franklin Exchange Office Building of Tampa, and location of the Serial Numbers 02869, 02870 and 06713, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Sara M. Wayson, General Manager (VW 2009-561).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Sections 3.11.3, 2.7.4, 3.11.1 and 3.10.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Orlando World Center Marriott, Inc., Orlando, FL, and location of the Serial Numbers 35174-84, 35187-96, 35281-85 and 38062, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Mark Stich, Authorized Rep. (VW 2009-562).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Sandpiper Gulf Resort II, Naples, FL, and location of the Serial Number 30812, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Michael J. Towns, CAM (VW 2009-563).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The

petitioner, Ironwood Fourteenth Condominium Association, Inc., Bradenton, FL, and location of the Serial Number 34376, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Carole S. Bowden, CAM (VW 2009-564).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Sections 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Ironwood Ninth Condominium Association, Inc., Holmes Beach, FL, and location of the Serial Number 26913, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Carole S. Bowden, CAM (VW 2009-565).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, 2180 Sanlando Center, Longwood, FL, and location of the Serial Number 39195, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Sean Westcott, Director of Leasing & Property Management (VW 2009-566).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, 5750 Major Blvd. Building, Orlando, FL, and location of the Serial Number 10285, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Sean Westcott, Director of Leasing & Property Management (VW 2009-567).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Maitland Center, Maitland, FL, and location of the Serial Number 35224, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Sean Westcott, Director of Leasing & Property Management (VW 2009-568).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Sections 3.11.3 and 3.11.1, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Fairway Pines at Sun 'N Lake, Sebring, FL, and location of the Serial Numbers 35620 and 35622, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Lee Rigby, President (VW 2009-569).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Sections 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Central Manor Apartments, Daytona Beach, FL, and location of the Serial Numbers 28746 and 28747, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Jane Bentley (VW 2009-570).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 2, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Seaside Plaza of Orlando, and location of the Serial Numbers 32104, 32105, 32106, 32107, 32108, 32109 and 32110, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Robert 'Chip' Duncan (VW 2009-571).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 2, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Feather Sound II Building, Clearwater, FL, and location of the Serial Numbers 37884 and 37885, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Robert 'Chip' Duncan (VW 2009-572).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 2, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Landmark I and II, Orlando, FL, and location of the Serial Numbers 33324, 33325, 33326, 33327, 36717, 36718, 36719 and 36720, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Robert 'Chip' Duncan (VW 2009-573).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 2, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a),

F.A.C. The petitioner, Pavilion Building, Clearwater FL, and location of the Serial Numbers 30662 and 30663, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Robert 'Chip' Duncan (VW 2009-574).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 2, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, One Harbor Place, Tampa, FL, and location of the Serial Numbers 36430, 36431, 36432, 36433, 36434, 36435 and 36401, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Robert 'Chip' Duncan (VW 2009-575).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 2, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Lake Howard Heights, Winter Haven, FL, and location of the Serial Numbers 26878 and 26879, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Howar Brody, Vice President (VW 2009-576).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 2, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Commodore Club II, Naples, FL, and location of the Serial Numbers 11100 and 11101, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Frank Murphy, CAM (VW 2009-577).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 2, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Lake Virginia Condominium Association, Inc., Winter Park, FL, and location of the Serial Numbers 14679 and 14680, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Thomas D. Malcom, Agent (VW 2009-578).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 2, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Royal Palm Club of Naples, and location of the Serial Numbers 10462 and 10463, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Frank Murphy, CAM (VW 2009-579).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 24, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Sections 3.11.3, 2.7.4 and 3.11.4(t), as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Ironwood Fifteenth Condominium Association, Inc., Bradenton, FL, and location of the Serial Number 35098, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Thomas W. Cook, CAM (VW 2009-580).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 2, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Delray Corporate Center of Delray Beach, and location of the Serial Number 40399, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Eddie Armesto, Service Manager (VW 2009-581).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 5, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Shoreline Island Resort, Madeira Beach, FL, and location of the Serial Number 23991, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Kay Yocum, General Manager (VW 2009-582).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 5, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Ritz Resort Motel, Clearwater Beach, FL, and location of the Serial Number 18001, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Weronika Giadla (VW 2009-583).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 5, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Islander Club, Longboat Condominium Association,

Longboat Key, FL, and location of the Serial Numbers 9779, 9780, 10113 and 10114, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Robert Mastrippolito, Property Manager (VW 2009-584).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 5, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Shipp's Landing, Marco Island, FL, and location of the Serial Numbers 9927, 9928, 10441, 10442, 11246, 11247 and 11248, requests the variance for an extension of time to complete repairs and for economic/ financial hardship. The petition was received from Darrel Self, Property Manager (VW 2009-585).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Fairway Bay Association, Longboat Key, FL, and location of the Serial Numbers 34541 and 34540, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Cheri Johnson, CAM (VW 2009-586).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 6, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, St. Petersburg Kennel Club, St. Petersburg, FL, and location of the Serial Numbers 06882, 06883, 23678, 23676 and 23677, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Maggie M. Schultz, Esq (VW 2009-587).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 7, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Section 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Florida Department of Transportation, District Two, Jacksonville, FL, and location of the Serial Number 5023, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Mathew Saponara (VW 2009-588). A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 7, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Sections 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Jacksonville Urban Office, FDOT, D2, Jacksonville, FL, and location of the Serial Number 5024, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Mathew Saponara (VW 2009-589).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 7, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Palm Beach Club Homeowner's Association, Pensacola Beach, FL, and location of the Serial Number 89864, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Dana Schikora, CAM (VW 2009-590).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 7, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received

a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Water's Edge East Condominium Association, Inc., Cocoa Beach, FL, and location of the Serial Numbers 28565 and 28566, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Patrick Boone, CAM (VW 2009-591).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 7, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Section 3.4.2 and 3.10.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, 320 West Kennedy Building, Tampa, FL, and location of the Serial Number 1747, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from William Snyder (VW 2009-592).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 7, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Whispering Sands Condominium Association, Inc., Sarasota, FL, and location of the Serial Number 20050, 20049, 20051 and 20052, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Richard H. Jones, General Manager (VW 2009-593).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Sections 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Ocean Trail Condominium Association No. 1, Inc., Jupiter, FL, and location of the Serial Numbers 23433 and 23434, requests the

variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Larry Woodard, CAM (VW 2009-594).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 5, 2009, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The Department received a Petition on September 1, 2009 for a Routine Variance for Subparagraph 3-305.11(A)(2), 2001 FDA Food Code, Paragraph 3-305.14, 2001 FDA Food Code, Paragraph 6-202.15, 2001 FDA Food Code, Paragraph 6-202.16, 2001 FDA Food Code, subsections 61C-4.010(1) and 61C-4.010(6), Florida Administrative Code, from Munchwagon Catering, Bunnell, FL. The above referenced F.A.C. addresses the requirement for proper handling and dispensing of food. They are requesting to dispense bulk potentially hazardous foods other than frankfurters from an open air mobile food dispensing vehicle.

The variance request was published in Vol. 35, No. 36, September 11, 2009 and is contingent upon the Petitioner ensuring that each pan within the steam table is properly covered with an individual lid, the steam table is enclosed within a cabinet with tight-fitting doors and protected by an air curtain installed and operated according to manufacturer's specifications that protects against flying vermin or other environmental contaminants; all steam table foods must be properly reheated for hot holding at approved commissaries per the parameters of the currently adopted FDA Food Code and held hot at the proper minimum temperature per the parameters of the currently adopted FDA Food Code; and steam table food is to be dispensed by the operator with no customer self-service.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on October 5, 2009, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The Department received a Petition on September 15, 2009 for an Emergency Variance for subsections 61C-4.010(6), (7), Florida Administrative Code, from Sunnibunni Frozen Yogurt & Organic Fruit Smoothies, Lakewood Ranch, FL. The above referenced F.A.C. addresses the requirement that at least one accessible bathroom be provided for use by customers. They are requesting to utilize bathrooms located within 300 feet in an adjacent business located within the same strip mall.

The variance request was published in Vol. 35, No. 38, September 25, 2009 and is contingent upon the Petitioner ensuring the bathrooms located within Sandra D's Hair Designs are maintained in a clean and sanitary manner and are provided with hot and cold running water under pressure, soap, approved hand drying devices and available during all hours of operation. The Petitioner shall also ensure directional signage is installed within or outside the establishment clearly stating the location of the bathrooms. If the ownership of Sandra D's Hair Designs changes, an updated signed agreement for use of the bathroom facilities is required immediately. Any violation of the variance is the equivalent of a violation of the Rule and may result in a rescission of the variance and subject the Petitioner to disciplinary sanctions as enumerated in Section 509.261, Florida Statutes.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on December 9, 2008, the Electrical Contractors' Licensing Board, received a petition for Roberta M. Plamondon, seeking a variance or waiver of subsection 61G6-5.002(1), Florida Administrative Code, which requires that an applicant for certification by examination or by endorsement shall submit the complete application form together with all supporting data including information required to be submitted under Rules 61G6-5.003 and 61G6-5.004, F.A.C., if applicable. Petitioner is also seeking a variance or waiver of subsection 61G6-5.002(3), F.A.C., which requires that the initial Business Computer-Based Test portion may be taken from the professional testing service at any time after the applicant has been approved to sit for the initial paper and pencil Technical/Safety Examination.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juanita Chastain, Executive Director, Electrical Contractors' Licensing Board, 1940 North Monroe Street, Tallahassee, FL 32399-0783. Comments on this petition should be filed with the Electrical Contractors' Licensing Board within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN THAT on October 5, 2009, the Board of Accountancy, received a petition for Giji Alex, seeking a variance or waiver of subsection 61H1-28.0052(2), Florida Administrative Code, which requires that a candidate having been deemed to have passed the CPA Examination shall meet all licensure requirements as imposed by Chapters 455 and 473, F.S, or the candidate must reapply for licensure.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Veloria Kelly, Division Director, Board of Accountancy, 240 N. W. 76th Dr., Suite A, Gainesville, Florida

32607. Comments on this petition should be filed with the Board of Accountancy within 14 days of publication of this notice.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

DEPARTMENT OF HEALTH

NOTICE IS HEREBY GIVEN THAT on October 7, 2009, the Board of Chiropractic Medicine, received a petition for Mitchell L. Eiseman, seeking a variance or waiver of subsection 64B2-13.004(2), Florida Administrative Code, which requires that only those classroom hours earned at Board approved continuing education courses or under the provisions of this rule are acceptable.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Joe Baker, Jr., Executive Director, Board of Chiropractic Medicine/MQA, 4052 Bald Cypress Way, Bin #C07, Tallahassee, Florida 32399-3257. Comments on this petition should be filed with the Board of Chiropractic Medicine within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Board of Clinical Social Work, Marriage and Family Therapy and Mental Health Counseling, received a petition for Keith B. Vennum, M.D., seeking a variance or waiver of Rule 64B4-2.001, F.A.C., which requires that two years of "clinical experience" consists of at least 1500 hours of providing psychotherapy face-to-face with clients as a registered intern for the profession for which licensure is sought. Petitioner also seeks a waiver of Section 491.005(4)(c), Florida Statutes, which requires that the clinical experience requirement may be met by work performed on or off the premises of the supervising mental health counselor or the equivalent, provided the off-premises work is not the independent private practice rendering of services that does not have a licensed mental health professional, as determined by the Board, on the premises at the same time the intern is providing services.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sue Foster, Executive Director, Board of Clinical Social Work, Marriage and Family Therapy and Mental Health Counseling, 4052 Bald Cypress Way, Bin #C08, Tallahassee, Florida 32399-3258. Comments on this petition should be filed with the Board of Clinical Social Work, Marriage and Family Therapy and Mental Health Counseling within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN THAT on September 11, 2009, the Board of Pharmacy has issued an order.

The Order pertains to the Petition for Variance or Waiver filed on July 14, 2009, by David N. Collins. Although the petition does not state a specific rule, it appears that Petitioner is seeking a variance or waiver of Rule 64B16-26.300, Florida Administrative Code, entitled, "Consultant Pharmacist Licensure," which lists the requirements for licensure as a Consultant Pharmacist. The Notice of Petition published on July 31, 2009, Vol. 35, No. 30, of the Florida Administrative Weekly.

The Board of Pharmacy considered the Petition at a duly-noticed meeting held on August 12, 2009, Orlando, Florida. The Board's Order, filed on September 11, 2009, dismissed the petition finding that the Petition does not comply with the requirements of Florida law.

A copy of the Order may be obtained by contacting: Rebecca Poston, R.Ph., Executive Director, Board of Pharmacy, 4052 Bald Cypress Way, Bin #C04, Tallahassee, Florida 32399-3254.

NOTICE IS HEREBY GIVEN THAT on October 1, 2009, the Board of Physical therapy Practice, received a petition for waiver of the requirements of Rule 64B17-3.003, Florida Administrative Code. The Petitioner, Lakshmi I. Shankar, seeks a waiver of the requirement that applicants for endorsement meet the educational requirements contained in Rule 64B17-3.001, F.A.C.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Allen Hall, Executive Director, Board of Physical Therapy Practice/MQA, 4052 Bald Cypress Way, Bin #C05, Tallahassee, Florida 32399-3255.

The Board of Physical Therapy Practice hereby gives notice that it has received a petition, filed on October 5, 2009, by Anthony B. Kurrant, seeking a waiver of the requirements of paragraphs 64B17-3.001(4)(h) and (j), Florida Administrative Code. The Petitioner seeks a waiver, due to hardship, of the requirement that a foreign trained applicant must have his educational credentials approved by a Board approved credentialing agency that uses original documentation. The Petitioner also seeks a waiver of the requirement that an applicant, who did not receive his or her education in English, must obtain a minimum score on the TOEFL exam.

Comments on this petition should be filed with: Board of Physical Therapy Practice/MQA, 4052 Bald Cypress Way, Bin #C05, Tallahassee, Florida 32399-3255, within 14 days of publication of this notice. For a copy of the petition, contact Allen Hall, Executive Director, Board of Physical Therapy Practice, at the above address or telephone (850)488-0595.

NOTICE IS HEREBY GIVEN THAT on September 25, 2009, the Board of Physical Therapy Practice, received a petition for waiver of the requirements of paragraph 64B17-3.001(4)(j), Florida Administrative Code. Paula Mayorga seeks a waiver of

the requirement that applicants who did not receive their education in English, obtain a minimum score of 24 on the speaking portion of the TOEFL exam.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Allen Hall, Executive Director, Board of Physical Therapy Practice/MQA, 4052 Bald Cypress Way, Bin #C05, Tallahassee, Florida 32399-3255.

NOTICE IS HEREBY GIVEN THAT on October 5, 2009, the Board of Physical Therapy Practice, received a petition for waiver of the requirements of paragraph 64B17-3.001(4)(j), Florida Administrative Code. Nicole Rebecca Nicodemo seeks a waiver, due to hardship, of the requirement that an applicant who did not receive his or her education in English, must obtain a minimum score on the TOEFL exam. Comments on this petition should be filed with the Board of Physical Therapy Practice/MQA, 4052 Bald Cypress Way, Bin #C05, Tallahassee, Florida 32399-3255, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Allen Hall, Executive Director, Board of Physical Therapy Practice/MQA, 4052 Bald Cypress Way, Bin #C05, Tallahassee, Florida 32399-3255, (850)488-0595.

Section VI

Notices of Meetings, Workshops and Public Hearings

DEPARTMENT OF STATE

The **Division of Historical Resources, Bureau of Historic Preservation** announces a workshop to which all persons are invited.

DATE AND TIME: November 4, 2009, 9:00 a.m. – 4:00 p.m.

PLACE: Room 307, R. A. Gray Building, Tallahassee, FL

GENERAL SUBJECT MATTER TO BE CONSIDERED: Workshop I: Applying for a Historic Preservation Grant will focus on the revised online grant application, attachments, new rules governing grants, and the grant review process.

A copy of the agenda may be obtained by contacting: Grants staff at bhpgrants@flheritage.com or 1(800)847-7278 or go to flheritage.com/grants within seven days of the workshop date.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 24 hours before the workshop/meeting by contacting: Lynnsey Weissenberger at lkweissenberger@dos.state.fl.us or call 1(800)847-7278. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).