

Section I
Notice of Development of Proposed Rules
and Negotiated Rulemaking

DEPARTMENT OF EDUCATION

State Board of Education

RULE NO.: RULE TITLE:
 6A-10.024 Articulation Between and Among
 Universities, Florida Colleges, and School
 Districts

PURPOSE AND EFFECT: The rule implements the statewide articulated acceleration mechanisms of Section 1007.27, Florida Statutes, which facilitates a variety of acceleration mechanisms that are available to secondary and postsecondary students. This development allows for the inclusion of the 2020-2021 Credit-by-Examination Equivalencies list as approved by the Articulation Coordinating Committee, including updates and additions to credit awards for multiple exams.

SUBJECT AREA TO BE ADDRESSED: Articulation Coordinating Committee’s Credit-by-Examination Equivalencies list.

RULEMAKING AUTHORITY: 1001.02(2)(n), 1007.23(1), 1007.25, 1007.27, FS.

LAW IMPLEMENTED: 1001.64(8)(a), 1007.01(2), 1007.23, 1007.25, 1007.27, FS.

IF REQUESTED IN WRITING AND NOT DEEMED UNNECESSARY BY THE AGENCY HEAD, A RULE DEVELOPMENT WORKSHOP WILL BE NOTICED IN THE NEXT AVAILABLE FLORIDA ADMINISTRATIVE REGISTER.

THE PERSON TO BE CONTACTED REGARDING THE PROPOSED RULE DEVELOPMENT AND A COPY OF THE PRELIMINARY DRAFT, IF AVAILABLE, IS: Rod Duckworth, Executive Director of Articulation, Rod.Duckworth@fldoe.org. To request a rule development workshop, please contact: Chris Emerson, Director, Office of Executive Management, Department of Education, (850)245-9601 or e-mail Christian.emerson@fldoe.org or go to <https://web02.fldoe.org/Rules/Default.aspx>.

THE PRELIMINARY TEXT OF THE PROPOSED RULE DEVELOPMENT IS: Available at <https://web02.fldoe.org/Rules>.

DEPARTMENT OF HEALTH

Board of Medicine

RULE NO.: RULE TITLE:
 64B8-30.005 Physician Assistant Licensure Renewal and
 Reactivation

PURPOSE AND EFFECT: The Board proposes the development of rule amendments to address the requirements for reactivation of an inactive license and reactivation of a retired status license.

SUBJECT AREA TO BE ADDRESSED: Clarification of requirements for reactivation of an inactive license and reactivation of a retired status license.

RULEMAKING AUTHORITY: 456.013, 456.031(1)(a), 456.033(1), 458.309, 458.347 FS.

LAW IMPLEMENTED: 456.013, 456.031(1), 456.033, 456.036, 458.347 FS.

IF REQUESTED IN WRITING AND NOT DEEMED UNNECESSARY BY THE AGENCY HEAD, A RULE DEVELOPMENT WORKSHOP WILL BE NOTICED IN THE NEXT AVAILABLE FLORIDA ADMINISTRATIVE REGISTER.

THE PERSON TO BE CONTACTED REGARDING THE PROPOSED RULE DEVELOPMENT AND A COPY OF THE PRELIMINARY DRAFT, IF AVAILABLE, IS: Claudia Kemp, Executive Director, Board of Medicine/MQA, 4052 Bald Cypress Way, Bin #C03, Tallahassee, Florida 32399-3253.

THE PRELIMINARY TEXT OF THE PROPOSED RULE DEVELOPMENT IS AVAILABLE AT NO CHARGE FROM THE CONTACT PERSON LISTED ABOVE.

DEPARTMENT OF HEALTH

Board of Nursing

RULE NOS.: RULE TITLES:
 64B9-15.002 Certified Nursing Assistant Authorized
 Duties.
 64B9-15.0025 CNA Medication Administration
 64B9-15.0026 Medication Administration Outside the
 Scope of Practice of a CNA
 64B9-15.005 Standards for Certified Nursing Assistant
 Training Programs

PURPOSE AND EFFECT: For Rule 64B9-15.002, F.A.C., the Board proposes the rule amendment to update the rule regarding CNA authorized duties. For Rule 64B9-15.0025, F.A.C., the Board proposes the promulgation of the rule to provide instructions for medication administration by CNAs. For Rule 64B9-15.0026, F.A.C., the Board proposes the promulgation of the rule to provide medication administration outside the scope of the practice of a CNA. For Rule 64B9-15.005, F.A.C., the Board proposes the rule amendment to include online training programs.

SUBJECT AREA TO BE ADDRESSED: Certified Nursing Assistant Authorized Duties. CNA Medication Administration. Medication Administration Outside the Scope of Practice of a CNA. Standards for Certified Nursing Assistant Training Programs.

RULEMAKING AUTHORITY: 464.202, 464.203, 464.2035(3) FS.

LAW IMPLEMENTED: 464.0156, 464.202, 464.203, 464.2035, 464.2085 FS.

IF REQUESTED IN WRITING AND NOT DEEMED UNNECESSARY BY THE AGENCY HEAD, A RULE DEVELOPMENT WORKSHOP WILL BE NOTICED IN THE NEXT AVAILABLE FLORIDA ADMINISTRATIVE REGISTER.

THE PERSON TO BE CONTACTED REGARDING THE PROPOSED RULE DEVELOPMENT AND A COPY OF THE PRELIMINARY DRAFT, IF AVAILABLE, IS: Joe R. Baker, Jr., Executive Director, Board of Nursing, 4052 Bald Cypress Way, Bin #C02, Tallahassee, Florida 32399; Joe.Baker@flhealth.gov.

THE PRELIMINARY TEXT OF THE PROPOSED RULE DEVELOPMENT IS AVAILABLE AT NO CHARGE FROM THE CONTACT PERSON LISTED ABOVE.

DEPARTMENT OF HEALTH

Board of Osteopathic Medicine

RULE NO.: RULE TITLE:
64B15-6.0035 Physician Assistant Licensure Renewal and Reactivation

PURPOSE AND EFFECT: The Board proposes the development of rule amendments to address the requirements for reactivation of an inactive license and reactivation of a retired status license.

SUBJECT AREA TO BE ADDRESSED: Clarification of requirements for reactivation of an inactive license and reactivation of a retired status license.

RULEMAKING AUTHORITY: 456.013, 456.033(1), 459.005, 459.022 FS.

LAW IMPLEMENTED: 456.013, 456.031, 459.022(7)(b), (c) FS.

IF REQUESTED IN WRITING AND NOT DEEMED UNNECESSARY BY THE AGENCY HEAD, A RULE DEVELOPMENT WORKSHOP WILL BE NOTICED IN THE NEXT AVAILABLE FLORIDA ADMINISTRATIVE REGISTER.

THE PERSON TO BE CONTACTED REGARDING THE PROPOSED RULE DEVELOPMENT AND A COPY OF THE PRELIMINARY DRAFT, IF AVAILABLE, IS: Kama

Monroe, Executive Director, Board of Osteopathic Medicine/MQA, 4052 Bald Cypress Way, Bin #C06, Tallahassee, Florida 32399-3256.

THE PRELIMINARY TEXT OF THE PROPOSED RULE DEVELOPMENT IS AVAILABLE AT NO CHARGE FROM THE CONTACT PERSON LISTED ABOVE.

**Section II
Proposed Rules**

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

Board of Veterinary Medicine

RULE NO.: RULE TITLE:
61G18-11.002 Examination and Licensure

PURPOSE AND EFFECT: The proposed rule amendments are intended to incorporate the Practitioner Manual of the DEA for information on controlled substances and to clarify the requirements for completing the laws and rules examination for licensure.

SUMMARY: The proposed rule amendments incorporate the Practitioner Manual of the DEA for information on controlled substances and clarify the requirements for completing the laws and rules examination for licensure.

SUMMARY OF STATEMENT OF ESTIMATED REGULATORY COSTS AND LEGISLATIVE RATIFICATION:

The Agency has determined that this will not have an adverse impact on small business or likely increase directly or indirectly regulatory costs in excess of \$200,000 in the aggregate within one year after the implementation of the rule. A SERC has not been prepared by the Agency.

The Agency has determined that the proposed rule is not expected to require legislative ratification based on the statement of estimated regulatory costs or if no SERC is required, the information expressly relied upon and described herein: During discussion of the economic impact of this rule at its Board meeting, the Board, based upon the expertise and experience of its members, determined that a Statement of Estimated Regulatory Costs (SERC) was not necessary and that the rule will not require ratification by the Legislature. No person or interested party submitted additional information regarding the economic impact at that time.

Any person who wishes to provide information regarding a statement of estimated regulatory costs, or provide a proposal for a lower cost regulatory alternative must do so in writing within 21 days of this notice.

RULEMAKING AUTHORITY: 455.217, 474.206, 474.207 FS.

LAW IMPLEMENTED: 455.217, 474.207 FS.
 IF REQUESTED WITHIN 21 DAYS OF THE DATE OF THIS NOTICE, A HEARING WILL BE SCHEDULED AND ANNOUNCED IN THE FAR.
 THE PERSON TO BE CONTACTED REGARDING THE PROPOSED RULE IS: Ruthanne Christie, Executive Director, Board of Veterinary Medicine, 2601 Blair Stone Road, Tallahassee, FL 32399-0751, N13, or by electronic mail - Ruthanne.Christie@myfloridalicense.com.

THE FULL TEXT OF THE PROPOSED RULE IS:

61G18-11.002 Examination and Licensure.
 (1) through (2) No change.
 (3) Effective on November 1, 2000, there shall be two examinations.

(a) The first examination will be the North American Veterinary Licensing Examination (NAVLE) developed by the International Council for Veterinary Assessment (ICVA).

(b) The second examination concerns laws and rules related to the practice of veterinary medicine. The context of the second test shall include the following subjects: The Veterinary Medical Practice Act, Chapter 474, F.S.; Chapter 455, F.S., relating to the Department of Business and Professional Regulation; Division 61G18, F.A.C., the rules promulgated by the Board of Veterinary Medicine; Chapters 465, 499, 585, 828 and 893, F.S.; and the 2006 Edition most recent revision of the “Practitioner’s Manual,” an informational outline of the Controlled Substances Act of 1970, published by the Drug Enforcement Administration of the United States Department of Justice, which is hereby incorporated by reference and available at <http://www.flrules.org/Gateway/reference.asp?No=Ref-> or which can be found at <https://www.deadiversion.usdoj.gov/pubs/manuals/pract/index.html>.

(c) Applicants for licensure by examination who submit their applications for licensure as a Florida Veterinarian prior January 1, 2021, may, in lieu of passing the laws and rules examination set forth in paragraph (3)(b), above, successfully complete an on-line course or courses, approved by the Board, addressing the subjects outlined in paragraph (3)(b), above.

(4) through (6) No change.

Rulemaking Authority 455.217, 474.206, 474.207 FS. Law Implemented 455.217, 474.207 FS. History—New 11-14-79, Amended 5-11-80, 7-9-80, 5-4-81, 12-10-81, 12-5-82, 5-15-83, 11-5-84, 5-7-85, 11-5-85, Formerly 21X-11.02, Amended 3-1-88, 11-24-88, 4-3-89, 4-13-92, 3-30-93, 7-13-93, Formerly 21X-11.002, Amended 7-4-94, 3-20-95, 3-29-95, 5-1-95, 5-27-99, 12-25-05, 6-28-07, 8-29-10, 9-26-12, 6-26-17,_____.

NAME OF PERSON ORIGINATING PROPOSED RULE:
 Board of Veterinary Medicine
 NAME OF AGENCY HEAD WHO APPROVED THE PROPOSED RULE: Board of Veterinary Medicine
 DATE PROPOSED RULE APPROVED BY AGENCY HEAD: June 19, 2020
 DATE NOTICE OF PROPOSED RULE DEVELOPMENT PUBLISHED IN FAR: July 6, 2020

DEPARTMENT OF ENVIRONMENTAL PROTECTION

RULE NOS.: RULE TITLES:
 62-210.200 Definitions
 62-210.300 Permits Required
 62-210.310 Air General Permits
 62-210.350 Public Notice and Comment

PURPOSE AND EFFECT: The purpose of this Notice of Proposed Rule (NOPR) is to amend Rule 62-210.200, F.A.C., to add new definitions and revising existing definitions for clarification and further implementation of the Clean Air Act as well as removing unnecessary definitions; amend Rule 62-210.300, F.A.C., to make corrective and clarifying amendments; amend Rule 62-210.310, F.A.C., to revise the requirements for submittal of the Relocation Notification Form (Form 62-210.900(6)) to the Department to at least one (1) day prior to facility relocation and to clarify, clarify the circumstances under which an annual emission test for an Air General Permit facility is not required consistent with test exemptions in Rule 62-297.310, F.A.C., and other corrective and clarifying amendments; and amend Rule 62-210.350, F.A.C. to clarify the process for requesting an administrative hearing pursuant to Chapter 120, Florida Statutes, and a public hearing (public meeting) for the Prevention of Significant Deterioration (PSD) and Title V permitting programs.

SUBJECT AREA TO BE ADDRESSED: The proposed rule amendments address Stationary Sources – General Requirements.

OTHER RULES INCORPORATING RULE 62-210.200, F.A.C: 62-4.050, 62-110.104, 62-210.220, 62-210.300, 62-210.340, 62-210.370, 62-212.500, 62-212.720, 62-213.202, 62-213.300, 62-213.400, 62-213.410, 62-213.412, 62-213.420, 62-213.440, 62-214.100, 62-296.100, 62-296.340, 62-296.401, 62-296.417, 62-296.470, 62-296.480, 62-296.600, 62-255.320, 62-701.200, F.A.C.

EFFECT ON THOSE OTHER RULES: There will be no effect on other rules.

OTHER RULES INCORPORATING RULE 62-210.300, F.A.C: 62-210.200, 62-210.310, 62-210.350, 62-210.360, 62-210.920, 62-212.300, 62-213.300, 62-256.300, 62-256.700, 62-296.320, 62-296.401, 62-296.406, 62-296.414, 62-296.417, 62-296.570, 62-737.800, F.A.C.

EFFECT ON THOSE OTHER RULES: There will be no effect on other rules.

OTHER RULES INCORPORATING RULE 62-210.310, F.A.C.: 62-210.300, 62-213.300, 62-296.500, and 62-297.310, F.A.C.

EFFECT ON THOSE OTHER RULES: There will be no effect on other rules.

OTHER RULES INCORPORATING RULE 62-210.350, F.A.C.: 62-110.106, 62-204.800, 62-210.200, 62-210.300, 62-210.340, 62-212.400, 62-212.500, 62-212.720 and 62-213.430, F.A.C.

EFFECT ON THOSE OTHER RULES: There will be no effect on other rules.

OTHER RULES INCORPORATING RULE 62-210.700, F.A.C.: 61-110.106, 62-212.720, 62-213.440, 62-296.401, 62-296.404, 62-296.570, and 62-296.702, F.A.C.

EFFECT ON THOSE OTHER RULES: There will be the intended effect on other rules.

SUMMARY OF STATEMENT OF ESTIMATED REGULATORY COSTS AND LEGISLATIVE RATIFICATION:

The Agency has determined that this will not have an adverse impact on small business or likely increase directly or indirectly regulatory costs in excess of \$200,000 in the aggregate within one year after the implementation of the rule. A SERC has not been prepared by the Agency.

The Agency has determined that the proposed rule is not expected to require legislative ratification based on the statement of estimated regulatory costs or if no SERC is required, the information expressly relied upon and described herein: revision of these rules will not have an adverse impact or increase regulatory costs on any entity.

Any person who wishes to provide information regarding a statement of estimated regulatory costs or provide a proposal for a lower cost regulatory alternative must do so in writing within 21 days of this notice.

RULEMAKING AUTHORITY: 403.061, 403.087, 403.716, 403.8055, FS.

LAW IMPLEMENTED: 403.021, 403.031, 403.061, 403.087, 403.716, FS.

IF REQUESTED WITHIN 21 DAYS OF THE DATE OF THIS NOTICE, A HEARING WILL BE SCHEDULED AND ANNOUNCED IN THE FAR.

THE PERSON TO BE CONTACTED REGARDING THE PROPOSED RULE IS: Hastings Read, 2600 Blair Stone Rd., MS 5500, Tallahassee, FL, 32399-2400, hastings.read@floridadep.gov, (850)717-9017.

THE FULL TEXT OF THE PROPOSED RULE IS:

62-210.200 Definitions.

The following words and phrases when used in this chapter and in chapters 62-204, 62-212, 62-213, 62-214, 62-296, and 62-297, F.A.C., shall, unless the context clearly indicates otherwise, have the following meanings:

(1) through (17) No change.

(18) “Air Quality Maintenance Area” – Any area that was designated as “Nonattainment” for a specific National Ambient Air Quality Standard (NAAQS) and was redesignated as “Attainment” for that NAAQS and subject to a maintenance plan as required by Clean Air Act section 175A. Air Quality Maintenance Areas have a duration of 20 years from their initial approval. Initial approval dates are specified in 40 C.F.R. Part 52, Subpart K, as adopted and incorporated by reference in rule 62-204.800, F.A.C.

(18) through (26) renumbered (19) through (27) No change.

(28) “Attainment Area” – Any area attaining a National Ambient Air Quality Standard for a particular pollutant and designated as “Attainment” in 40 C.F.R. Part 81, §81.310, as adopted and incorporated by reference in rule 62-204.800, F.A.C.

(27) through (30) renumbered (29) through (32) No change.

~~(33)~~(34) “Batch Process” – A process which takes in the basic raw materials at the beginning of a cycle and processes them in accordance with a predetermined scheme during which no more basic raw materials are added to the process. Two variations include:

(a) No change.

(b) Processes where once the materials are added, one or more products are continuously removed as the reaction progresses.

Such processes include production of super phosphate, basic oxygen furnaces, and concrete batching ~~ement batch~~ plants.

(32) through (47) renumbered (34) through (49) No change.

~~(50)~~(48) “Carbonaceous Fuel Burning Equipment” – A firebox, furnace or combustion device which burns only carbonaceous fuel or carbonaceous fuel along with ~~and~~ fossil fuels for the primary purpose of producing steam or to heat other liquids or gases. The term includes bagasse burners, bark burners, and waste wood burners, but does not include teepee or conical wood burners or incinerators.

(49) through (67) renumbered (51) through (69) No change.

~~(70)~~(68) “Condensable Particulate Matter” or “Condensable PM” or “CPM” – Gaseous emissions from a source or activity which condense at ambient temperatures to form particulate matter.

(69) through (99) renumbered (71) through (101) No change.

~~(102)(400)~~ “Existing Emissions Unit” –

~~(a) An emissions unit which was in existence, in operation, or under construction, or had received a permit to begin construction prior to January 18, 1972.~~

~~(b) For the purposes of rules 62-296.700 through 62-296.712, and 62-212.500, F.A.C., “existing emissions unit” shall mean any emissions units which is not defined as a new emissions unit with respect to a specific rule or provision of any of those sections.~~

~~(c) For the purposes of rules 62-296.500 through 62-296.512, F.A.C., “existing emissions unit” shall mean an emissions unit which was constructed or for which a construction permit was issued prior to July 1, 1979.~~

~~(d) For the purposes of Chapter 62-212 rule 62-212.400, F.A.C., an “existing emissions unit” shall mean an emissions unit which is not a new emissions unit as defined for the purposes of rule 62-212.400, F.A.C.~~

(101) through (170) renumbered (103) through (172) No change.

~~(173)(474)~~ “New Emissions Unit” – ~~An emissions unit which is not in existence, for which an application for a permit to construct has not been submitted before the effective date of an applicable section or provision.~~ For the purposes of Chapter 62-212 rule 62-212.400, F.A.C., a new emissions unit is any emission unit that is or will be newly constructed and that has existed for less than 2 years from the date such emissions unit first operated.

(172) through (173) renumbered (174) through (175) No change.

~~(176)(474)~~ “Nonattainment Area” – Any area not attaining a National Ambient Air Quality Standard for a particular pollutant and designated as “Nonattainment” in 40 C.F.R. Part 81, §81.310, as adopted and incorporated by reference in Rule 62-204.800, F.A.C. ~~meeting ambient air quality standards and designated as a nonattainment area under rule 62-204.340, F.A.C.~~ Such an area may be designated as a particulate, sulfur dioxide, nitrogen dioxide, carbon monoxide, lead or ozone nonattainment area, depending on which ambient standard has been violated. An area may be designated as nonattainment for more than one air pollutant. Ozone nonattainment areas may be transitional, marginal, moderate, serious, severe, or extreme as classified in rule 62-204.340, F.A.C.

(175) through (218) renumbered (177) through (220) No change.

~~(221)(249)~~ “Relocatable Facility” – A stationary facility such as, but not limited to, an asphalt concrete plant, portable power generator, nonmetallic mineral processing plant, air curtain incinerator, or concrete batching cement batch plant, which is designed to be physically moved to, and operated on,

different sites by being wholly or partially dismantled and re-erected in essentially the same configuration. It shall not be operable while in transit.

(220) through (238) renumbered (222) through (240) No change.

~~(241)(239)~~ “Soil Thermal Treatment Facility” – Either a stationary or relocatable mobile facility system designed, constructed, or utilized, and permitted by the Department to handle, store, and thermally treat or process petroleum contaminated soils. “Soil thermal treatment facility” does not include electrical power plants in which thermal treatment of contaminated soils from their own property results in ash which is disposed of in accordance with chapter 62-701 or 62-702, F.A.C., or facilities that treat RCRA and hazardous waste or hazardous substances.

(240) through (267) renumbered (242) through (269) No change.

(270) “Unclassifiable Area” – Any area which cannot, on the basis of available information, be classified as an attainment area or a nonattainment area for a particular pollutant and designated as “Unclassifiable” in 40 C.F.R. Part 81, §81.310, as adopted and incorporated by reference in rule 62-204.800, F.A.C.

(268) through (279) renumbered (271) through (282) No change.

Rulemaking Authority 403.061, 403.8055 FS. Law Implemented 403.031, 403.061, 403.087, 403.0872, 403.8055 FS. History—Formerly 17-2.100, Amended 2-9-93, 11-28-93, Formerly 17-210.200, Amended 11-23-94, 4-18-95, 1-2-96, 3-13-96, 3-21-96, 8-15-96, 10-7-96, 10-15-96, 5-20-97, 11-13-97, 2-5-98, 2-11-99, 4-16-01, 2-19-03, 4-1-05, 7-6-05, 2-2-06, 4-1-06, 9-4-06, 9-6-06, 1-10-07, 5-9-07, 7-16-07, 3-16-08, 10-12-08, 6-29-09, 3-11-10, 6-29-11, 12-4-11, 3-28-12, 10-23-13, 8-25-14, 4-26-17, 7-3-18, _____.

62-210.300 Permits Required.

~~Unless exempted from permitting pursuant to this rule or Rule 62-4.040, F.A.C., the owner or operator of any facility or emissions unit which emits or can reasonably be expected to emit any air pollutant shall obtain appropriate authorization from the Department prior to undertaking any activity at the facility or emissions unit for which such authorization is required. The Department grants authorization to conduct such activities by individual air permit or by air general permit. Activities requiring authorization by individual air construction permit are addressed at subsection 62-210.300(1), F.A.C., and activities requiring authorization by individual air operation permit are addressed at subsection 62-210.300(2), F.A.C. Authorization by air general permit is addressed at subsection 62-210.300(4), F.A.C. All emission limitations, controls, and other requirements imposed by any individual air permit shall be at least as stringent as any limitations and requirements contained in or enforceable under the State Implementation~~

~~Plan (SIP) or Designated Facility Plan. Except as provided at Rule 62-213.460, F.A.C., being authorized to construct, operate, or undertake any other activity by individual air permit or air general permit does not relieve the owner or operator of a facility or emissions unit from complying with any emission limiting standards or other requirements of the air pollution rules of the Department or any other such requirements under federal, state, or local law.~~

(1) Air Construction Permits.

~~(a) Unless exempt from permitting pursuant to this rule paragraph 62-210.300(3)(a) or (b), or Rule 62-4.040, F.A.C., the owner or operator of any facility or emissions unit which emits or can reasonably be expected to emit any air pollutant shall obtain appropriate authorization from the Department prior to undertaking any activity at the facility or emissions unit for which such authorization is required. An air construction permit shall be obtained by the owner or operator of any proposed new, reconstructed, or modified facility or emissions unit, or any new pollution control equipment prior to the beginning of construction, reconstruction pursuant to 40 C.F.R. 60.15 or 63.2, or modification of the facility or emissions unit or addition of the air pollution control equipment; or to establish a PAL; in accordance with all applicable provisions of this chapter, Chapter 62-212, and 62-4, F.A.C. Except as provided under Rule 62-213.415, F.A.C., the owner or operator of any facility seeking to create or change an air emissions bubble shall obtain an air construction permit in accordance with all the applicable provisions of this chapter, Chapters 62-212 and 62-4, F.A.C. The construction permit shall be issued for a period of time sufficient to allow construction, reconstruction or modification of the facility or emissions unit or addition of the air pollution control equipment; and operation while the owner or operator of the new, reconstructed or modified facility or emissions unit or the new pollution control equipment is conducting tests or otherwise demonstrating initial compliance with the conditions of the construction permit. All emission limitations, controls, and other requirements imposed by any individual air permit shall be at least as stringent as any limitations and requirements contained in or enforceable under the State Implementation Plan (SIP) or Designated Facility Plan. Except as provided at Rule 62-213.460, F.A.C., being authorized to construct, operate, or undertake any other activity by individual air permit or air general permit does not relieve the owner or operator of a facility or emissions unit from complying with any emission limiting standards or other requirements of the air pollution rules of the Department or any other such requirements under federal, state, or local law.~~

(b) Through (c) No change.

(2) Air Operation Permits. Unless exempted from permitting pursuant to this rule or Rule 62-4.040, F.A.C., the owner or operator of any facility or emissions unit which emits

or can reasonably be expected to emit any air pollutant shall obtain appropriate authorization from the Department prior to undertaking any activity at the facility or emissions unit for which such authorization is required. Upon expiration of the air operation permit for any existing facility or emissions unit; subsequent to any construction, reconstruction or modification of a facility or emissions unit authorized by an air construction permit, and demonstration of compliance with the conditions of such air construction permit; subsequent to the establishment of a PAL or air emissions bubble by air construction permit; or as otherwise provided in this chapter or Chapter 62-213, F.A.C.; the owner or operator of such facility or emissions unit shall obtain a renewal air operation permit, an initial air operation permit, or revision of an existing air operation permit, whichever is appropriate, in accordance with all applicable provisions of this chapter, Chapters 62-213 (if the facility is a Title V source), and 62-4, F.A.C. All emission limitations, controls, and other requirements imposed by any individual air permit shall be at least as stringent as any limitations and requirements contained in or enforceable under the State Implementation Plan (SIP) or Designated Facility Plan. Except as provided at Rule 62-213.460, F.A.C., being authorized to construct, operate, or undertake any other activity by individual air permit or air general permit does not relieve the owner or operator of a facility or emissions unit from complying with any emission limiting standards or other requirements of the air pollution rules of the Department or any other such requirements under federal, state, or local law.

(a) through (c) No change.

(3) through (7) No change.

Rulemaking Authority 403.061 FS. Law Implemented 403.031, 403.061, 403.087, 403.814 FS. History—Formerly 17-2.210, Amended 11-28-93, Formerly 17-210.300, Amended 11-23-94, 4-2-95, 4-18-95, 10-16-95, 1-2-96, 3-13-96, 3-21-96, 5-13-96, 8-15-96, 10-7-96, 5-20-97, 11-13-97, 2-5-98, 2-11-99, 4-16-01, 6-21-01, 7-6-05, 2-2-06, 1-10-07, 5-9-07, 3-16-08, 10-12-08, 6-29-11, 4-26-17, 7-3-18, _____.

62-210.310 Air General Permits.

(1) No change.

(2) General Procedures. This subsection sets forth general procedures for use of any of the air general permits provided at subsections 62-210.310(4) and (5), F.A.C.

(a) No change.

(b) Registration. The owner or operator who intends to construct or operate an eligible facility under the authority of an air general permit shall submit a registration to the Department. The registration shall be accompanied by the appropriate air general permit processing fee pursuant to rule 62-4.050, F.A.C. The fee and any hard copy registrations shall be sent via mail or hand delivery or courier to the Department of Environmental Protection, Attn: FDEP Air General Permits, 2600 Blair Stone Road, MS 5500, Receipts, Post Office Box 3070, Tallahassee,

Florida, 32315-3070; ~~or via hand delivery or courier to the Department of Environmental Protection, Attn: FDEP Receipts, 3800 Commonwealth Boulevard, MS 77, Tallahassee, Florida, 32399.~~ The registration shall include the following information.

1. through 9. No change.

(c) through (f) No change.

(3) General Conditions. All terms, conditions, requirements, limitations, and restrictions set forth in this subsection are “general permit conditions” and are binding upon the owner or operator of any facility using an air general permit provided at subsection 62-210.310(4) or (5), F.A.C.

(a) through (f) No change.

(g) The owner or operator shall maintain and operate the authorized facility consistent with manufacturer recommendations and good air pollution control practices necessary to achieve compliance in good condition. Throughout the term of air general permit use, the owner or operator shall ensure that the facility maintains its eligibility to use the air general permit and complies with all terms and conditions of the air general permit.

(h) No change.

(i) If, for any reason, the owner or operator of any facility operating under an air general permit does not comply with or will be unable to comply with any condition or limitation of the air general permit, the owner or operator shall immediately provide the Department with the following information as soon as possible, but no later than one (1) business day following discovery.

1. through 2. No change.

(j) through (n) No change.

(o) Annual emissions tests required by air general permit rules.

1. An annual emissions test shall not be required for any emissions unit that operated for 400 hours or less (including during startup and shutdown) during the calendar year. If an emission unit operates for more than 400 hours during the calendar year, an emissions test shall be completed no later than 60 days after the emissions unit’s annual operation exceeds 400 hours, or by the end of the calendar year, whichever is later.

2. An emissions unit shall not be required to start up for the sole purpose of conducting an emissions test. In such a case, an emissions test shall be completed no later than 60 days after the emissions unit next starts up.

3. Facilities claiming exemptions under paragraph 62-210.310(3)(o), F.A.C. shall maintain records of operational hours to demonstrate exemption eligibility.

(p) Use of an air general permit shall not preclude the Department from requiring a special compliance test pursuant to paragraph 62-297.310(8)(c), F.A.C.

(4) Air General Permits for Facilities Claiming Conditional Exemption from Title V Air Permitting.

(a) through (f) No change.

(g) Air General Permit for Facilities Comprising Asphalt Concrete Plants.

1. through 2. No change.

3. A facility using this air general permit shall comply with the general conditions given at subsection 62-210.310(3), F.A.C., and the following specific conditions:

a. through c. No change.

d. If the facility is subject to 40 CFR Part 60, Subpart I, as adopted and incorporated by reference in rule 62-204.800, F.A.C., the owner or operator shall comply with all limitations and requirements of 40 CFR Part 60, Subpart I.

d. through f. renumbered e. through g. No change.

~~h.g.~~ The owner or operator shall conduct ~~submit~~ a stack test using EPA Reference Method 5 or 5A and a visible emission (VE) test using EPA Reference Method 9, adopted and incorporated and adopted by reference in rule 62-204.800, F.A.C., to ~~that~~ demonstrate compliance with the applicable PM and VE standards, respectively during the calendar year, no later than 60 days after the facility commences initial operation. The owner or operator shall conduct PM and VE tests annually thereafter, unless exempted pursuant to paragraph 62-210.310(3)(o), F.A.C. All annual compliance tests and initial tests for facilities not subject to 40 CFR Part 60, Subpart I shall be noticed, conducted, and reported to the Department pursuant to ~~chapter~~ in accordance with the requirements of rule 62-297.310-62-297, F.A.C.

~~i.h.~~ At least one (1) business day prior to relocation, the ~~The~~ owner or operator of any relocatable asphalt concrete plant proposing to change location shall submit to notify the Department by telephone, email, fax, or written communication at least one business day prior to changing location and transmit (by email, fax, post, or courier) a Facility Relocation Notification Form (DEP Form No. 62-210.900(6)), adopted and incorporated by reference herein (http://www.flrules.org/Gateway/reference.asp?No=Ref-09535), no later than five business days following relocation.

4. through 5. No change.

6. The registration for this air general permit shall include all the following information.

a. through d. No change.

e. If the asphalt concrete ~~batch~~ plant was at any time a collocated facility, include fuel consumption by any other asphalt concrete plant, concrete ~~batching~~ ~~batch~~ or nonmetallic mineral processing plants.

f. through j. No change.

(5) Air General Permits for Miscellaneous Facilities.

(a) No change.

(b) Air General Permit for Facilities Comprising Concrete Batching Plants.

1. through 2. No change.

3. A facility using this air general permit shall comply with the general conditions given at subsection 62-210.310(3), F.A.C., and the following specific conditions.

a. No change.

b. At least one (1) business day prior to relocation, the ~~The~~ owner or operator of any relocatable concrete batching plant or equipment used to mix cement and soil for onsite soil augmentation or stabilization proposing to change location shall submit to notify the Department ~~by telephone, email, fax, or written communication at least one (1) business day prior to changing location and transmit (by email, fax, post, or courier)~~ a Facility Relocation Notification Form (DEP Form No. 62-210.900(6)), adopted and incorporated by reference herein (<http://www.flrules.org/Gateway/reference.asp?No=Ref-09535>), ~~to the Department no later than five (5) business days following relocation. The owner or operator of any other relocatable concrete batching plant proposing to change location shall transmit a Facility Relocation Notification Form to the Department at least five (5) business days prior to relocation.~~

4. through 6. No change.

(c) through (d) No change.

(e) Air General Permit for Facilities Comprising Nonmetallic Mineral Processing Plants (Crushing Operations).

1. through 2. No change.

3. A facility using this air general permit shall comply with the general conditions given at subsection 62-210.310(3), F.A.C., and the following specific conditions.

a. through d. No change.

e. Nonmetallic mineral processing plants subject to 40 CFR Part 60, Subpart OOO, shall comply with all applicable standards, limitations, and requirements of Subpart OOO. Such facilities shall conduct initial performance tests for particulate matter and visible emissions in accordance with all requirements of Subpart OOO and 40 CFR Part 60, Subpart A, adopted and incorporated by reference at rule Rule 62-204.800, F.A.C. Thereafter, such facilities shall conduct performance tests for visible emissions annually, in accordance with the test methods and procedures set forth in 40 CFR Part 60, Subpart OOO, unless exempted pursuant to paragraph 62-210.310(3)(o), F.A.C. ~~The annual visible emissions performance tests shall be conducted in accordance with the test methods and procedures set forth at Subpart OOO. All annual visible emissions performance tests shall be noticed and reported to the Department in accordance with the requirements. All notifications of upcoming visible emissions tests and all test results shall be submitted to the Department in accordance with the provisions of rule Rule 62-297.310, F.A.C.~~

f. At least one (1) business day prior to relocation, the ~~The~~ owner or operator of any relocatable nonmetallic mineral processing plant proposing to change location shall submit to

~~notify the Department by telephone, email, fax, or written communication at least one (1) business day prior to changing location and transmit (by email, fax, post, or courier) a Facility Relocation Notification Form (DEP Form No. 62-210.900(6)), adopted and incorporated by reference herein (<http://www.flrules.org/Gateway/reference.asp?No=Ref-09535>), to the Department no later than five (5) business days following relocation.~~

4. through 5. No change.

6. The registration for this air general permit shall include all the following information.

a. through d. No change.

e. A diagram with a list and description of each emission point subject to a visible emissions test pursuant to Rule 62-210.310(5)(e)3.e., F.A.C.

(f) through (k) No change.

Rulemaking Authority 403.061 FS. Law Implemented 403.031, 403.061, 403.087, 403.814 FS. History—New 1-10-07, Amended 5-9-07, 10-12-08, 6-29-11, 4-26-17, 7-3-18,_____.

62-210.350 Public Notice and Comment.

(1) Public Notice of Proposed Agency Action.

(a) through (c) No change.

(d) An opportunity for administrative hearing shall be provided in accordance with Chapter 120, F.S., and Rule 62-110.106, F.A.C.

(2) Additional Public Notice Requirements for Emissions Units Subject to Prevention of Significant Deterioration or Nonattainment-Area Preconstruction Review.

(a) through (d) No change.

(e) The time and place of any hearing (public meeting) that may be held, including a statement of procedure to request a hearing (unless a hearing has already been scheduled). An opportunity for public hearing shall be provided in accordance with Chapter 120, F.S., and Rule 62-110.106, F.A.C.

(f) through (h) No change.

(3) Additional Public Notice Requirements for Facilities Subject to Operation Permits for Title V Sources.

(a) through (b) No change.

(c) The notice shall identify:

1. through 6. No change.

7. The time and place of any hearing (public meeting) that may be held, including a statement of procedure to request a hearing (unless a hearing has already been scheduled); and,

8. No change.

(4) through (6) No change.

Rulemaking Authority 403.061 FS. Law Implemented 403.031, 403.061, 403.087, 403.815 FS. History—Formerly 17-2.220, Amended 11-28-93, Formerly 17-210.350, Amended 11-23-94, 1-2-96, 11-13-97, 2-11-99, 2-2-06, 10-12-08,_____.

NAME OF PERSON ORIGINATING PROPOSED RULE:
Hastings Read
NAME OF AGENCY HEAD WHO APPROVED THE
PROPOSED RULE: Secretary Noah Valenstein
DATE PROPOSED RULE APPROVED BY AGENCY
HEAD: 07/08/2020
DATE NOTICE OF PROPOSED RULE DEVELOPMENT
PUBLISHED IN FAR: 11/14/2019

DEPARTMENT OF ENVIRONMENTAL PROTECTION

RULE NOS.:	RULE TITLES:
62-296.401	Incinerators
62-296.403	Phosphate Processing Fluorides Limits
62-296.406	Fossil Fuel Steam Generators with Less than 250 Million Btu Per Hour Heat
62-296.408	Nitric Acid Plants
62-296.409	Sulfur Recover Plants
62-296.410	Carbonaceous Fuel Burning Equipment
62-296.414	Concrete Batching Plants
62-296.415	Soil Thermal Treatment Facilities
62-296.417	Volume Reduction, Mercury Recovery and Mercury Reclamation
62-296.511	Solvent Metal Cleaning

PURPOSE AND EFFECT: The purpose of this Notice of Proposed Rule (NOPR) is to revise Rules 62-296.401, 62-296.403, 62-296.406, 62-296.408, 62-296.409, 62-296.410, 62-296.414, 62-296.415, 62-296.417, and 62-296.511, F.A.C., to clarify the requirements for crematories, to revise the timing of submittal of initial visibility tests for crematories and concrete catching plants, to clarify what an existing and new source is in each rule that uses these terms, and other minor corrective or clarifying amendments.

SUMMARY: The proposed rule amendments address Stationary Sources – Emission Standards.

OTHER RULES INCORPORATING RULE 62-296.401, F.A.C.: 62-204.800, 62-210.300, 62-210.310, 62-256.700, 62-296.100, 62-296.500, 62-296.700 and 62-296.712, F.A.C.

EFFECT ON THOSE OTHER RULES: There will be no effect on other rules.

OTHER RULES INCORPORATING RULE 62-296.403, F.A.C.: None

OTHER RULES INCORPORATING RULE 62-296.406, F.A.C.: 62-296.702, F.A.C.

EFFECT ON THOSE OTHER RULES: There will be no effect on other rules.

OTHER RULES INCORPORATING RULE 62-296.408, F.A.C.: None

OTHER RULES INCORPORATING RULE 62-296.409, F.A.C.: None

OTHER RULES INCORPORATING RULE 62-296.410, F.A.C.: None

OTHER RULES INCORPORATING RULE 62-296.414, F.A.C.: 62-210.310 and 62-296.700, F.A.C.

EFFECT ON THOSE OTHER RULES: There will be no effect on other rules.

OTHER RULES INCORPORATING RULE 62-296.415, F.A.C.: 62-296.700, 62-296.712, F.A.C.

EFFECT ON THOSE OTHER RULES: There will be no effect on other rules.

OTHER RULES INCORPORATING RULE 62-296.417, F.A.C.: 62-210.300, 62-210.310, and 62-737.800, F.A.C.

EFFECT ON THOSE OTHER RULES: There will be no effect on other rules.

OTHER RULES INCORPORATING RULE 62-296.511, F.A.C.: None

EFFECT ON THOSE OTHER RULES: There will be no effect on other rules.

SUMMARY OF STATEMENT OF ESTIMATED REGULATORY COSTS AND LEGISLATIVE RATIFICATION:

The Agency has determined that this will not have an adverse impact on small business or likely increase directly or indirectly regulatory costs in excess of \$200,000 in the aggregate within one year after the implementation of the rule. A SERC has not been prepared by the Agency.

The Agency has determined that the proposed rule is not expected to require legislative ratification based on the statement of estimated regulatory costs or if no SERC is required, the information expressly relied upon and described herein: revision of these rules will not have an adverse impact or increase regulatory costs on any entity.

Any person who wishes to provide information regarding a statement of estimated regulatory costs or provide a proposal for a lower cost regulatory alternative must do so in writing within 21 days of this notice.

RULEMAKING AUTHORITY: 403.061, 403.087, 403.716, 403.8055, F.S.

LAW IMPLEMENTED: 403.021, 403.031, 403.061, 403.087, 403.716, F.S.

IF REQUESTED WITHIN 21 DAYS OF THE DATE OF THIS NOTICE, A HEARING WILL BE SCHEDULED AND ANNOUNCED IN THE FAR.

THE PERSON TO BE CONTACTED REGARDING THE PROPOSED RULE IS: Hastings Read, 2600 Blair Stone Rd., MS 5500, Tallahassee, FL, 32399-2400, hastings.read@floridadep.gov, (850)717-9017.

THE FULL TEXT OF THE PROPOSED RULE IS:

62-296.401 Incinerators.

(1) No change.

(2) Existing incinerators, other than those which are operated or utilized for the disposal or treatment of biological waste, with a charging rate equal to or greater than 50 tons per day shall comply with the following requirements. For the purposes of this subsection, an "existing incinerator" is an incinerator which was in existence, in operation, or under construction, or had received a permit to begin construction prior to January 18, 1972.

(a) through (d) No change.

(3) New incinerators, other than those which are operated or utilized for the disposal or treatment of biological waste, with a charging rate equal to or greater than 50 tons per day shall comply with the following requirements. For the purposes of this subsection, a "new incinerator" is any incinerator other than an "existing incinerator" as described for the purposes of subsection 62-296.401(2), F.A.C.

(a) through (d) No change.

(4) No change.

(5) Human Crematories.

(a) through (b) No change.

(c) Operating Temperatures.

1. New Units. The owner or operator of any proposed new crematory unit which submits either a complete application for a permit to construct the new unit or an initial air general permit registration for the new unit to the Department on or after August 30, 1989, shall provide design calculations to confirm a sufficient volume in the secondary chamber combustion zone to provide for at least a 1.0 second gas residence time at 1800 degrees Fahrenheit. This information shall be provided to the Department with the air construction permit application or air general permit registration form for the proposed new unit. ~~The actual operating temperature of the secondary chamber combustion zone shall be no less than 1600 degrees Fahrenheit throughout the combustion process in the primary chamber. The primary chamber and stack volumes shall not be used in calculating this residence time. Except as provided in subparagraph 62-296.401(5)(c)2., F.A.C., cremation in the primary chamber shall not begin unless the secondary chamber combustion zone temperature is equal to or greater than 1,600 degrees Fahrenheit.~~

a. The actual operating temperature of the secondary chamber combustion zone shall be no less than 1600 degrees Fahrenheit throughout the combustion process in the primary chamber. The primary chamber and stack volumes shall not be used in calculating this residence time.

b. Remains shall not be loaded into the primary chamber until the secondary chamber combustion zone temperature is equal to or greater than 1,600 degrees Fahrenheit.

2. Existing Units. The owner or operator of any crematory unit for which construction began or for which a complete application for a permit to construct was received by the Department prior to August 30, 1989, shall maintain the actual operating temperature of the secondary chamber combustion zone at no less than 1,400 degrees Fahrenheit throughout the combustion process in the primary chamber. Remains shall not be loaded into the primary chamber until the secondary chamber combustion zone temperature is equal to or greater than 1,400 degrees Fahrenheit. ~~Cremation in the primary chamber shall not begin unless the secondary chamber combustion zone temperature is equal to or greater than 1,400 degrees Fahrenheit.~~

(d) Allowed Materials. Human crematory units shall cremate only human or fetal remains with appropriate containers. The remains may be clothed. The containers shall contain no more than 0.5 percent by weight chlorinated plastics as demonstrated by the manufacturer's data sheet. If containers are incinerated, documentation from the manufacturer certifying that they are composed of 0.5 percent or less by weight chlorinated plastics shall be kept on-file at the site for the duration of their use and for at least five (5) two (2) years after their use. No other material, including biomedical waste as defined in rule 62-210.200, F.A.C., shall be incinerated.

(e) Equipment Maintenance. All human crematory units shall be maintained in proper working order in accordance with the manufacturer's specifications to ensure the integrity and efficiency of the equipment. ~~If a crematory unit contains a defect that affects the integrity or efficiency of the unit, the unit shall be taken out of service. No person shall use or permit the use of that unit until it has been repaired or adjusted. Repair records on all crematory units shall be maintained onsite for at least two years. A written plan with operating procedures for startup, shutdown and malfunction of each crematory unit shall be maintained and followed during those events. Each unit's burners shall be operated with a proper air to fuel ratio. If the unit so allows, the burners' flame characteristics shall be visually checked at least once during each operating shift and adjusted when warranted by the visual checks.~~

1. If a crematory unit contains a defect that affects the integrity or efficiency of the unit, the unit shall be taken out of service.

2. No person shall use or permit the use of that unit until it has been repaired or adjusted.

3. A written plan with operating procedures for startup, shutdown and malfunction of each crematory unit shall be maintained and followed during those events.

4. Each unit's burners shall be operated with a proper air-to-fuel ratio. If the unit so allows, the burners' flame characteristics shall be visually checked at least once during

each operating shift and adjusted when warranted by the visual checks.

5. Repair records on all crematory units shall be maintained onsite for at least five (5) years.

(f) Test Methods and Procedures. All emissions tests performed pursuant to the requirements of this subsection shall comply with the following requirements. All EPA reference test methods are described in 40 CFR Part 60, Appendices A-2 through A-4, adopted and incorporated by reference at rule 62-204.800, F.A.C.

1. through 5. No change.

(g) No change.

(h) Frequency of Testing.

1. The owner or operator of any human crematory unit using an air general permit shall have a visible emissions performance test conducted for ~~visible emissions~~ no later than sixty (60) thirty (30) days after the unit commences initial operation, and annually thereafter.

2. through 3. No change.

(i) Continuous Monitoring Requirements. Each crematory unit shall be equipped and operated with a continuous monitor to record temperature at the point or beyond where 1.0 second gas residence time is obtained in the secondary chamber combustion zone in accordance with the manufacturer's instructions. ~~In addition, each crematory unit installed after February 1, 2007, shall be equipped and operated with a pollutant monitoring system to automatically control combustion based on continuous in-stack opacity measurement. Such system shall be calibrated to restrict combustion in the primary chamber whenever any opacity exceeding 15% opacity is occurring. A complete file of all temperature measurements; all continuous monitoring systems, monitoring devices, and performance testing measurements; all continuous monitoring system performance evaluations; all continuous monitoring system or monitoring device calibration checks; and all adjustments, preventive maintenance, and corrective maintenance performed on these systems or devices, shall be recorded in a permanent legible form available for inspection. Continuous temperature monitoring documentation shall include operator name, operator indication of when cremation in the primary chamber was begun, date, time, and temperature markings. Pollutant monitoring system documentation shall include indication of when the opacity measurement system was cleaned and checked for proper operation in accordance with the manufacturer's recommended maintenance schedule. The file shall be retained for at least two (2) years following the recording of such measurements, maintenance, reports, and records.~~

1. Each crematory unit installed after February 1, 2007, shall be equipped and operated with a pollutant monitoring system to automatically control combustion based on

continuous in-stack opacity measurement. Such system shall be calibrated to restrict combustion in the primary chamber whenever any opacity exceeding 15% opacity is occurring.

2. The following records shall be recorded and maintained on-site readily available for review at the request of the Department. The file shall be retained for at least five (5) years following the recording of such measurements, maintenance, reports, and records.

a. All temperature measurements, including indication of when cremation in the primary chamber commenced, temperature markings, the date and time, and the name of the operator;

b. All continuous monitoring systems, monitoring devices, and performance testing measurements;

c. All continuous monitoring system performance evaluations;

d. All continuous monitoring system or monitoring device calibration checks; and

e. All adjustments, preventive maintenance, and corrective maintenance performed on these systems or devices shall be recorded in a permanent legible form available for inspection, including indication of when the opacity measurement system was cleaned and checked for proper operation in accordance with the manufacturer's recommended maintenance schedule.

(6) Animal Crematories.

(a) through (b) No change.

(c) Operating Temperatures.

1. New Units. The owner or operator of any proposed new crematory unit which submits either a complete application for a permit to construct the new unit or an initial air general permit registration for the new unit to the Department on or after August 30, 1989, shall provide design calculations to confirm a sufficient volume in the secondary chamber combustion zone to provide for at least a 1.0 second gas residence time at 1,800 degrees Fahrenheit. This information shall be provided to the Department with the air construction permit application or air general permit registration form for the proposed new unit. ~~The actual operating temperature of the secondary chamber combustion zone shall be no less than 1,600 degrees Fahrenheit throughout the combustion process in the primary chamber. The primary chamber and stack volumes shall not be used in calculating this residence time. Except as provided in subparagraph 62-296.401(6)(c)2., F.A.C., cremation in the primary chamber shall not begin unless the secondary chamber combustion zone temperature is equal to or greater than 1,600 degrees Fahrenheit.~~

a. The actual operating temperature of the secondary chamber combustion zone shall be no less than 1600 degrees Fahrenheit throughout the combustion process in the primary chamber. The primary chamber and stack volumes shall not be used in calculating this residence time.

b. Animal remains shall not be loaded into the primary chamber until the secondary chamber combustion zone temperature is equal to or greater than 1,600 degrees Fahrenheit.

2. Existing Units. The owner or operator of any crematory unit for which construction began or for which a complete application for a permit to construct was received by the Department prior to August 30, 1989, shall maintain the actual operating temperature of the secondary chamber combustion zone at no less than 1,400 degrees Fahrenheit throughout the combustion process in the primary chamber. Animal remains shall not be loaded into the primary chamber until the secondary chamber combustion zone temperature is equal to or greater than 1,400 degrees Fahrenheit. ~~Cremation in the primary chamber shall not begin unless the secondary chamber combustion zone temperature is equal to or greater than 1,400 degrees Fahrenheit.~~

(d) Allowed Materials. Animal crematory units shall cremate only animal remains and, if applicable, the bedding associated with the animals and appropriate containers. Containers shall contain no more than 0.5 percent by weight chlorinated plastics as demonstrated by the manufacturer's data sheet. If containers are incinerated, documentation from the manufacturers certifying that they are composed of 0.5 percent or less by weight chlorinated plastics shall be kept on-file at the site for the duration of their use and for at least five (5) two (2) years after their use. Animal crematory units shall not cremate dead animals which were used for medical or commercial experimentation. No other material, including biomedical waste as defined in rule 62-210.200, F.A.C., shall be incinerated.

(e) Equipment Maintenance. All animal crematory units shall be maintained in proper working order in accordance with the manufacturer's specifications to ensure the integrity and efficiency of the equipment. ~~If a crematory unit contains a defect that affects the integrity of the unit, the unit shall be taken out of service. No person shall use or permit the use of that unit until it has been repaired or adjusted. Repair records on all crematory units shall be maintained onsite for at least two (2) years. A written plan with operating procedures for startup, shutdown and malfunction of each crematory unit shall be maintained and followed during those events. Each unit's burners shall be operated with a proper air to fuel ratio. If the unit so allows, the burners' flame characteristics shall be visually checked at least once during each operating shift and adjusted when warranted by the visual checks.~~

1. If a crematory unit contains a defect that affects the integrity of the unit, the unit shall be taken out of service.

2. No person shall use or permit the use of that unit until it has been repaired or adjusted.

3. A written plan with operating procedures for startup, shutdown and malfunction of each crematory unit shall be maintained and followed during those events.

4. Each unit's burners shall be operated with a proper air-to-fuel ratio. If the unit so allows, the burners' flame characteristics shall be visually checked at least once during each operating shift and adjusted when warranted by the visual checks.

5. Repair records on all crematory units shall be maintained onsite for at least five (5) years.

(f) through (g) No change.

(h) Frequency of Testing.

1. The owner or operator of any animal crematory unit using an air general permit shall have a visible emissions performance test conducted ~~for visible emissions~~ no later than sixty (60) thirty (30) days after the unit commences initial operation, and annually thereafter.

2. through 4. No change.

(i) Continuous Monitoring Requirements. Each animal crematory unit shall be equipped and operated with a continuous monitor to record temperature at the point or beyond where 1.0 second gas residence time is obtained in the secondary chamber combustion zone in accordance with the manufacturer's instructions. ~~In addition, each crematory unit installed after February 1, 2007, shall be equipped and operated with a pollutant monitoring system to automatically control combustion based on continuous in-stack opacity measurement. Such system shall be calibrated to restrict combustion in the primary chamber whenever any opacity exceeding fifteen percent (15%) opacity is occurring. A complete file of all temperature measurements; all continuous monitoring system, monitoring device, and performance testing measurements; all continuous monitoring system performance evaluations; all continuous monitoring system or monitoring device calibration checks; and all adjustments, preventive maintenance, and corrective maintenance performed on these systems or devices, shall be recorded in a permanent legible form available for inspection. Continuous temperature monitoring documentation shall include operator name, operator indication of when cremation in the primary chamber was begun, date, time, and temperature markings. Pollutant monitoring system documentation shall include indication of when the opacity measurement system was cleaned and checked for proper operation in accordance with the manufacturer's recommended maintenance schedule. The file shall be retained for at least two (2) years following the recording of such measurements, maintenance, reports, and records.~~

1. Each crematory unit installed after February 1, 2007, shall be equipped and operated with a pollutant monitoring system to automatically control combustion based on

continuous in-stack opacity measurement. Such system shall be calibrated to restrict combustion in the primary chamber whenever any opacity exceeding fifteen percent (15%) opacity is occurring.

2. The following records shall be recorded and maintained on-site readily available for review at the request of the Department. The file shall be retained for at least five (5) years following the recording of such measurements, maintenance, reports, and records.

a. All temperature measurements, including indication of when cremation in the primary chamber commenced, temperature markings, the date and time, and the name of the operator;

b. All continuous monitoring systems, monitoring devices, and performance testing measurements;

c. All continuous monitoring system performance evaluations;

d. All continuous monitoring system or monitoring device calibration checks; and

e. All adjustments, preventive maintenance, and corrective maintenance performed on these systems or devices shall be recorded in a permanent legible form available for inspection, including indication of when the opacity measurement system was cleaned and checked for proper operation in accordance with the manufacturer's recommended maintenance schedule.

(7) No change.

Rulemaking Authority 403.061, 403.716 FS. Law Implemented 403.031, 403.061, 403.087, 403.716, 497.606 FS. History—Formerly 17-2.600(1), Amended 12-2-92, Formerly 17-296.401, Amended 11-23-94, 1-1-96, 3-13-96, 11-13-97, 1-10-07, 7-10-14,_____.

62-296.403 Phosphate Processing Fluorides Limits.

Fluorides (water soluble or gaseous atomic weight 19) expressed as pounds of fluoride per ton of phosphate materials input to the system expressed as tons of P₂O₅.

(1) New Plants or Plant Sections. For the purposes of this subsection, a "new plant or plant section" is any plant or plant section other than an "existing plant or plant section" as described for the purposes of subsection 62-296.403(2), F.A.C.

(a) through (i) No change.

(2) Existing plants or plant sections shall comply with subsection 62-296.403(1), F.A.C., no later than July 1, 1975; or existing plant complexes with an operating wet process phosphoric acid section (including any items in paragraphs 62-296.403(1)(a) through (f), F.A.C.) and other plant sections processing or handling phosphoric acid or products of phosphoric acid processing, total emissions from the entire complex shall not exceed 0.4 pounds per ton of P₂O₅ input to the wet process phosphoric acid section. For the purposes of this subsection, an "existing plant, plant section, or plant complex" is any plant, plant section, or plant complex which was in

existence, in operation, or under construction, or had received a permit to begin construction prior to January 18, 1972.

(3) No change.

Rulemaking Authority 403.061 FS. Law Implemented 403.021, 403.031, 403.061, 403.087 FS. History—Formerly 17-2.600(3), 17-296.403, Amended 11-23-94, 1-1-96, 3-13-96, 7-10-14,_____.

62-296.406 Fossil Fuel Steam Generators with Less Than 250 Million Btu Per Hour Heat Input, ~~New and Existing Emissions Units.~~

The following standards apply to ~~new and existing~~ emissions units, except for emissions units that would otherwise be exempt from permitting pursuant to subsection 62-210.300(3), F.A.C., and emissions units that would otherwise be considered insignificant pursuant to subparagraph 62-213.300(2)(a)1., or paragraph 62-213.430(6)(b), F.A.C. These standards apply unless otherwise specified by rule, or by order or permit issued by the Department prior to July 15, 1989.

(1) through (3) No change.

Rulemaking Authority 403.061 FS. Law Implemented 403.031, 403.061, 403.087 FS. History—Formerly 17-2.600(6), Amended 6-29-93, Formerly 17-296.406, Amended 11-23-94, 3-13-96, 3-2-99, 7-10-14,_____.

62-296.408 Nitric Acid Plants.

These limits are applicable to ~~new and existing~~ emissions units producing weak nitric acid (50 to 70 percent) by pressure or atmospheric pressure process.

(1) through (3) No change.

Rulemaking Authority 403.061 FS. Law Implemented 403.021, 403.031, 403.061, 403.087 FS. History—Formerly 17-2.600(8), 17-296.408, Amended 11-23-94, 1-1-96, 7-10-14,_____.

62-296.409 Sulfur Recovery Plants.

(1) New Plants recovering sulfur from crude oil gas – emissions shall not exceed 0.004 pounds of sulfur dioxide per pound of sulfur input to the recovery system or 0.004 pounds of sulfur dioxide per pound of sulfur removed from an oil well. "New Plants" are those plants which did not receive an air construction permit from the department prior to July 1, 1973.

(2) through (3) No change.

Rulemaking Authority 403.061 FS. Law Implemented 403.021, 403.031, 403.061, 403.087 FS. History—Formerly 17-2.600(9), 17-296.409, Amended 11-23-94, 1-1-96, 7-10-14,_____.

62-296.410 Carbonaceous Fuel Burning Equipment.

(1) No change.

(2) New Emissions Units. "New Emissions Units" are those emissions units which did not receive an air construction permit from the department prior to July 1, 1974.

(a) through (b) No change.

(3) No change.

Rulemaking Authority 403.061 FS. Law Implemented 403.021, 403.031, 403.061, 403.087 FS. History—Formerly 17-2.600(10), 17-296.410, Amended 11-23-94, 1-1-96, 7-10-14,_____.

62-296.414 Concrete Batching Plants.

The following requirements apply to ~~new and existing~~ emissions units producing concrete and concrete products by batching or mixing cement and other materials. This rule also applies to facilities processing cement and other materials for the purposes of producing concrete, and to equipment used to mix cement and soil for onsite soil augmentation or stabilization.

(1) through (2) No change.

(3) Test Methods and Procedures. All emissions tests performed pursuant to the requirements of this subsection shall comply with the following requirements.

(a) through (d) No change.

(4) Frequency of Testing.

(a) The owner or operator of any concrete batching plant using an air general permit shall have a visible emissions performance test conducted for stack emissions referenced in subsection 62-296.414(1), F.A.C. ~~visible emissions for each dust collector exhaust point~~ no later than sixty (60) thirty (30) days after commencing initial operation, and annually thereafter.

(b) The owner or operator of any concrete batching plant operating under the authority of an air construction permit or air operation permit shall have a visible emissions performance test conducted for stack emissions referenced in subsection 62-296.414(1), F.A.C. ~~visible emissions for each dust collector exhaust point~~ prior to submitting the application for an initial air operation permit, and annually thereafter.

Rulemaking Authority 403.061 FS. Law Implemented 403.031, 403.061, 403.087 FS. History—Formerly 17-2.600(14), 17-296.414, Amended 11-23-94, 1-1-96, 11-13-97, 1-10-07, 7-10-14,_____.

62-296.415 Soil Thermal Treatment Facilities.

This rule prescribes air pollution control requirements for soil thermal treatment facilities. Soil thermal treatment facilities are only authorized to treat petroleum contaminated soil as defined in chapter 62-775, F.A.C., Soil Thermal Treatment Facilities. The following requirements apply to all ~~new, modified, and existing~~ soil thermal treatment facilities.

(1) through (6) No change.

Rulemaking Authority 403.061 FS. Law Implemented 403.021, 403.031, 403.061, 403.087 FS. History—New 11-17-92, Formerly 17-296.415, Amended 11-23-94, 1-1-96, 3-13-96, 7-10-14,_____.

62-296.417 Volume Reduction, Mercury Recovery and Mercury Reclamation.

The terms “mercury recovery process” and “mercury reclamation process” are intended to have the same meanings

as “mercury recovery facility” and “mercury reclamation facility,” respectively, as defined in rule 62-737.200, F.A.C. The term “volume reduction process” means a facility where operations or processes are performed or equipment is used to receive and process spent mercury-containing lamps or devices in a manner such as crushing, grinding, compacting, or physically altering the state of the lamps or devices and which does not produce separation of the residuals, and is used for the size or volume reduction of lamps or mercury-containing devices. The term “facility” as used in this rule is intended to have the meaning as defined in rule 62-210.200, F.A.C. The following standards apply to all ~~new and existing~~ volume reduction, mercury recovery and mercury reclamation processes except those exempted in paragraph 62-210.300(3)(a), F.A.C.

(1) through (2) No change.

Rulemaking Authority 403.061, 403.087 FS. Law Implemented 403.031, 403.061, 403.087 FS. History—New 10-16-95, Amended 3-13-96, 3-2-99,_____.

62-296.511 Solvent Metal Cleaning.

(1) Applicability.

(a) The emission limiting standards and control technology set forth in rule 62-296.511, F.A.C., shall apply to cold cleaning, open-top vapor degreasing, and conveyORIZED degreasing operations. All ~~new and existing~~ degreasing facilities using the following halogenated solvents are subject to the requirements (including compliance deadlines) of the national emission standard for halogenated solvent degreasers at 40 C.F.R. Part 63, Subpart T, adopted and incorporated by reference in rule 62-204.800, F.A.C.: carbon tetrachloride, chloroform, tetrachloroethylene, 1,1,1-trichloroethane, trichloroethylene, and methylene chloride. Until compliance is achieved with the requirements of 40 C.F.R. Part 63, Subpart T, existing (as of November 29, 1993) halogenated solvent degreasing facilities must also comply with the requirements of this rule. The requirements of this rule shall not apply to any halogenated solvent degreasing facility after it has achieved compliance with the requirements of 40 C.F.R. Part 63, Subpart T.

(b) No change.

(2) through (5) No change.

Rulemaking Authority 403.061, 403.8055 FS. Law Implemented 403.021, 403.031, 403.061, 403.087 FS. History—Formerly 17-2.650(1)(f)12., 17-296.511, Amended 11-23-94, 1-1-96, 6-25-96, 10-7-96, 7-10-14,_____.

NAME OF PERSON ORIGINATING PROPOSED RULE:
Hastings Read

NAME OF AGENCY HEAD WHO APPROVED THE PROPOSED RULE: Secretary Noah Valenstein

DATE PROPOSED RULE APPROVED BY AGENCY HEAD: 07/08/2020
 DATE NOTICE OF PROPOSED RULE DEVELOPMENT PUBLISHED IN FAR: 11/14/2019

DEPARTMENT OF HEALTH

Board of Medicine

RULE NO.: 64B8-30.003
 RULE TITLE: Physician Assistant Licensure
 PURPOSE AND EFFECT: The proposed rule amendment is intended to incorporate the revised application form into the rule.

SUMMARY: The proposed rule amendment incorporates the revised application form into the rule.

SUMMARY OF STATEMENT OF ESTIMATED REGULATORY COSTS AND LEGISLATIVE RATIFICATION:

The Agency has determined that this will not have an adverse impact on small business or likely increase directly or indirectly regulatory costs in excess of \$200,000 in the aggregate within one year after the implementation of the rule. A SERC has not been prepared by the Agency.

The Agency has determined that the proposed rule is not expected to require legislative ratification based on the statement of estimated regulatory costs or if no SERC is required, the information expressly relied upon and described herein: During discussion of the economic impact of this rule at its Board meeting, the Board concluded that this rule change will not have any impact on licensees and their businesses or the businesses that employ them. The rule will not increase any fees, business costs, personnel costs, will not decrease profit opportunities, and will not require any specialized knowledge to comply. This change will not increase any direct or indirect regulatory costs. Hence, the Board determined that a Statement of Estimated Regulatory Costs (SERC) was not necessary and that the rule will not require ratification by the Legislature. No person or interested party submitted additional information regarding the economic impact at that time.

Any person who wishes to provide information regarding a statement of estimated regulatory costs, or provide a proposal for a lower cost regulatory alternative must do so in writing within 21 days of this notice.

RULEMAKING AUTHORITY: 456.013, 456.031(2), 456.033, 458.309, 458.347 FS.

LAW IMPLEMENTED: 456.013, 456.0135, 456.017, 456.031, 456.033, 456.0635, 458.347, 459.022 FS.

IF REQUESTED WITHIN 21 DAYS OF THE DATE OF THIS NOTICE, A HEARING WILL BE SCHEDULED AND ANNOUNCED IN THE FAR.

THE PERSON TO BE CONTACTED REGARDING THE PROPOSED RULE IS: Claudia Kemp, J.D., Executive

Director, Board of Medicine/MQA, 4052 Bald Cypress Way, Bin # C03, Tallahassee, Florida 32399-3253.

THE FULL TEXT OF THE PROPOSED RULE IS:

64B8-30.003 Physician Assistant Licensure.

(1) Requirements for Licensure.

(a) All applicants for licensure as physician assistants shall apply on Form DH-MQA 2000, entitled "Physician Assistant Application for Licensure," (revised ~~6/20~~ ~~8/16~~), hereby adopted and incorporated by reference, and can be obtained from the website at <http://www.flrules.org/Gateway/reference.asp?No=Ref-07600>, or <http://flboardofmedicine.gov/licensing/physician-assistant-licensure/>.

(b) through (c) No change.

(2) through (4) No change.

Rulemaking Authority 456.013, 456.031(2), 456.033, 458.309, 458.347 FS. Law Implemented 456.013, 456.0135, 456.017, 456.031, 456.033, 456.0635, 458.347, 459.022 FS. History—New 4-28-76, Amended 11-15-78, 10-23-80, 12-4-85, Formerly 21M-17.03, Amended 5-13-87, 11-15-88, 11-15-90, 1-9-92, 5-6-93, Formerly 21M-17.003, Amended 9-21-93, Formerly 61F6-17.003, Amended 9-8-94, 11-30-94, 10-25-95, 3-25-96, Formerly 59R-30.003, Amended 6-7-98, 8-19-99, 5-28-00, 3-3-02, 5-19-03, 10-19-03, 11-17-03, 9-5-05, 12-12-05, 10-30-06, 2-25-07, 5-20-09, 2-2-10, 12-6-10, 1-27-13, 2-22-15, 7-27-16, 9-26-16, 12-4-16, _____.

NAME OF PERSON ORIGINATING PROPOSED RULE: Council on Physician Assistants

NAME OF AGENCY HEAD WHO APPROVED THE PROPOSED RULE: Board of Medicine

DATE PROPOSED RULE APPROVED BY AGENCY HEAD: June 5, 2020

DATE NOTICE OF PROPOSED RULE DEVELOPMENT PUBLISHED IN FAR: June 18, 2020

DEPARTMENT OF HEALTH

Board of Nursing Home Administrators

RULE NO.: 64B10-11.001
 RULE TITLE: Application for Licensure
 PURPOSE AND EFFECT: The Board proposes a rule amendment to revise and incorporate the application Form DH-MQA-NHA002 and the application Form DH-MQA-NHA5936, substantially modifying the current format and some language of the existing forms.

SUMMARY: The proposed amendment updates the rule and incorporates the application Form DH-MQA-NHA002 and the application Form DH-MQA-NHA5936.

SUMMARY OF STATEMENT OF ESTIMATED REGULATORY COSTS AND LEGISLATIVE RATIFICATION:

The Agency has determined that this will not have an adverse impact on small business or likely increase directly or indirectly regulatory costs in excess of \$200,000 in the aggregate within one year after the implementation of the rule. A SERC has not been prepared by the Agency.

The Agency has determined that the proposed rule is not expected to require legislative ratification based on the statement of estimated regulatory costs or if no SERC is required, the information expressly relied upon and described herein: During discussion of the economic impact of this rule at its Board meeting, the Board concluded that this rule change will not have any impact on licensees and their businesses or the businesses that employ them. The rule will not increase any fees, business costs, personnel costs, will not decrease profit opportunities, and will not require any specialized knowledge to comply. This change will not increase any direct or indirect regulatory costs. Hence, the Board determined that a Statement of Estimated Regulatory Costs (SERC) was not necessary and that the rule will not require ratification by the Legislature. No person or interested party submitted additional information regarding the economic impact at that time.

Any person who wishes to provide information regarding a statement of estimated regulatory costs, or provide a proposal for a lower cost regulatory alternative must do so in writing within 21 days of this notice.

RULEMAKING AUTHORITY: 468.1685(1), (2), 468.1695(1) FS.

LAW IMPLEMENTED: 456.013, 456.0635, 468.1685(2), 468.1695(1), (2) FS.

IF REQUESTED WITHIN 21 DAYS OF THE DATE OF THIS NOTICE, A HEARING WILL BE SCHEDULED AND ANNOUNCED IN THE FAR.

THE PERSON TO BE CONTACTED REGARDING THE PROPOSED RULE IS: Anthony Spivey, Executive Director, Board of Nursing Home Administrators, 4052 Bald Cypress Way, Bin #C07, Tallahassee, Florida 32399-3257, Anthony.Spivey@flhealth.gov.

THE FULL TEXT OF THE PROPOSED RULE IS:

64B10-11.001 Application for Licensure.

Any person desiring to be licensed as a nursing home administrator shall apply to the Board of Nursing Home Administrators Application fees, pursuant to Rule 64B10-12.001, F.A.C., shall apply.

(1) For licensure by examination, tThe application shall be made on the Application for Nursing Home Administrators by Examination, form DH-MQA-NHA002, ~~(6/2020)~~~~(01/20)~~, hereby adopted and incorporated by reference, which can be obtained from [http://www.flrules.org/Gateway/reference.asp?No=Ref-](http://www.flrules.org/Gateway/reference.asp?No=Ref-41992)

~~41992~~, or the Board's website at <http://floridasnursinghomeadmin.gov/applications/application-licensure-examination-nha.pdf>. Licensure eligibility requirements are listed in Rule 64B10-11.002(2), F.A.C.

(2) For licensure by endorsement, the application shall be made on the Application for Nursing Home Administrators by Endorsement, form DH-MQA-NHA5936, (6/2020), hereby adopted and incorporated by reference, which can be obtained from [http://www.flrules.org/Gateway/reference.asp?No=Ref-](http://www.flrules.org/Gateway/reference.asp?No=Ref-41992), or the Board's website at <http://floridanursinghomeadmin.gov/applications/application-licensure-endorsement-nha.pdf>. Licensure eligibility requirements are listed in Rule 64B10-11.002(3), F.A.C.

Rulemaking Authority 468.1685(1), (2), 468.1695(1) FS. Law Implemented 456.013, 456.0635, 468.1685(2), 468.1695(1), (2) FS. History—New 12-26-79, Formerly 21Z-11.01, Amended 1-18-87, 10-2-88, 3-5-89, 3-15-90, 12-3-90, 11-3-92, Formerly 21Z-11.001, 61G12-11.001, Amended 12-4-95, 9-4-96, 7-21-97, Formerly 59T-11.001, Amended 5-15-00, 1-7-04, 2-15-06, 11-9-08, 10-24-10, 2-6-13, 9-10-14, 3-20-17, 6-8-20, _____.

NAME OF PERSON ORIGINATING PROPOSED RULE: Board of Nursing Home Administrators

NAME OF AGENCY HEAD WHO APPROVED THE PROPOSED RULE: Board of Nursing Home Administrators

DATE PROPOSED RULE APPROVED BY AGENCY HEAD: June 16, 2020

DATE NOTICE OF PROPOSED RULE DEVELOPMENT PUBLISHED IN FAR: July 9, 2020

DEPARTMENT OF HEALTH

Board of Nursing Home Administrators

RULE NO.: 64B10-11.003

RULE TITLE: Reexamination

PURPOSE AND EFFECT: The Board proposes a rule amendment to revise and incorporate application form DH-MQA 1129.

SUMMARY: The proposed rule amendment revises and incorporates application form DH-MQA 1129.

SUMMARY OF STATEMENT OF ESTIMATED REGULATORY COSTS AND LEGISLATIVE RATIFICATION:

The Agency has determined that this will not have an adverse impact on small business or likely increase directly or indirectly regulatory costs in excess of \$200,000 in the aggregate within one year after the implementation of the rule. A SERC has not been prepared by the Agency.

The Agency has determined that the proposed rule is not expected to require legislative ratification based on the statement of estimated regulatory costs or if no SERC is required, the information expressly relied upon and described herein: During discussion of the economic impact of this rule at

its Board meeting, the Board concluded that this rule change will not have any impact on licensees and their businesses or the businesses that employ them. The rule will not increase any fees, business costs, personnel costs, will not decrease profit opportunities, and will not require any specialized knowledge to comply. This change will not increase any direct or indirect regulatory costs. Hence, the Board determined that a Statement of Estimated Regulatory Costs (SERC) was not necessary and that the rule will not require ratification by the Legislature. No person or interested party submitted additional information regarding the economic impact at that time.

Any person who wishes to provide information regarding a statement of estimated regulatory costs, or provide a proposal for a lower cost regulatory alternative must do so in writing within 21 days of this notice.

RULEMAKING AUTHORITY: 456.017(2), 468.1685(1) FS.

LAW IMPLEMENTED: 456.017(2), 456.0635 FS.

IF REQUESTED WITHIN 21 DAYS OF THE DATE OF THIS NOTICE, A HEARING WILL BE SCHEDULED AND ANNOUNCED IN THE FAR.

THE PERSON TO BE CONTACTED REGARDING THE PROPOSED RULE IS: Anthony Spivey, Executive Director, Board of Nursing Home Administrators, 4052 Bald Cypress Way, Bin #C07, Tallahassee, Florida 32399-3257, Anthony.Spivey@flhealth.gov.

THE FULL TEXT OF THE PROPOSED RULE IS:

64B10-11.003 Reexamination.

(1) No change.

(2) Application for reexamination shall be made on the Application for Nursing Home Administrators Re-Examination, Form DH-MQA 1129, 6/2020 ~~04/20~~, hereby adopted and incorporated by reference, and which can be obtained from <http://www.flrules.org/Gateway/reference.asp?No=Ref-42028>, or the Board's website at <http://floridasnursinghomeadmin.gov/applications/app-reexam-nha.pdf>.

(3) No Change.

Rulemaking Authority 456.017(2), 468.1685(1) FS. Law Implemented 456.017(2), 456.0635 FS. History—New 12-26-79, Amended 3-1-82, 6-14-82, Formerly 21Z-11.03, Amended 3-5-89, 8-19-92, Formerly 21Z-11.003, 61G12-11.003, Amended 6-2-96, Formerly 59T-11.003, Amended 5-15-00, 11-6-02, 2-15-06, 4-22-09, 10-11-10, 2-6-13, 9-10-14, 7-8-15, 3-20-17, 7-1-20,_____.

NAME OF PERSON ORIGINATING PROPOSED RULE:
Board of Nursing Home Administrators

NAME OF AGENCY HEAD WHO APPROVED THE PROPOSED RULE: Board of Nursing Home Administrators
DATE PROPOSED RULE APPROVED BY AGENCY HEAD: June 16, 2020

DATE NOTICE OF PROPOSED RULE DEVELOPMENT PUBLISHED IN FAR: July 9, 2020

DEPARTMENT OF HEALTH

Board of Nursing Home Administrators

RULE NO.: 64B10-11.013 RULE TITLE: Temporary License

PURPOSE AND EFFECT: The Board proposes a rule amendment to update the rule and incorporate application form DH-5054-MQA, to comply with legislative changes.

SUMMARY: The proposed amendment updates the rule and incorporates the application Form DH-5054-MQA, to comply with legislative changes.

SUMMARY OF STATEMENT OF ESTIMATED REGULATORY COSTS AND LEGISLATIVE RATIFICATION:

The Agency has determined that this will not have an adverse impact on small business or likely increase directly or indirectly regulatory costs in excess of \$200,000 in the aggregate within one year after the implementation of the rule. A SERC has not been prepared by the Agency.

The Agency has determined that the proposed rule is not expected to require legislative ratification based on the statement of estimated regulatory costs or if no SERC is required, the information expressly relied upon and described herein: During discussion of the economic impact of this rule at its Board meeting, the Board concluded that this rule change will not have any impact on licensees and their businesses or the businesses that employ them. The rule will not increase any fees, business costs, personnel costs, will not decrease profit opportunities, and will not require any specialized knowledge to comply. This change will not increase any direct or indirect regulatory costs. Hence, the Board determined that a Statement of Estimated Regulatory Costs (SERC) was not necessary and that the rule will not require ratification by the Legislature. No person or interested party submitted additional information regarding the economic impact at that time.

Any person who wishes to provide information regarding a statement of estimated regulatory costs, or provide a proposal for a lower cost regulatory alternative must do so in writing within 21 days of this notice.

RULEMAKING AUTHORITY: 468.1685(1), (2) FS.

LAW IMPLEMENTED: 468.1705(4) FS.

IF REQUESTED WITHIN 21 DAYS OF THE DATE OF THIS

NOTICE, A HEARING WILL BE SCHEDULED AND ANNOUNCED IN THE FAR.

THE PERSON TO BE CONTACTED REGARDING THE PROPOSED RULE IS: Anthony Spivey, Executive Director, Board of Nursing Home Administrators, 4052 Bald Cypress Way, Bin #C07, Tallahassee, Florida 32399-3257, Anthony.Spivey@flhealth.gov.

THE FULL TEXT OF THE PROPOSED RULE IS:

64B10-11.013 Temporary License.

(1) A temporary license shall be issued only once for each applicant that meets the terms specified in Section 478.1705, Florida Statutes.

(2) The determination of eligibility for temporary licensure shall be made by a committee appointed by the Chairman, and shall be ratified by the Board at its next meeting. This temporary license shall expire upon notification to the applicant of the applicant’s certified laws and rules examination results.

(3) Application for a temporary license shall be made on the Nursing Home Administrators Application for Temporary License, form DH-5054-MQA, (06/2020), hereby adopted and incorporated by reference, which can be obtained from <http://www.flrules.org/Gateway/reference.asp?No=Ref>, or the Board’s website at <http://floridanursinghomeadmin.gov/applications/application-licensure-temporarylicense-nha.pdf>. The application shall accompany a Nursing Home Administrators Application for Licensure by Endorsement as referenced herein Rule 64B10-11.001(2), F.A.C.

Rulemaking Authority 468.1685(1), (2) FS. Law Implemented 468.1705(4) FS. History—New 4-22-87, Amended 12-3-90, Formerly 21Z-11.013, 61G12-11.013, 59T-11.013, Amended 10-12-97, 2-14-06, 4-22-09,_____.

NAME OF PERSON ORIGINATING PROPOSED RULE: Board of Nursing Home Administrators

NAME OF AGENCY HEAD WHO APPROVED THE PROPOSED RULE: Board of Nursing Home Administrators

DATE PROPOSED RULE APPROVED BY AGENCY HEAD: June 16, 2020

DATE NOTICE OF PROPOSED RULE DEVELOPMENT PUBLISHED IN FAR: July 9, 2020

DEPARTMENT OF HEALTH

Board of Nursing Home Administrators

RULE NO.: 64B10-15.001
RULE TITLE: Continuing Education for Licensure Renewal

PURPOSE AND EFFECT: The Board proposes an amendment to revise the requirements for continuing education for licensure renewal.

SUMMARY: The proposed amendment revises the requirements for continuing education for licensure renewal.

SUMMARY OF STATEMENT OF ESTIMATED REGULATORY COSTS AND LEGISLATIVE RATIFICATION:

The Agency has determined that this will not have an adverse impact on small business or likely increase directly or indirectly regulatory costs in excess of \$200,000 in the aggregate within one year after the implementation of the rule. A SERC has not been prepared by the Agency.

The Agency has determined that the proposed rule is not expected to require legislative ratification based on the statement of estimated regulatory costs or if no SERC is required, the information expressly relied upon and described herein: : During discussion of the economic impact of this rule at its Board meeting, the Board concluded that this rule change will not have any impact on licensees and their businesses or the businesses that employ them. The rule will not increase any fees, business costs, personnel costs, will not decrease profit opportunities, and will not require any specialized knowledge to comply. This change will not increase any direct or indirect regulatory costs. Hence, the Board determined that a Statement of Estimated Regulatory Costs (SERC) was not necessary and that the rule will not require ratification by the Legislature. No person or interested party submitted additional information regarding the economic impact at that time.

Any person who wishes to provide information regarding a statement of estimated regulatory costs, or provide a proposal for a lower cost regulatory alternative must do so in writing within 21 days of this notice.

RULEMAKING AUTHORITY: 456.033, 456.013(6), (7), 468.1685(1), 468.1715 FS.

LAW IMPLEMENTED: 456.033, 456.013, 468.1715(3) FS.

IF REQUESTED WITHIN 21 DAYS OF THE DATE OF THIS NOTICE, A HEARING WILL BE SCHEDULED AND ANNOUNCED IN THE FAR.

THE PERSON TO BE CONTACTED REGARDING THE PROPOSED RULE IS: Anthony Spivey, Executive Director, Board of Nursing Home Administrators, 4052 Bald Cypress Way, Bin #C07, Tallahassee, Florida 32399-3257, Anthony.Spivey@flhealth.gov.

THE FULL TEXT OF THE PROPOSED RULE IS:

64B10-15.001 Continuing Education for Licensure Renewal.

(1) No change.

(2) For each subsequent renewal period, to satisfy the requirements of this rule, in each biennium a licensee shall have a minimum of forty (40) contact hours of continuing education

credit. A contact hour shall consist of fifty (50) clock minutes. In any biennium after the first renewal period:

(a) A licensee shall have a minimum of twenty (20) contact hours of continuing education credits that include personal attendance at a live presentation or, as specified in subsection (3) of this section, completion of classroom attended college course(s) taught with live lectures. For the renewal period ending September 30, 2020, the requirement referenced in this subsection requiring live and in-person attendance is waived for each licensee with a clear, active license. The licensee may complete the continuing education by means not requiring live or personal attendance.

(b) Through (c) No change.

(3) Through (12) No change.

Rulemaking Authority 456.033, 456.013(6), (7), 468.1685(1), 468.1715 FS. Law Implemented 456.033, 456.013, 468.1715(3) FS. History—New 12-11-80, Amended 2-20-83, 5-2-84, Formerly 21Z-15.01, Amended 12-31-86, 2-26-89, 11-19-91, Formerly 21Z-15.001, 61G12-15.001, Amended 9-4-96, 10-20-96, 7-21-97, Formerly 59T-15.001, Amended 5-15-00, 11-4-02, 5-7-06, 4-8-07, 10-24-07, 10-11-10, 8-8-13, 2-10-14, 1-31-16, 10-3-16, 11-21-18, 7-4-19, 12-3-19,_____.

NAME OF PERSON ORIGINATING PROPOSED RULE:

Board of Nursing Home Administrators

NAME OF AGENCY HEAD WHO APPROVED THE PROPOSED RULE:

Board of Nursing Home Administrators
DATE PROPOSED RULE APPROVED BY AGENCY HEAD: June 16, 2020

DATE NOTICE OF PROPOSED RULE DEVELOPMENT PUBLISHED IN FAR: July 9, 2020

DEPARTMENT OF HEALTH

Board of Nursing Home Administrators

RULE NO.: RULE TITLE:

64B10-16.001 General Information; Monitors

PURPOSE AND EFFECT: The Board proposes a rule amendment to revise and incorporate the application form DH-MQA-NHA003, substantially modifying the current format and some language of the existing form.

SUMMARY: The proposed rule amendment revised and incorporates the application form DH-MQA-NHA003, substantially modifying the current format and some language of the existing form.

SUMMARY OF STATEMENT OF ESTIMATED REGULATORY COSTS AND LEGISLATIVE RATIFICATION:

The Agency has determined that this will not have an adverse impact on small business or likely increase directly or indirectly regulatory costs in excess of \$200,000 in the aggregate within one year after the implementation of the rule. A SERC has not been prepared by the Agency.

The Agency has determined that the proposed rule is not expected to require legislative ratification based on the statement of estimated regulatory costs or if no SERC is required, the information expressly relied upon and described herein: During discussion of the economic impact of this rule at its Board meeting, the Board concluded that this rule change will not have any impact on licensees and their businesses or the businesses that employ them. The rule will not increase any fees, business costs, personnel costs, will not decrease profit opportunities, and will not require any specialized knowledge to comply. This change will not increase any direct or indirect regulatory costs. Hence, the Board determined that a Statement of Estimated Regulatory Costs (SERC) was not necessary and that the rule will not require ratification by the Legislature. No person or interested party submitted additional information regarding the economic impact at that time.

Any person who wishes to provide information regarding a statement of estimated regulatory costs, or provide a proposal for a lower cost regulatory alternative must do so in writing within 21 days of this notice.

RULEMAKING AUTHORITY: 468.1685(1), 468.1695(2) FS. LAW IMPLEMENTED: 456.013, 468.1695(2), (4) FS.

IF REQUESTED WITHIN 21 DAYS OF THE DATE OF THIS NOTICE, A HEARING WILL BE SCHEDULED AND ANNOUNCED IN THE FAR.

THE PERSON TO BE CONTACTED REGARDING THE PROPOSED RULE IS: Anthony Spivey, Executive Director, Board of Nursing Home Administrators, 4052 Bald Cypress Way, Bin #C07, Tallahassee, Florida 32399-3257, Anthony.Spivey@flhealth.gov.

THE FULL TEXT OF THE PROPOSED RULE IS:

64B10-16.001 General Information; Monitors.

(1) No change.

(2) An applicant for the AIT program must meet those qualifications established by Section 468.1695, F.S., and rule 64B10-11.002, F.A.C., at the time of application, including completion of an Administrator-In-Training Application, form DH-MQA-NHA003 ~~(01/20)~~ (06/2020), hereby adopted and incorporated by reference, and pay the application fee specified in Rule 64B10-12.0001, F.A.C. The form can be obtained from the _____ web _____ at <http://floridasnursinghomeadmin.gov/applications/application-admin-in-training.pdf> or _____ at <http://www.flrules.org/Gateway/reference.asp?No=Ref-12030>. The applicant is required to indicate whether the applicant is applying for the 1,000-hour program or the 2,000-hour program as referenced in Rule 64B10-11.002, F.A.C.

(3) Through (13) No change.

Rulemaking Authority 456.013, 468.1685(1), 468.1695(2) FS. Law Implemented 456.013, 456.0635, 468.1695(2), (4) FS. History—New 9-24-81, Formerly 21Z-16.01, Amended 12-18-88, 1-22-90, 11-11-92, 12-18-88, 1-22-90, 11-11-92, Formerly 21Z-16.001, Amended 8-29-93, Formerly 61G12-16.001, Amended 6-2-96, Formerly 59T-16.001, Amended 10-12-97, 6-5-07, 11-9-08, 1-7-10, 2-11-14, 1-9-17, 7-1-20,_____.

NAME OF PERSON ORIGINATING PROPOSED RULE:
Board of Nursing Home Administrators
NAME OF AGENCY HEAD WHO APPROVED THE PROPOSED RULE: Board of Nursing Home Administrators
DATE PROPOSED RULE APPROVED BY AGENCY HEAD: June 16, 2020
DATE NOTICE OF PROPOSED RULE DEVELOPMENT PUBLISHED IN FAR: July 9, 2020

DEPARTMENT OF HEALTH

Board of Nursing Home Administrators

RULE NO.: 64B10-16.002
RULE TITLE: Preceptor

PURPOSE AND EFFECT: The Board proposes a rule amendment to revise and incorporate application form DH-MQA-NHA014.

SUMMARY: The proposed rule amendment revises and incorporates application form DH-MQA-NHA014.

SUMMARY OF STATEMENT OF ESTIMATED REGULATORY COSTS AND LEGISLATIVE RATIFICATION:

The Agency has determined that this will not have an adverse impact on small business or likely increase directly or indirectly regulatory costs in excess of \$200,000 in the aggregate within one year after the implementation of the rule. A SERC has not been prepared by the Agency.

The Agency has determined that the proposed rule is not expected to require legislative ratification based on the statement of estimated regulatory costs or if no SERC is required, the information expressly relied upon and described herein: During discussion of the economic impact of this rule at its Board meeting, the Board concluded that this rule change will not have any impact on licensees and their businesses or the businesses that employ them. The rule will not increase any fees, business costs, personnel costs, will not decrease profit opportunities, and will not require any specialized knowledge to comply. This change will not increase any direct or indirect regulatory costs. Hence, the Board determined that a Statement of Estimated Regulatory Costs (SERC) was not necessary and that the rule will not require ratification by the Legislature. No person or interested party submitted additional information regarding the economic impact at that time.

Any person who wishes to provide information regarding a statement of estimated regulatory costs, or provide a proposal for a lower cost regulatory alternative must do so in writing within 21 days of this notice.

RULEMAKING AUTHORITY: 456.013(1)(a), 468.1685(1), 468.1695(4) FS.

LAW IMPLEMENTED: 468.1695 FS.

IF REQUESTED WITHIN 21 DAYS OF THE DATE OF THIS NOTICE, A HEARING WILL BE SCHEDULED AND ANNOUNCED IN THE FAR.

THE PERSON TO BE CONTACTED REGARDING THE PROPOSED RULE IS: Anthony Spivey, Executive Director, Board of Nursing Home Administrators, 4052 Bald Cypress Way, Bin #C07, Tallahassee, Florida 32399-3257, Anthony.Spivey@flhealth.gov.

THE FULL TEXT OF THE PROPOSED RULE IS:

64B10-16.002 Preceptor.

(1) Each person desiring to be a Preceptor must submit a completed application form Preceptor Certification, DH-MQA-NHA014, 06/2020 ~~09/16~~, incorporated herein by reference, which can be obtained from http://www.flrules.org/Gateway/reference.asp?No=Ref-_____07721, or the web at <http://floridasnursinghomeadmin.gov/applications/application-preceptor.pdf>.

(2) Through (7) No change.

Rulemaking Authority 456.013(1)(a), 468.1685(1), 468.1695(4) FS. Law Implemented 468.1695 FS. History—New 9-24-81, Formerly 21Z-16.02, Amended 12-18-88, 11-11-92, Formerly 21Z-16.002, Amended 2-28-94, Formerly 61G12-16.002, Amended 2-22-96, 9-4-96, 10-20-96, Formerly 59T-16.002, Amended 10-12-97, 6-5-07, 10-2-08, 3-25-09, 10-24-10, 5-29-14, 1-9-17,_____.

NAME OF PERSON ORIGINATING PROPOSED RULE:
Board of Nursing Home Administrators
NAME OF AGENCY HEAD WHO APPROVED THE PROPOSED RULE: Board of Nursing Home Administrators
DATE PROPOSED RULE APPROVED BY AGENCY HEAD: June 16, 2020
DATE NOTICE OF PROPOSED RULE DEVELOPMENT PUBLISHED IN FAR: July 9, 2020

DEPARTMENT OF HEALTH

Board of Osteopathic Medicine

RULE NO.: 64B15-6.003
RULE TITLE: Physician Assistant Licensure

PURPOSE AND EFFECT: The proposed rule amendment is intended to incorporate the revised application form into the rule.

SUMMARY: The proposed rule amendment incorporates the revised application form into the rule.

SUMMARY OF STATEMENT OF ESTIMATED REGULATORY COSTS AND LEGISLATIVE RATIFICATION:

The Agency has determined that this will not have an adverse impact on small business or likely increase directly or indirectly regulatory costs in excess of \$200,000 in the aggregate within one year after the implementation of the rule. A SERC has not been prepared by the Agency.

The Agency has determined that the proposed rule is not expected to require legislative ratification based on the statement of estimated regulatory costs or if no SERC is required, the information expressly relied upon and described herein: During discussion of the economic impact of this rule at its Board meeting, the Board concluded that this rule change will not have any impact on licensees and their businesses or the businesses that employ them. The rule will not increase any fees, business costs, personnel costs, will not decrease profit opportunities, and will not require any specialized knowledge to comply. This change will not increase any direct or indirect regulatory costs. Hence, the Board determined that a Statement of Estimated Regulatory Costs (SERC) was not necessary and that the rule will not require ratification by the Legislature. No person or interested party submitted additional information regarding the economic impact at that time.

Any person who wishes to provide information regarding a statement of estimated regulatory costs, or provide a proposal for a lower cost regulatory alternative must do so in writing within 21 days of this notice.

RULEMAKING AUTHORITY: 458.347(7), 459.005, 459.022 FS.

LAW IMPLEMENTED: 456.013, 456.0135, 456.031, 456.033, 456.0635, 459.022 FS.

IF REQUESTED WITHIN 21 DAYS OF THE DATE OF THIS NOTICE, A HEARING WILL BE SCHEDULED AND ANNOUNCED IN THE FAR.

THE PERSON TO BE CONTACTED REGARDING THE PROPOSED RULE IS: Kama Monroe, J.D., Executive Director, Board of Osteopathic Medicine/MQA, 4052 Bald Cypress Way, Bin # C06, Tallahassee, Florida 32399-3256.

THE FULL TEXT OF THE PROPOSED RULE IS:

64B15-6.003 Physician Assistant Licensure.

(1) Requirements for Licensure.

(a) All applicants for licensure as physician assistants shall apply on Form DH-MQA 2000, entitled "Physician Assistant Application for Licensure," (revised 6/20 ~~8/16~~), hereby adopted and incorporated by reference, and can be obtained from the website at

<http://www.flrules.org/Gateway/reference.asp?No=Ref-07601>, or <http://flboardofmedicine.gov/licensing/physician-assistant-licensure/>.

(b) through (c) No change.

(2) through (4) No change.

Rulemaking Authority 458.347(7), 459.005, 459.022 FS. Law Implemented 456.013, 456.0135, 456.031, 456.033, 456.0635, 459.022 FS. History—New 10-18-77, Formerly 21R-6.03, Amended 10-28-87, 4-21-88, 4-18-89, 9-26-90, 5-20-91, 10-28-91, 3-16-92, Formerly 21R-6.003, Amended 11-4-93, 3-29-94, Formerly 61F9-6.003, Amended 2-1-95, Formerly 59W-6.003, Amended 6-7-98, 3-10-02, 2-23-04, 10-30-06, 2-25-07, 5-20-09, 2-2-10, 12-6-10, 1-27-13, 2-22-15, 7-27-16, 9-26-16, 12-4-16,___.

NAME OF PERSON ORIGINATING PROPOSED RULE:

Council on Physician Assistants

NAME OF AGENCY HEAD WHO APPROVED THE PROPOSED RULE: Board of Osteopathic Medicine

DATE PROPOSED RULE APPROVED BY AGENCY HEAD: June 22, 2020

DATE NOTICE OF PROPOSED RULE DEVELOPMENT PUBLISHED IN FAR: June 18, 2020

Section III Notice of Changes, Corrections and Withdrawals

NONE

Section IV Emergency Rules

DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES

Division of Animal Industry

RULE NO.: 5CER20-4
RULE TITLE: Temporary Restrictions on the Importation of Lagomorphs

SPECIFIC REASONS FOR FINDING AN IMMEDIATE DANGER TO THE PUBLIC HEALTH, SAFETY OR WELFARE: On March 24, 2020, the United States Department of Agriculture, National Veterinary Services Laboratories, Foreign Animal Disease Diagnostic Laboratory (NVSL-FADDL) detected Rabbit Hemorrhagic Diseases Virus Type 2 (RHDV2), via PCR from samples submitted from two domestic rabbits from New Mexico.

Since March 1, 2020, there have been reports of wild rabbit deaths in southern New Mexico. Reports of domestic and wild lagomorph mortality in additional States in the region soon followed these initial detections. From March 24, 2020 to the present, RHDV2 has been confirmed in domestic rabbits from

New Mexico, Arizona, Texas, Colorado, Nevada, and Utah, in wild rabbits and hares in New Mexico, Arizona, Texas, Colorado, California, and Nevada, and in feral rabbits in Colorado and Utah.

RHDV2 is a highly contagious and lethal form of a viral hepatitis that affects members of the order Lagomorpha and includes rabbits, hares and pikas. Generally, the only signs of the disease are sudden death and blood-stained noses caused by internal bleeding. Infected rabbits may also develop a fever, be hesitant to eat, or show respiratory or nervous signs. There is currently no approved vaccine for use in the United States and no specific treatment for the disease.

REASON FOR CONCLUDING THAT THE PROCEDURE IS FAIR UNDER THE CIRCUMSTANCES: This rule is fair and justified because it takes only the necessary actions to protect the public health, safety, and welfare by preventing the introduction and spread of this dangerous and transmissible disease and its vectors. The rule requires that Lagomorpha intended for movement into Florida be inspected seventy (72) hours prior to entry in this state by a veterinarian and be free from clinical signs of the disease. The Department is undertaking an aggressive campaign to notify the public about the implementation of this rule. The Department is currently in the process of amending Chapter 5C-3, F.A.C., through formal rulemaking in an effort to incorporate similar provisions for a more permanent solution.

SUMMARY: This rule places restrictions upon the importation of Lagomorpha to ensure they have not been exposed to a known or suspected case of Rabbit Hemorrhagic Disease or infested and show no clinical signs of the disease. The requirements in this rule are in addition to the import requirements set forth in Chapter 5C-3, Florida Administrative Code.

THE PERSON TO BE CONTACTED REGARDING THE EMERGENCY RULE IS: Dr. Michael A. Short, State Veterinarian, Director, Division of Animal Industry, Department of Agriculture and Consumer Services, 407 S. Calhoun St., Rm. 330, Mayo Bldg., Tallahassee, FL 32399-0800, phone (850) 410-0900

THE FULL TEXT OF THE EMERGENCY RULE IS:

5CER20-4 Temporary Restrictions on the Importation of Lagomorpha.

(1) Definitions.

(a) Lagomorph. Any member of the taxonomic order Lagomorpha.

(b) Rabbit Hemorrhagic Disease (RHD). A highly fatal hemorrhagic disease of rabbits and other lagomorphs caused by viruses in the family Caliciviridae, primarily Rabbit

Hemorrhagic Disease Virus and Rabbit Hemorrhagic Disease Virus 2.

(2) All Lagomorpha originating from a state that has had RHD diagnosed in wild or domestic animals in the past 24 months, are required to be accompanied by an Official Certificate of Veterinary Inspection which must include the statement in (3) and be dated within seventy-two (72) hours prior to entry into Florida.

(3) The OCVI must include the following statement from the examining veterinarian, "All animals on this shipment have not been exposed to a known or suspected case of RHD and show no clinical signs of diseases on the inspection date of (inspection/examination date)."

Rulemaking Authority 570.07(21), (23), 585.08(2)(a) FS. Law Implemented 585.08(1), 585.145 FS. History—New 07-21-20.

THIS RULE TAKES EFFECT UPON BEING FILED WITH THE DEPARTMENT OF STATE UNLESS A LATER TIME AND DATE IS SPECIFIED IN THE RULE.

EFFECTIVE DATE: 7/21/2020

Section V Petitions and Dispositions Regarding Rule Variance or Waiver

DEPARTMENT OF MANAGEMENT SERVICES

Public Employees Relations Commission

RULE NO.: RULE TITLE:

60CC-4.002 Ratification by Members of Bargaining Unit

The Public Employees Relations Commission hereby gives notice:

On July 13, 2020, the Public Employees Relations Commission issued a final order in Case No. MS-2020-022 granting an unopposed emergency petition for variance from Florida Administrative Code Rule 60CC-4.002 filed by Elizabeth Key-Raimer and FUSA Chapter of Hillsborough Community College, FUSA-NEA. The variance allows the Petitioners to conduct all aspects of a ratification election electronically through August 4, 2020. The Public Employees Relations Commission determined that the Petitioners had demonstrated an emergency existed and that they would suffer a substantial hardship if the variance was not granted. The petition was filed on June 23, 2020, and the notice of receipt of the petition was published on June 26, 2020, on the Commission's website and in Volume 46, Number 125 F.A.R. No comments were received to the petition.

A copy of the Order or additional information may be obtained by contacting: Commission Clerk, Public Employees Relations Commission, 4708 Capital Circle Northwest, Suite 300, Tallahassee, Florida 32303-7256.

DEPARTMENT OF MANAGEMENT SERVICES

Public Employees Relations Commission

RULE NO.: RULE TITLE:

60CC-4.002 Ratification by Members of Bargaining Unit

The Public Employees Relations Commission hereby gives notice:

On July 17, 2020, the Public Employees Relations Commission issued a final order in Case No. MS-2020-023 granting an unopposed emergency petition for variance from Florida Administrative Code Rule 60CC-4.002 filed by Scott Hoffman and the Florida Police Benevolent Association, Inc. The variance allows the Petitioners to conduct all aspects of a ratification election electronically through August 7, 2020. The Public Employees Relations Commission determined that the Petitioners had demonstrated an emergency existed and that they would suffer a substantial hardship if the variance was not granted. The petition was filed on July 9, 2020, and the notice of receipt of the petition was published on July 10, 2020, on the Commission's website and in Volume 46, Number 134 F.A.R. No comments were received to the petition.

A copy of the Order or additional information may be obtained by contacting: Commission Clerk, Public Employees Relations Commission, 4708 Capital Circle Northwest, Suite 300, Tallahassee, Florida 32303-7256.

DEPARTMENT OF MANAGEMENT SERVICES

Public Employees Relations Commission

RULE NO.: RULE TITLE:

60CC-4.002 Ratification by Members of Bargaining Unit

The Public Employees Relations Commission hereby gives notice:

On July 17, 2020, the Public Employees Relations Commission issued a final order in Case No. MS-2020-024 granting an unopposed emergency petition for variance from Florida Administrative Code Rule 60CC-4.002 filed by Steve Slade and the Florida Police Benevolent Association, Inc. The variance allows the Petitioners to conduct all aspects of a ratification election electronically through August 7, 2020. The Public Employees Relations Commission determined that the Petitioners had demonstrated an emergency existed and that they would suffer a substantial hardship if the variance was not granted. The petition was filed on July 9, 2020, and the notice of receipt of the petition was published on July 10, 2020, on the Commission's website and in Volume 46, Number 134 F.A.R. No comments were received to the petition.

A copy of the Order or additional information may be obtained by contacting: Commission Clerk, Public Employees Relations Commission, 4708 Capital Circle Northwest, Suite 300, Tallahassee, Florida 32303-7256.

DEPARTMENT OF MANAGEMENT SERVICES

Public Employees Relations Commission

RULE NO.: RULE TITLE:

60CC-4.002 Ratification by Members of Bargaining Unit

The Public Employees Relations Commission hereby gives notice:

On July 17, 2020, the Public Employees Relations Commission issued a final order in Case No. MS-2020-025 granting an unopposed emergency petition for variance from Florida Administrative Code Rule 60CC-4.002 filed by William Smith, Jr. and the Florida Police Benevolent Association, Inc. The variance allows the Petitioners to conduct all aspects of a ratification election electronically through August 7, 2020. The Public Employees Relations Commission determined that the Petitioners had demonstrated an emergency existed and that they would suffer a substantial hardship if the variance was not granted. The petition was filed on July 9, 2020, and the notice of receipt of the petition was published on July 10, 2020, on the Commission's website and in Volume 46, Number 134 F.A.R. No comments were received to the petition.

A copy of the Order or additional information may be obtained by contacting: Commission Clerk, Public Employees Relations Commission, 4708 Capital Circle Northwest, Suite 300, Tallahassee, Florida 32303-7256.

DEPARTMENT OF MANAGEMENT SERVICES

Public Employees Relations Commission

RULE NO.: RULE TITLE:

60CC-4.002 Ratification by Members of Bargaining Unit

The Public Employees Relations Commission hereby gives notice:

On July 17, 2020, the Public Employees Relations Commission issued a final order in Case No. MS-2020-026 granting an unopposed emergency petition for variance from Florida Administrative Code Rule 60CC-4.002 filed by James Baiardi, Tammy Marcus and the Florida Police Benevolent Association, Inc. The variance allows the Petitioners to conduct all aspects of a ratification election electronically through August 7, 2020. The Public Employees Relations Commission determined that the Petitioners had demonstrated an emergency existed and that they would suffer a substantial hardship if the variance was not granted. The petition was filed on July 9, 2020, and the notice of receipt of the petition was published on July 10, 2020, on the Commission's website and in Volume 46, Number 134 F.A.R. No comments were received to the petition.

A copy of the Order or additional information may be obtained by contacting: Commission Clerk, Public Employees Relations Commission, 4708 Capital Circle Northwest, Suite 300, Tallahassee, Florida 32303-7256.

DEPARTMENT OF HEALTH

Board of Pharmacy

RULE NO.: RULE TITLE:

64B16-26.351 Standards for Approval of Registered Pharmacy Technician Training Programs

NOTICE IS HEREBY GIVEN that on July 20, 2020, the Board of Pharmacy, received a petition for variance or waiver filed by Tanya Maria Thomas, seeking a waiver of the requirement of Rule 64B16-26.351, F.A.C, which requires, pursuant to section 465.014, F.S., that in order to be registered as a pharmacy technician in Florida, an applicant must have completed a pharmacy technician training program approved by the Board.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Jessica Sapp, Executive Director, Board of Pharmacy, 4052 Bald Cypress Way, Bin #C04, Tallahassee, Florida 32399-3254 or at info@Floridaspharmacy.gov. Comments on this petition should be filed with the Board of Pharmacy/MQA, within 14 days of publication of this notice.

DEPARTMENT OF CHILDREN AND FAMILIES

Family Safety and Preservation Program

RULE NO.: RULE TITLE:

65C-22.001 General Requirements

NOTICE IS HEREBY GIVEN that on July 07, 2020, the Department of Children and Families, received a petition for variance of section 3.5.1E and F of the Child Care Facility Handbook, which is incorporated by reference in subsection 65C-22.001(6), Florida Administrative Code, from Kids R Kids Bellalago, assigned Case No. 20-016W. Section 3.5.1E of the Child Care Facility Handbook requires that the facility's outdoor play area must be fenced as required by local ordinances to prevent access by children to all water hazards within or adjacent to outdoor play areas, such as pools, ditches, retention ponds, and fish ponds. Section 3.5.1F of the Children Care Facility Handbook required in pertinent part that fencing, including gates, must be continuous and must not have gaps or opening larger than 3 ½ inches that would allow children to exit the outdoor play area. Subsection 65C-22.001(6), F.A.C., states in pertinent part that child care programs must follow the standards found in the "Child Care Facility Handbook," October 2017, incorporated herein by reference.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Children and Families, 1317 Winewood Blvd., Bldg. 2, Room 204, Tallahassee, FL 32399-0700.

DEPARTMENT OF CHILDREN AND FAMILIES

Family Safety and Preservation Program

RULE NO.: RULE TITLE:

65C-45.013 Conflict of Interest for all Levels of Licensure

NOTICE IS HEREBY GIVEN that on July 06, 2020, the Department of Children and Families, received a petition for

variance of Rule 65C-45.013(2), Florida Administrative Code, from ChildNet, assigned Case No. 20-017W. Rule 65C-45.013(2), Florida Administrative Code, requires that all initial, relicensing, and ongoing maintenance of the licensed foster home activities shall be completed by a licensed child-placing agency outside of the employee's service area and submitted to the Regional Licensing Authority for approval.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Children and Families, 1317 Winewood Blvd., Bldg. 2, Room 204, Tallahassee, FL 32399-0700.

Section VI

Notice of Meetings, Workshops and Public Hearings

DEPARTMENT OF EDUCATION

The Department of Education's Work Group for Postsecondary Credit for Military Courses and Occupations announces a public meeting to which all persons are invited.

DATE AND TIME: July 27, 2020, 2:00 p.m.

PLACE: Registration for the GoToMeeting webinar is available at:

<https://attendee.gotowebinar.com/register/4965614821633513740>

GENERAL SUBJECT MATTER TO BE CONSIDERED: Regular business meeting.

A copy of the agenda may be obtained by contacting: articulation@fldoe.org.

WATER MANAGEMENT DISTRICTS

South Florida Water Management District

The South Florida Water Management District announces a workshop to which all persons are invited.

DATE AND TIME: Wednesday, July 29, 2020, 11:30 a.m.

Lunch & Learn: SFWMD Procurement Policies and Procedures

PLACE: This workshop will be conducted via Zoom, a media technology free for the public to use. A link will be provided on the District's website at www.SFWMD.gov/meetings.

GENERAL SUBJECT MATTER TO BE CONSIDERED: An online public workshop providing the Governing Board and the public with an overview of the District's procurement policies and procedures that support District programs, projects, and operations.

The public and stakeholders will have an opportunity to view and comment on the workshop by utilizing the following link: https://zoom.us/webinar/register/WN_QZSpFIY6TeeE2SsAejIdjA. This link can also be found on the District's website at www.SFWMD.gov/meetings, and will go live shortly before 11:30 a.m. on July 29, 2020.

All of this meeting will be conducted via media technology.

No Governing Board action will be taken at this online workshop.

A copy of the agenda may be obtained by contacting: Rosie Byrd at rbyrd@sfwmd.gov, or at <https://www.sfwmd.gov/news-events/meetings>, seven (7) days prior to the workshop.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least seven (7) days before the workshop/meeting by contacting: Rosie Byrd at rbyrd@sfwmd.gov. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

For more information, you may contact: Rosie Byrd at rbyrd@sfwmd.gov.

WATER MANAGEMENT DISTRICTS

South Florida Water Management District

The South Florida Water Management District announces a public meeting to which all persons are invited.

DATE AND TIME: : Friday, July 31, 2020, 10:00 a.m.

Public Workshop for the Everglades Agricultural Area Environmental Protection District Research Permit Renewal on Improving Best Management Practice Efficiency in the Everglades Agricultural Area

PLACE: This meeting will be conducted via Zoom, a media technology free for the public to use. A link will be provided on the District's website at www.SFWMD.gov/meetings.

GENERAL SUBJECT MATTER TO BE CONSIDERED: The 1994 Everglades Forever Act ((EFA), Section 373.4592, Florida Statutes, F.S.) required the District to amend Chapter 40E-63, Florida Administrative Code (F.A.C.), to establish requirements of Everglades Agricultural Area (EAA) landowners to sponsor, through the EAA Environmental Protection District (EAAEPD) or otherwise, and implement a comprehensive program of research, testing and implementation of Best Management Practices (BMPs) that will assist in addressing water quality standards within the EAA and the Everglades Protection Area. Accordingly, this program was adopted as Part III of Chapter 40E-63, F.A.C., to establish a schedule of BMP research, testing and implementation to address water quality parameters that are not being significantly improved by Stormwater Treatment Areas (STAs) and the current level of BMPs being implemented throughout the EAA, and to identify strategies needed to address such parameters. This research program shall be approved via a Master Permit and include field testing of BMPs in a sufficient number of

representative sites in the EAA to reflect soil and crop types, as well as factors that affect BMP effectiveness and design. Originally issued in 1997, the Master Permit must be renewed every five-years. The District has reviewed the EAAEPD Master Permit renewal application including the Scope of Work (scope) for BMP research, testing and implementation to address water quality standards in accordance with the requirements of the EFA. Pursuant to Rule 40E-63.310, F.A.C., a public workshop for presentation and discussion of the scope and specific conditions is required prior to making a written final determination on the scope and Master Permit renewal application. The workshop agenda includes an introduction describing the regulatory requirements followed by a technical presentation and discussion of the proposed scope. The public will have an opportunity to ask questions and provide comments at the public workshop or via email until August 31, 2020. The District will provide a written determination on the scope within 60 days following the workshop, but no later than September 15, 2020.

The public and stakeholders will have an opportunity to view and comment during the Workshop by utilizing the following link:

https://zoom.us/webinar/register/WN_mD8vNH-dTV-1mYwes6hOfw

This link can also be found on the District's website at www.SFWMD.gov/meetings, and will go live shortly before 10:00 AM on July 31, 2020.

All of this meeting will be conducted via media technology.

Members of the public and stakeholders are invited to participate and provide public comment. The public is advised that it is possible that one or more members of the Governing Board of the South Florida Water Management District may attend these meetings. No Governing Board action will be taken.

A copy of the agenda may be obtained by contacting: Carmela Bedregal, 561-682-2737, cbedrega@sfwmd.gov, or by visiting the District's website www.SFWMD.gov/meetings, 7 days prior to the meeting. A copy of the proposed scope is also available on the District's website or may be requested.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 7 days before the workshop/meeting by contacting: Rosie Byrd at rbyrd@sfwmd.gov. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

For more information, you may contact: Carmela Bedregal, 561-682-2737, cbedrega@sfwmd.gov.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

Board of Professional Geologists

The Board of Professional Geologists announces a telephone conference call to which all persons are invited.

DATE AND TIME: Wednesday, July 22, 2020, 10:00 a.m.

PLACE: Teleconference. 877-309-2073; code: 659-910-157

GENERAL SUBJECT MATTER TO BE CONSIDERED: This meeting was previously noticed; this is a correction to the date. A copy of the agenda may be obtained by contacting: Lina Hurtado, Division of Professions, 2601 Blair Stone Road, Tallahassee, FL 32399, (850)717-1984.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 5 days before the workshop/meeting by contacting: Lina Hurtado, Division of Professions, 2601 Blair Stone Road, Tallahassee, FL 32399, (850)717-1984. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

If any person decides to appeal any decision made by the Board with respect to any matter considered at this meeting or hearing, he/she will need to ensure that a verbatim record of the proceeding is made, which record includes the testimony and evidence from which the appeal is to be issued.

For more information, you may contact: Lina Hurtado, Division of Professions, 2601 Blair Stone Road, Tallahassee, FL 32399, (850)717-1984.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

Florida Real Estate Appraisal Board

The Florida Real Estate Appraisal Board announces a public meeting to which all persons are invited.

DATE AND TIME: Monday, August 3, 2020, 8:30 a.m. ET

PLACE: //global.gotomeeting.com/join/486603221

GENERAL SUBJECT MATTER TO BE CONSIDERED: Official business of the Appraisal Board which will include education. All of this meeting will be conducted as a teleconference in order to permit maximum participation of the Board members and Board counsel.

A copy of the agenda may be obtained by contacting: DREAAppraisalSection@myfloridalicense.com.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 5 days before the workshop/meeting by contacting: . If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

If any person decides to appeal any decision made by the Board with respect to any matter considered at this meeting or hearing, he/she will need to ensure that a verbatim record of the proceeding is made, which record includes the testimony and evidence from which the appeal is to be issued.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

The Florida Department of Environmental Protection announces a public meeting to which all persons are invited.

DATE AND TIME: Wednesday, July 29, 2020, 8:30 a.m.

PLACE: Online.

https://zoom.us/webinar/register/WN_g9cqr2R42_loNC-SCREA

GENERAL SUBJECT MATTER TO BE CONSIDERED: The Blue-Green Algae Task Force will meet to discuss harmful algal blooms, recreational advisories and related signage. The public and stakeholders will have an opportunity to view and comment during the Task Force meeting by utilizing the following link:

https://zoom.us/webinar/register/WN_g9cqr2R42_loNC-SCREA. This link can also be found on the Department's website at <https://floridadep.gov/Blue-GreenAlgaeTaskForce>.

The meeting will go live at approximately 8:30 AM on July 29, 2020. The entirety of this meeting will be conducted via media technology. Members of the public and stakeholders are invited to participate and provide public comment.

A copy of the agenda will be posted at <https://floridadep.gov/Blue-GreenAlgaeTaskForce>.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 5 days before the workshop/meeting by contacting: Brittney Norrman, Florida Department of Environmental Protection, 3900 Commonwealth Blvd., Tallahassee, Florida 32399; Brittney.Norrman@FloridaDEP.gov; (850)245-2058. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

For more information, you may contact: Brittney Norrman, Brittney.Norrman@FloridaDEP.gov; (850)245-2058.

DEPARTMENT OF HEALTH

Board of Acupuncture

The Board of Acupuncture announces a telephone conference call to which all persons are invited.

DATE AND TIME: September 25, 2020, 9:00 a.m., ET

PLACE: 1-888-585-9008 Conference code: 360-470-368

GENERAL SUBJECT MATTER TO BE CONSIDERED: General business of the board.

A copy of the agenda may be obtained by contacting: www.floridasacupuncture.gov/meeting-information

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 7 days before the workshop/meeting by contacting: Christa Peace, Regulatory Specialist III, at (850) 245-4161 or christa.peace@flhealth.gov or 4052 Bald Cypress Way, #C-06, Tallahassee, FL 32399. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

If any person decides to appeal any decision made by the Board with respect to any matter considered at this meeting or hearing, he/she will need to ensure that a verbatim record of the proceeding is made, which record includes the testimony and evidence from which the appeal is to be issued.

DEPARTMENT OF HEALTH

Board of Nursing

The Board of Nursing announces a telephone conference call to which all persons are invited.

DATE AND TIME: August 13, 2020, 1:30 p.m.

PLACE: Toll Free Number – 1-888-585-9008
275-112-502

GENERAL SUBJECT MATTER TO BE CONSIDERED: To consider cases where Probable Cause has previously been found.

A copy of the agenda may be obtained by contacting: <https://floridasnursing.gov/meeting-information/>

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 48 hours before the workshop/meeting by contacting: <https://floridasnursing.gov/meeting-information/>. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

If any person decides to appeal any decision made by the Board with respect to any matter considered at this meeting or hearing, he/she will need to ensure that a verbatim record of the proceeding is made, which record includes the testimony and evidence from which the appeal is to be issued.

DEPARTMENT OF HEALTH

Division of Children's Medical Services

The Child abuse death review circuit 15 committee announces a telephone conference call to which all persons are invited.

DATE AND TIME: July 30, 2020, 9:00 a.m. - 9:15 a.m.

PLACE: https://teams.microsoft.com/l/meetup-join/19%3ameeting_NTJmYTQ3M2ItOTNkZC00MmJmLTg4NWEtYWFjZGY1MWJhYzI5%40thread.v2/0?context=%7b

%22Tid%22%3a%2228cd8f80-3c44-4b27-81a0-cd2b03a31b8d%22%2c%22Oid%22%3a%22ca176034-85e8-41db-a51e-cd3c5689b4f7%22%2c%22IsBroadcastMeeting%22%3atru e%7d

GENERAL SUBJECT MATTER TO BE CONSIDERED: The Committee will address administrative issues, review cases, and discuss the CADR Action Plan. A portion of the meeting is required by Section 383.412(3) (a), F.S. to be closed to the public to allow the Committee to discuss information that is confidential and exempt from public meetings and public records. This portion of the meeting will be announced at the meeting.

A copy of the agenda may be obtained by contacting: Merlene Ramnon: Merlene.Ramnon@flhealth.gov.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 7 days before the workshop/meeting by contacting: Merlene Ramnon: Merlene.Ramnon@flhealth.gov. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

For more information, you may contact: Merlene Ramnon: Merlene.Ramnon@flhealth.gov.

FLORIDA INDEPENDENT LIVING COUNCIL

The Florida Independent Living Council, Inc. announces a telephone conference call to which all persons are invited.

DATE AND TIME: Monday, July 27, 2020, 3:00 p.m. - 4:00 p.m.

MEETING: Data Ad Hoc Committee

PLACE: Join Zoom Meeting

<https://zoom.us/j/95281981165?pwd=RFFDN0Z5cUZvamt3cFJDOG83SkxTQT09>

Meeting ID: 952 8198 1165

Passcode: 683293

One tap mobile

+19292056099,,95281981165#,,,,,0#,,683293# US (New York)

+13017158592,,95281981165#,,,,,0#,,683293# US (Germantown)

Dial by your location

+1 929 205 6099 US (New York)

+1 301 715 8592 US (Germantown)

+1 312 626 6799 US (Chicago)

+1 669 900 6833 US (San Jose)

+1 253 215 8782 US (Tacoma)

+1 346 248 7799 US (Houston)

Meeting ID: 952 8198 1165

Passcode: 683293

Find your local number: <https://zoom.us/j/97049820308>
GENERAL SUBJECT MATTER TO BE CONSIDERED:
Business of the Committee

Persons who want to be notified of such meetings may request to be put on the mailing list for such notices by sending an email to Jenny Bopp at jenny@floridasilc.org or contacting the number listed below.

A copy of the agenda may be obtained by contacting: Florida Independent Living Council, 1882 Capital Circle NE, Suite 202, Tallahassee, Florida 32308, (850)488-5624 or Toll Free 1(877)822-1993.

Pursuant to the Americans with Disabilities Act, accommodations for persons with disabilities are available upon request. If you have a disability and require a reasonable accommodation to fully participate in this event, please contact Beth Meyer, PA, ADA at beth@floridasilc.org, or (850)488-5624 to discuss your accessibility needs. Please allow 5 business days' notification to process: last minute requests will be accepted, but may not be possible to fulfill.

FLORIDA INDEPENDENT LIVING COUNCIL

The Florida Independent Living Council, Inc. announces a telephone conference call to which all persons are invited.

DATE AND TIME: Monday, August 3, 2020, 10:00 a.m. until completion of agenda

MEETING: Finance Committee

PLACE: Join Zoom Meeting

<https://zoom.us/j/97049820308?pwd=dU9sem5uZTNZVmk1d2psTkV1ZTJ3dz09>

Meeting ID: 970 4982 0308

Passcode: 112224

One tap mobile

+13126266799,,97049820308#,,,,,0#,,112224# US (Chicago)

+19292056099,,97049820308#,,,,,0#,,112224# US (New York)

Dial by your location

+1 312 626 6799 US (Chicago)

+1 929 205 6099 US (New York)

+1 301 715 8592 US (Germantown)

+1 346 248 7799 US (Houston)

+1 669 900 6833 US (San Jose)

+1 253 215 8782 US (Tacoma)

Meeting ID: 970 4982 0308

Passcode: 112224

Find your local number: <https://zoom.us/j/adsCeuswmf>

GENERAL SUBJECT MATTER TO BE CONSIDERED:
Business of the Committee

Persons who want to be notified of such meetings may submit a request by contacting the administrative office with the information below.

A copy of the agenda may be obtained by contacting: Florida Independent Living Council, 1882 Capital Circle NE, Suite 202, Tallahassee, Florida 32308 Voicemail: (850)488-5624 Toll Free: (877)822-1993 Fax: (850)488-5881 or Email: jenny@floridasilc.org

Pursuant to the Americans with Disabilities Act, accommodations for persons with disabilities are available upon request. If you have a disability and require a reasonable accommodation to fully participate in this event, please contact Beth Meyer, PA, ADA at beth@floridasilc.org, or 850-488-5624 to discuss your accessibility needs. Please allow 5 business days' notification to process: last minute requests will be accepted, but may not be possible to fulfill.

Section VII

Notice of Petitions and Dispositions
Regarding Declaratory Statements

DEPARTMENT OF HIGHWAY SAFETY AND MOTOR VEHICLES

NOTICE IS HEREBY GIVEN that the Department of Highway Safety and Motor Vehicles has received the petition for declaratory statement from Steven Cooper for Allegiant, LLC, a Utah limited liability company, on June 26, 2020. The petition seeks the agency's opinion as to the applicability of ss. 319.22, 319.225, 319.23, 320.02, 320.0609, and 320.072, Florida Statutes, as they apply to the petitioner.

The petition seeks the agency's opinion on documentation required for application for title for a business that does not conduct business in this state, whether title must be generated in the names of buyer exactly as they are written by seller, whether an initial registration fee can be avoided by transfer of a plate to an individual or entity other than to whom the plate was initially issued, and what documentation must accompany a power of attorney form to effect title and registration transactions at the agency. Motions for leave to intervene pursuant to rule 28-1005.0027, Florida Administrative Code, must be filed within 21 days of the date of publication of this notice.

A copy of the Petition for Declaratory Statement may be obtained by contacting: Joseph R. Gillespie, Agency Clerk, 2900 Apalachee Parkway, A-432, MS-2, Tallahassee, Florida 32399-0504; AgencyClerk@flhsmv.gov, (850) 617-3101.

Section VIII
Notice of Petitions and Dispositions
Regarding the Validity of Rules

Notice of Petition for Administrative Determination has been filed with the Division of Administrative Hearings on the following rules:

NONE

Notice of Disposition of Petition for Administrative Determination has been filed with the Division of Administrative Hearings on the following rules:

NONE

Section IX
Notice of Petitions and Dispositions
Regarding Non-rule Policy Challenges

NONE

Section X
Announcements and Objection Reports of
the Joint Administrative Procedures
Committee

NONE

Section XI
Notices Regarding Bids, Proposals and
Purchasing

NONE

Section XII
Miscellaneous

DEPARTMENT OF STATE

Index of Administrative Rules Filed with the Secretary of State Pursuant to subparagraph 120.55(1)(b)6. – 7., F.S., the below list of rules were filed in the Office of the Secretary of State between 3:00 p.m., Wednesday, July 15, 2020 and 3:00 p.m., Tuesday, July 21, 2020.

Rule No.	File Date	Effective Date
1B-24.003	7/17/2020	8/6/2020

5CER20-4	7/21/2020	7/21/2020
25-6.0440	7/16/2020	8/5/2020
25-6.0441	7/16/2020	8/5/2020
40D-8.041 (Crystal River/ Kings Bay)	7/20/2020	8/19/2020
40D-8.041 (Pithlachascotee)	7/20/2020	8/19/2020
40D-8.624	7/20/2020	8/19/2020
59AER20-6	7/15/2020	7/15/2020
61D-5.001	7/15/2020	9/1/2020
61D-5.004	7/15/2020	9/1/2020
61D-11.008	7/15/2020	9/1/2020
61D-11.009	7/15/2020	9/1/2020
61D-11.0101	7/15/2020	9/1/2020
61D-14.002	7/15/2020	9/1/2020
61D-14.005	7/15/2020	9/1/2020
61D-14.0055	7/15/2020	9/1/2020
61D-14.006	7/15/2020	9/1/2020
61G15ER20-10	7/17/2020	7/17/2020
62-330.010	7/21/2020	**/**/****
62-331.010	7/21/2020	**/**/****
62-331.051	7/21/2020	**/**/****
62-331.052	7/21/2020	**/**/****
62-331.053	7/21/2020	**/**/****
62-331.054	7/21/2020	**/**/****
62-331.060	7/21/2020	**/**/****
62-331.080	7/21/2020	**/**/****
62-331.090	7/21/2020	**/**/****
62-331.110	7/21/2020	**/**/****
62-331.120	7/21/2020	**/**/****
62-331.160	7/21/2020	**/**/****
62-331.200	7/21/2020	**/**/****

62-331.201	7/21/2020	**/**/****
62-331.210	7/21/2020	**/**/****
62-331.215	7/21/2020	**/**/****
62-331.216	7/21/2020	**/**/****
62-331.217	7/21/2020	**/**/****
62-331.225	7/21/2020	**/**/****
62-331.226	7/21/2020	**/**/****
62-331.229	7/21/2020	**/**/****
62-331.230	7/21/2020	**/**/****
62-331.231	7/21/2020	**/**/****
62-331.240	7/21/2020	**/**/****
62-331.242	7/21/2020	**/**/****
62-331.248	7/21/2020	**/**/****
64B7ER20-29	7/15/2020	7/15/2020
65D-30.014	7/21/2020	8/20/2020
65D-30.0141	7/21/2020	8/20/2020
65D-30.0142	7/21/2020	8/20/2020
LIST OF RULES AWAITING EPA APPROVAL PURSUANT TO SECTION 373.4146 (2), FLORIDA STATUTES		
Rule No.	File Date	Effective Date
62-330.010	7/21/2020	**/**/****
62-330.050	6/26/2020	**/**/****
62-330.060	6/26/2020	**/**/****
62-330.090	6/26/2020	**/**/****
62-330.201	6/26/2020	**/**/****
62-330.340	6/26/2020	**/**/****
62-330.402	6/26/2020	**/**/****
62-331.010	7/21/2020	**/**/****
62-331.020	6/11/2020	**/**/****
62-331.030	6/11/2020	**/**/****
62-331.040	6/11/2020	**/**/****
62-331.050	6/11/2020	**/**/****

62-331.051	7/21/2020	**/**/****
62-331.052	7/21/2020	**/**/****
62-331.053	7/21/2020	**/**/****
62-331.054	7/21/2020	**/**/****
62-331.060	7/21/2020	**/**/****
62-331.070	6/11/2020	**/**/****
62-331.080	7/21/2020	**/**/****
62-331.090	7/21/2020	**/**/****
62-331.100	6/11/2020	**/**/****
62-331.110	7/21/2020	**/**/****
62-331.120	7/21/2020	**/**/****
62-331.130	6/11/2020	**/**/****
62-331.140	6/11/2020	**/**/****
62-331.160	7/21/2020	**/**/****
62-331.200	7/21/2020	**/**/****
62-331.201	7/21/2020	**/**/****
62-331.210	7/21/2020	**/**/****
62-331.211	6/11/2020	**/**/****
62-331.212	6/11/2020	**/**/****
62-331.213	6/11/2020	**/**/****
62-331.214	6/11/2020	**/**/****
62-331.215	7/21/2020	**/**/****
62-331.216	7/21/2020	**/**/****
62-331.217	7/21/2020	**/**/****
62-331.218	6/11/2020	**/**/****
62-331.219	6/11/2020	**/**/****
62-331.220	6/11/2020	**/**/****
62-331.221	6/11/2020	**/**/****
62-331.222	6/11/2020	**/**/****
62-331.223	6/11/2020	**/**/****
62-331.224	6/11/2020	**/**/****
62-331.225	7/21/2020	**/**/****

62-331.226	7/21/2020	**/**/****
62-331.227	6/11/2020	**/**/****
62-331.228	6/11/2020	**/**/****
62-331.229	7/21/2020	**/**/****
62-331.230	7/21/2020	**/**/****
62-331.231	7/21/2020	**/**/****
62-331.233	6/11/2020	**/**/****
62-331.234	6/11/2020	**/**/****
62-331.235	6/11/2020	**/**/****
62-331.236	6/11/2020	**/**/****
62-331.237	6/11/2020	**/**/****
62-331.238	6/11/2020	**/**/****
62-331.239	6/11/2020	**/**/****
62-331.240	7/21/2020	**/**/****
62-331.241	6/11/2020	**/**/****
62-331.242	7/21/2020	**/**/****
62-331.243	6/11/2020	**/**/****
62-331.244	6/11/2020	**/**/****
62-331.245	6/11/2020	**/**/****
62-331.246	6/11/2020	**/**/****
62-331.247	6/11/2020	**/**/****
62-331.248	7/21/2020	**/**/****

LIST OF RULES AWAITING LEGISLATIVE APPROVAL SECTIONS 120.541(3), 373.139(7) AND/OR 373.1391(6), FLORIDA STATUTES

Rule No.	File Date	Effective Date
60FF1-5.009	7/21/2016	**/**/****
60P-1.003	11/5/2019	**/**/****
60P-2.002	11/5/2019	**/**/****
60P-2.003	11/5/2019	**/**/****
64B8-10.003	12/9/2015	**/**/****

**Section XIII
Index to Rules Filed During Preceding
Week**

NOTE: The above section will be published on Tuesday beginning October 2, 2012, unless Monday is a holiday, then it will be published on Wednesday of that week.