

inspection of insured property that is the subject of a claim. This insured or claimant may deny access to the property if this notice has not been provided.

Paragraph (a) of subsection (5) of Rule 69B-220.201, F.A.C., is amended to read:

(a) No public adjuster shall require, demand, charge or accept any fee, retainer, compensation, commission, deposit, or other thing of value, prior to receipt by the insured or claimant of a payment of claim proceeds by the insurer.

**DEPARTMENT OF FINANCIAL SERVICES**

**Division of Insurance Agents and Agency Services**

RULE NOS.:	RULE TITLES:
69B-231.010	Purpose
69B-231.020	Scope
69B-231.030	Definitions
69B-231.040	Calculating Penalty
69B-231.070	Prosecutorial Discretion
69B-231.080	Penalties for Violation of Section 626.611, F.S.
69B-231.090	Penalties for Violation of Section 626.621, F.S.
69B-231.100	Penalties for Violation of Section 626.9541(1), F.S.
69B-231.110	Penalties for Violation of Other Specific Provisions of the Florida Insurance Code
69B-231.120	Penalties for Violation of Other Insurance Code Provisions
69B-231.130	Penalties for Violation of Department Rules
69B-231.140	Penalties for Violation of Department Orders
69B-231.150	Criminal Proceedings
69B-231.160	Aggravating/Mitigating Factors

**NOTICE OF WITHDRAWAL**

Notice is hereby given that the above rules, as noticed in Vol.32, No. 1, January 6, 2006, has been withdrawn.

**Section IV  
Emergency Rules**

**BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND**

Pursuant to Chapter 2003-145, Laws of Florida, all notices for the Board of Trustees of the Internal Improvement Trust Fund are published on the Internet at the Department of Environmental Protection’s home page at <http://www.dep.state.fl.us/> under the link or button titled “Official Notices.”

**DEPARTMENT OF ENVIRONMENTAL PROTECTION**

Pursuant to Chapter 2003-145, Laws of Florida, all notices for the Department of Environmental Protection are published on the Internet at the Department of Environmental Protection’s home page at <http://www.dep.state.fl.us/> under the link or button titled “Official Notices.”

**Section V  
Petitions and Dispositions Regarding Rule Variance or Waiver**

**DEPARTMENT OF LAW ENFORCEMENT**

The Department of Law Enforcement, Criminal Justice Standards and Training has taken action at its May 4, 2006, meeting on a petition for waiver received from Collier County Public Schools, on March 27, 2006. Notice of receipt of this petition was published in the Florida Administrative Weekly, Vol. 32, No. 15, April 14, 2006. No public comment was received. Petitioner has petitioned for a waiver of subsection 11B-21.002(3), F.A.C., pursuant to Section 120.542, F.S. Petitioner has requested that the Department waive the requirement that an entity wishing to create an officer training school present the proposal to the proper Regional Training Council. Petitioner has petitioned that the CJSTC make the determination to grant or deny Petitioner’s proposal. On May 4, 2006, the Criminal Justice Standards and Training Commission denied a waiver of this rule to Collier County Public Schools, in a final order, OGC File No.: VAR 06-2. This rule waiver was denied because the petitioner could not demonstrate that a strict application of the rule would result in undue hardship to them or would affect them differently than other similarly situated applicants and because they had not successfully fulfilled the requirements of Section 943.14, F.S., by other means.

For a copy of the final order write or call: Grace A. Jaye, Florida Department of Law Enforcement, Box 1489, Tallahassee, FL 32302-1489, (850)410-7687.

**BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND**

Pursuant to Chapter 2003-145, Laws of Florida, all notices for the Board of Trustees of the Internal Improvement Trust Fund are published on the Internet at the Department of Environmental Protection’s home page at <http://www.dep.state.fl.us/> under the link or button titled “Official Notices.”

**WATER MANAGEMENT DISTRICTS**

NOTICE IS HEREBY GIVEN that on May 3, 2006, South Florida Water Management District (District) received a petition for waiver from Collier County Transportation

Department, Application Number 06-0116-6, for issuance of a Right of Way Occupancy Permit for utilization of Works or Lands of the District known as the County Road 951 (C.R. 951) Canal, Collier County, to allow the proposed widening of the existing pile-supported Tree Farm Road bridge crossing County Road 951 Canal, Sections 26 & 35, Township 48 South, Range 26 East, and due to the characteristics of the existing bridge, the widened portions will not meet the District's vertical clearance requirement of 2 feet above the design water surface elevation. The petition seeks relief from paragraph 40E-6.221(2)(j), Florida Administrative Code, which governs the minimum vertical clearance requirement of pile-supported crossings within Works or Lands of the District. A copy of the petition may be obtained from Kathie Ruff, (561)682-6320 or e-mail at [kruff@sfwmd.gov](mailto:kruff@sfwmd.gov). The District will accept comments concerning the petition for 14 days from the date of publication of this notice. To be considered, comments must be received by the end of business on the 14th day at the South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406. Attn.: Kathie Ruff, Office of Counsel.

**DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION**

NOTICE IS HEREBY GIVEN that on May 4, 2006, the Division of Hotels and Restaurants received a Petition for a Routine Variance for subsections 61C-4.010(1) and 61C-4.010(6), Florida Administrative Code, from New Sabor, Inc. located in Orlando. The above referenced F.A.C. addresses food supplies, food protection, and physical facilities-except as specifically provided in this rule, public food service establishments shall be subject to the provisions of chapter three and chapter six of the FDA Food Code. They are requesting to do open air food service on a Mobile Food Dispensing Vehicle.

A copy of the Petition can be obtained from: Rhonda Steele, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Division of Hotels and Restaurants will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on April 21, 2006, the Bureau of Elevator Safety received a Petition for Variance from Rules 2.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9, A.S.M.E. 17.1, 2000 edition, as adopted by Chapter 3001.2, 2004 Florida Building Code, which require a machine room, steel ropes and non welded terminations, from Jennifer Livingston of Otis Elevator Company. The Petitioner is requesting a variance to

allow the installation of Gen2™ elevator systems in the following location: Resort at Singer Island, Group 1 Elevator #4 & 5, Singer Island (Petition 2006-102).

A copy of the Petitions can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on April 21, 2006, the Bureau of Elevator Safety received a Petition for Variance from Rules 2.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9, A.S.M.E. 17.1, 2000 edition, as adopted by Chapter 3001.2, 2004 Florida Building Code, which require a machine room, steel ropes and non welded terminations, from Jennifer Livingston of Otis Elevator Company. The Petitioner is requesting a variance to allow the installation of Gen2™ elevator systems in the following location: Resort at Singer Island, Group 1 Elevator #6, Singer Island (Petition 2006-103).

A copy of the Petitions can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on April 21, 2006, the Bureau of Elevator Safety received a Petition for Variance from Rules 2.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9, A.S.M.E. 17.1, 2000 edition, as adopted by Chapter 3001.2, 2004 Florida Building Code, which require a machine room, steel ropes and non welded terminations, from Jennifer Livingston of Otis Elevator Company. The Petitioner is requesting a variance to allow the installation of Gen2™ elevator systems in the following location: Resort at Singer Island, Group 1 Elevator #1 & 2, Singer Island (Petition 2006-104).

A copy of the Petitions can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on April 21, 2006, the Bureau of Elevator Safety received a Petition for Variance from Rules 2.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9, A.S.M.E. 17.1, 2000 edition, as adopted by Chapter 3001.2, 2004 Florida Building Code, which require a machine room, steel ropes and non welded terminations, from Jennifer Livingston of Otis Elevator Company. The Petitioner is requesting a variance to

allow the installation of Gen2™ elevator systems in the following location: Resort at Singer Island, Group 1 Elevator #7, Singer Island (Petition 2006-105).

A copy of the Petitions can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on April 21, 2006, the Bureau of Elevator Safety received a Petition for Variance from Rules 2.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9, A.S.M.E. 17.1, 2000 edition, as adopted by Chapter 3001.2, 2004 Florida Building Code, which require a machine room, steel ropes and non welded terminations, from Jennifer Livingston of Otis Elevator Company. The Petitioner is requesting a variance to allow the installation of Gen2™ elevator systems in the following location: Resort at Singer Island, Group 1 Elevator #8, Singer Island (Petition 2006-106).

A copy of the Petitions can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on April 21, 2006, the Bureau of Elevator Safety received a Petition for Variance from Rules 2.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9, A.S.M.E. 17.1, 2000 edition, as adopted by Chapter 3001.2, 2004 Florida Building Code, which require a machine room, steel ropes and non welded terminations, from Jennifer Livingston of Otis Elevator Company. The Petitioner is requesting a variance to allow the installation of Gen2™ elevator systems in the following location: Resort at Singer Island, Group 1 Elevator #3, Singer Island (Petition 2006-107).

A copy of the Petitions can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on April 20, 2006, the Bureau of Elevator Safety received a Petition for Variance from Rules 2.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9, A.S.M.E. 17.1, 2000 edition, as adopted by Chapter 3001.2, 2004 Florida Building Code, which require a machine room, steel ropes and non welded terminations, from Jennifer Livingston of Otis Elevator Company. The Petitioner is requesting a variance to

allow the installation of Gen2™ elevator systems in the following location: The Whitney Condominiums, Group 1, Elevator #3 & 4, West Palm Beach (Petition 2006-099).

A copy of the Petitions can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on April 20, 2006, the Bureau of Elevator Safety received a Petition for Variance from Rules 2.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9, A.S.M.E. 17.1, 2000 edition, as adopted by Chapter 3001.2, 2004 Florida Building Code, which require a machine room, steel ropes and non welded terminations, from Jennifer Livingston of Otis Elevator Company. The Petitioner is requesting a variance to allow the installation of Gen2™ elevator systems in the following location: The Whitney Condominiums, Group 1, Elevator #2, West Palm Beach (Petition 2006-100).

A copy of the Petitions can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on April 20, 2006, the Bureau of Elevator Safety received a Petition for Variance from Rules 2.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9, A.S.M.E. 17.1, 2000 edition, as adopted by Chapter 3001.2, 2004 Florida Building Code, which require a machine room, steel ropes and non welded terminations, from Jennifer Livingston of Otis Elevator Company. The Petitioner is requesting a variance to allow the installation of Gen2™ elevator systems in the following location: The Whitney Condominiums, Group 1, Elevator #1, West Palm Beach (Petition 2006-101).

A copy of the Petitions can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on April 21, 2006, the Bureau of Elevator Safety received a Petition for Variance from Rules 2.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9, A.S.M.E. 17.1, 2000 edition, as adopted by Chapter 3001.2, 2004 Florida Building Code, which require a machine room, steel ropes and non welded terminations, from leLaine Koutebera of Otis Elevator Company. The Petitioner is requesting a variance to

allow the installation of Gen2™ elevator systems in the following location: W Plaza Condominium Project, St. Petersburg (Petition 2006-108).

A copy of the Petitions can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on April 24, 2006, the Bureau of Elevator Safety received a Petition for Variance from Rules 2.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9, A.S.M.E. 17.1, 2000 edition, as adopted by Chapter 3001.2, 2004 Florida Building Code, which require a machine room, steel ropes and non welded terminations, from Robert Gerdt of Otis Elevator Company. The Petitioner is requesting a variance to allow the installation of Gen2™ elevator systems in the following location: Jacaranda Trace – Phase II Group 1, Venice (Petition 2006-109).

A copy of the Petitions can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on April 24, 2006, the Bureau of Elevator Safety received a Petition for Variance from Rules 2.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9, A.S.M.E. 17.1, 2000 edition, as adopted by Chapter 3001.2, 2004 Florida Building Code, which require a machine room, steel ropes and non welded terminations, from Robert Gerdt of Otis Elevator Company. The Petitioner is requesting a variance to allow the installation of Gen2™ elevator systems in the following location: Jacaranda Trace – Phase II Group 2, Venice (Petition 2006-110).

A copy of the Petitions can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on April 4, 2006, the Bureau of Elevator Safety received a Petition for Variance from Rules 2.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9, A.S.M.E. 17.1, 2000 edition, as adopted by Chapter 3001.2, 2004 Florida Building Code, which require a machine room, steel ropes and non welded terminations, from Rick Dayton of Otis Elevator Company. The Petitioner is requesting a variance to allow the

installation of Gen2™ elevator systems in the following location: Lake Buena Vista Resort, Phase III Building 3, Orlando (Petition 2006-087).

A copy of the Petitions can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on 3/31/06, the Bureau of Elevator Safety received a Petition for Variance from Rules 2.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9, A.S.M.E. 17.1, 2000 edition, as adopted by Chapter 3001.2, 2004 Florida Building Code, which require a machine room, steel ropes and non welded terminations, from Patricia Serley of Otis Elevator Company. The Petitioner is requesting a variance to allow the installation of Gen2™ elevator systems in the following location: Lost Key Golf & Beach Club San Anton Condominium, Pensacola (Petition 2006-124).

A copy of the Petitions can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on April 17, 2006, Bureau of Elevator Safety received a Petition for Variance from ASME A.17.1, Sections 2.1.3.1.2(b)(1), and ASME A17.2, Section 2.29.2, as adopted by Chapter 3001.2, 2004 Florida Building Code which prohibit the locating the elevator motor in the hoistway, require hands-on access to the governor and convenient, direct line-of-sight visual contact with the drive sheave. The petition was received from Steve Powell of KONE Inc., requesting a variance to allow the installation of MonoSpace® elevator systems in the following location: Villa Lago, Boynton Beach (Petition VW 2006-116).

A copy of the Petition can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on April 17, 2006, Bureau of Elevator Safety received a Petition for Variance from ASME A.17.1, Sections 2.1.3.1.2(b)(1), and ASME A17.2, Section 2.29.2, as adopted by Chapter 3001.2, 2004 Florida Building Code which prohibit the locating the elevator motor in the hoistway, require hands-on access to the governor and convenient, direct line-of-sight visual contact with the drive sheave. The petition was received from Steve Powell of KONE

Inc., requesting a variance to allow the installation of MonoSpace® elevator systems in the following location: Metropolitan Parking Garage, Jacksonville (Petition VW 2006-117).

A copy of the Petition can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

---

NOTICE IS HEREBY GIVEN that on April 17, 2006, Bureau of Elevator Safety received a Petition for Variance from ASME A.17.1, Sections 2.1.3.1.2(b)(1), and ASME A17.2, Section 2.29.2, as adopted by Chapter 3001.2, 2004 Florida Building Code which prohibit the locating the elevator motor in the hoistway, require hands-on access to the governor and convenient, direct line-of-sight visual contact with the drive sheave. The petition was received from Steve Powell of KONE Inc., requesting a variance to allow the installation of MonoSpace® elevator systems in the following location: Mirasol Condo II, Miromar Lakes (Petition VW 2006-118).

A copy of the Petition can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

---

NOTICE IS HEREBY GIVEN that on April 17, 2006, Bureau of Elevator Safety received a Petition for Variance from ASME A.17.1, Sections 2.1.3.1.2(b)(1), and ASME A17.2, Section 2.29.2, as adopted by Chapter 3001.2, 2004 Florida Building Code which prohibit the locating the elevator motor in the hoistway, require hands-on access to the governor and convenient, direct line-of-sight visual contact with the drive sheave. The petition was received from Steve Powell of KONE Inc., requesting a variance to allow the installation of MonoSpace® elevator systems in the following location: Ventian Bay Town Center Building 1, New Smyrna Beach (Petition VW 2006-119).

A copy of the Petition can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

---

NOTICE IS HEREBY GIVEN that on April 17, 2006, Bureau of Elevator Safety received a Petition for Variance from ASME A.17.1, Sections 2.1.3.1.2(b)(1), and ASME A17.2, Section 2.29.2, as adopted by Chapter 3001.2, 2004 Florida Building Code which prohibit the locating the elevator motor in the

hoistway, require hands-on access to the governor and convenient, direct line-of-sight visual contact with the drive sheave. The petition was received from Steve Powell of KONE Inc., requesting a variance to allow the installation of MonoSpace® elevator systems in the following location: Staybridge Suites, Tallahassee (Petition VW 2006-120).

A copy of the Petition can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

---

NOTICE IS HEREBY GIVEN that on April 17, 2006, Bureau of Elevator Safety received a Petition for Variance from ASME A.17.1, Sections 2.1.3.1.2(b)(1), and ASME A17.2, Section 2.29.2, as adopted by Chapter 3001.2, 2004 Florida Building Code which prohibit the locating the elevator motor in the hoistway, require hands-on access to the governor and convenient, direct line-of-sight visual contact with the drive sheave. The petition was received from Steve Powell of KONE Inc., requesting a variance to allow the installation of MonoSpace® elevator systems in the following location: St. Johns River Community College - Fine Arts, Palatka (Petition VW 2006-121).

A copy of the Petition can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

---

NOTICE IS HEREBY GIVEN that on April 17, 2006, Bureau of Elevator Safety received a Petition for Variance from ASME A.17.1, Sections 2.1.3.1.2(b)(1), and ASME A17.2, Section 2.29.2, as adopted by Chapter 3001.2, 2004 Florida Building Code which prohibit the locating the elevator motor in the hoistway, require hands-on access to the governor and convenient, direct line-of-sight visual contact with the drive sheave. The petition was received from Steve Powell of KONE Inc., requesting a variance to allow the installation of MonoSpace® elevator systems in the following location: Sanibel Toll Plaza, Fort Myers (Petition VW 2006-122).

A copy of the Petition can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

---

The Board of Professional Engineers hereby gives notice that it has received a Petition for Variance or Waiver filed on May 2, 2006 by Quazi Bari. Pursuant to Chapter 28-104, F.A.C., and

Section 120.542, F.S., Petitioner seeks a waiver of the provisions of subsection 61G15-20.007(5), Florida Administrative Code, which is entitled "Foreign Degrees." Specifically, the Petitioner requests a waiver of this rule in its aspect of requiring a completion of deficiencies in Humanities and Social Sciences before being allowed to take the Principles and Practice examination. This petition is filed under emergency status for reasons explained in the petition. Copies of the petition may be obtained by writing: Paul Martin, Executive Director, Board of Professional Engineers, 2507 Callaway Road, Suite 200, Tallahassee, Florida 32301.

**DEPARTMENT OF ENVIRONMENTAL PROTECTION**

Pursuant to Chapter 2003-145, Laws of Florida, all notices for the Department of Environmental Protection are published on the Internet at the Department of Environmental Protection's home page at <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

**DEPARTMENT OF HEALTH**

The Board of Dentistry hereby gives notice that it has received a petition, filed on April 17, 2006, by Edwin A. Bayo, Esq., on behalf of Jeronimo Guzman, D.M.D. seeking a waiver or variance of subsection 64B5-2.0146(2), F.A.C. with respect to the Board's clinical examination requirements.

Comments on this petition should be filed with the Board of Dentistry, 4052 Bald Cypress Way, Bin #C08, Tallahassee, Florida 32399-3258, within 14 days of publication of this notice.

For a copy of the petition, contact: Sue Foster, Executive Director, at the above address or telephone (850)245-4474.

The Board of Physical Therapy Practice hereby gives notice that it has received a petition, filed on April 13, 2006, by Bichoy Gabra, Ph.D., seeking a waiver of the requirements of Rule 64B16-26.2031, Florida Administrative Code. The Petitioner seeks a waiver of the requirement of completion of 2080 internship/work experience hours.

Comments on this petition should be filed with the Board of Pharmacy/MQA, 4052 Bald Cypress Way, Bin #C04, Tallahassee, Florida 32399-3254, within 14 days of publication of this notice.

For a copy of the petition, contact Rebecca Poston, Executive Director, Board of Pharmacy, at the above address or telephone (850)245-4292.

NOTICE IS HEREBY GIVEN that on May 1, 2006, the Department of Health received a petition from Jon Hinchliff, representing Composting Toilet Systems, Inc., requesting a waiver pursuant to Section 120.542, Florida Statutes. Specifically, the petitioner seeks a waiver from subsection 64E-6.009(1), Florida Administrative Code, which requires

composting toilets to be in compliance with standards for Wastewater Recycle/Reuse and Water Conservation Systems as defined by ANSI/NSF International Standard Number 41.

Comments on this petition should be filed with the Agency Clerk, Department of Health, Office of the General Counsel, 4052 Bald Cypress Way, Bin A02, Tallahassee, Florida 32399-1734.

A copy of the petition may be obtained from: Agency Clerk, Department of Health, Office of the General Counsel, 4052 Bald Cypress Way, Bin A02, Tallahassee, Florida 32399-1734.

**FLORIDA HOUSING FINANCE CORPORATION**

NOTICE IS HEREBY GIVEN that on May 9, 2006, Florida Housing Finance Corporation received an Amended Petition for Waiver of Rule 67-48.004(14)(1); 67-48.009(4); 67-48.012(2)(g) and Part V.A.1 of the Universal Application Instructions (REV. 4-03), from Creative Choice Homes XXIX, Ltd. ("Petition"). The Petition is seeking a waiver of the Rules to allow a change in the application after the Application Deadline; Part V.A.1 of the 2003 Universal Application Instructions which limits the SAIL request amount of Medium County applicants to no more than \$1.5 million or in excess of 25% of the Total Development Cost; a waiver from subsection 67-48.009(4), F.A.C., which provides that applicants cannot request additional SAIL funding for the same Development, unless specified in the Universal Application; a variance from subsection 67-48.012(2)(g), F.A.C., which requires a minimum combined debt service coverage of 1.10 for SAIL financed developments.

A copy of the Petition can be obtained from: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m., Eastern Standard Time, on the 14th day after publication of this notice at Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN that on May 10, 2006, Florida Housing Finance Corporation received a Petition for Waiver of Rule 67-21.008(1)(b), Florida Administrative Code, from Brook Haven, Ltd. ("Petition"). The Petition is seeking a variance of the Rules which mandates that each recipient of a mortgage loan shall provide for a fully amortized payment of the loan beginning on the earlier of 36 months after closing, or stabilized occupancy or conversion to permanent financing pursuant to the loan documents.

A copy of the Petition can be obtained from: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments

concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m., Eastern Standard Time, on the 14th day after publication of this notice at Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

## Section VI Notices of Meetings, Workshops and Public Hearings

### DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES

The Florida **Department of Agriculture and Consumer Services** announce a meeting with the Florida Seafood and Aquaculture Committee.

DATE AND TIME: Thursday, June 8, 2006, 9:00 a.m.

PLACE: Sheraton Beach Resort Key Largo, 97000 South Overseas Highway, Mile Marker 97, Key Largo, FL 33037

GENERAL SUBJECT MATTER TO BE CONSIDERED: Seafood and Aquaculture Industry Meeting.

The purpose of this meeting is to receive input from the industry regarding marketing and education efforts. For additional information, or if you need special accommodations due to disability, please call Stacie Smith, (850)488-0163.

Notice is hereby given that the Florida **Department of Agriculture and Consumer Services, Division Food Safety** will conduct a public informational meeting of the Florida Food Safety and Food Security Advisory Council on Pandemic Influenza to which all interested persons are invited.

DATE AND TIME: Thursday, May 25, 2006, 9:00 a.m. – 12:00 p.m. (Noon)

PLACE: Ben Hill Auditorium – Room 2, 700 Experiment Station Road, Lake Alfred Research Center, Lake Alfred, Florida

GENERAL SUBJECT MATTER TO BE CONSIDERED: Informational meeting, hear a presentation entitled “Pandemic Influenza: Response Planning” by Bill Tynan MD, MPH, Florida Department of Health.

The person to be contacted regarding this meeting is: Michele Smith, Division of Food Safety, 3125 Conner Boulevard, Tallahassee, Florida 32399-1650, (850)488-0295.

An agenda of the meeting is available as no charge from the contact person listed above.

### DEPARTMENT OF EDUCATION

The **Department of Education, Division of Blind Services**, Business Enterprises Program announces a Selection Panel meeting to which all persons are invited.

DATES AND TIMES: May 23, 2006, 1:00 p.m. – 4:30 p.m.; and 9:00 a.m. – 4:30 p.m., on subsequent days until all business has been concluded but no later than by Noon on May 26, 2006

PLACE: The Residence Inn Tampa Downtown, Meeting Room A, 101 Tyler Street, Tampa, Florida

GENERAL SUBJECT MATTER TO BE CONSIDERED: Review and interview applicants for the business opportunities announced in April 2006.

The **Gulf Coast Community College**, District Board of Trustees, Budget Committee announces a meeting to which all persons are invited.

DATE AND TIME: June 5, 2006, 2:00 p.m.

PLACE: Gulf Coast Community College President’s Office

CONTACT: Robert L. McSpadden, President, (850)872-3800

### DEPARTMENT OF COMMUNITY AFFAIRS

The Notice of Proposed Rule Development for Rule 9B-3.047, Florida Administrative Code, appeared in the April 14, 2006, edition of the Florida Administrative Weekly. Supplemental workshops are scheduled to be held at:

DATE AND TIME: Monday, June 19, 2006, 9:00 a.m.

PLACE: The Sandestin Beach Resort, 9300 Emerald Coast Parkway, West, Destin, Florida

DATE AND TIME: Wednesday, July 11, 2006, 4:00 p.m.

PLACE: The Seminole Hard Rock, 1 Seminole Way, Hollywood, Florida

GENERAL SUBJECT MATTER TO BE CONSIDERED: The purpose of additional workshops is to accept results of study of panhandle wind borne debris region, comments on the study, and to take such further action as is warranted by the information received. All interested persons are invited to attend. For further information, please contact: Jim Richmond, Assistant General Counsel, 2555 Shumard Oak Boulevard, Tallahassee, Florida 32399-2100, (850)488-0410.

Any person requiring special accommodations at the workshop because of a disability or physical impairment should contact: Ila Jones, Community Program Administrator, Department of Community Affairs, 2555 Shumard Oak Boulevard, Sadowski Building, Tallahassee, Florida 32399-2100, (850)487-1824, at least seven days before the date of the workshop. If you are hearing or speech impaired, please contact the Department of Community Affairs using the Florida Dual Party Relay System, which can be reached at 1(800)955-8770 (Voice) or 1(800)955-9771 (TDD).

### DEPARTMENT OF REVENUE

The **Department of Revenue**, Property Tax Administration Program announces three public workshops relating to specific areas of the value adjustment board process and to which all