

entitles the claimant to a prize of a \$2.00 instant ticket and whose mailing address is outside the state of Florida will receive a check for \$2.00 in lieu of an actual ticket.

(10) The estimated odds of winning, value and number of prizes in Instant Game Number 661 are as follows:

| GAME PLAY | WIN | ODDS OF | |
|-----------------------------------|------------|--------------|---|
| | | 1 IN | NUMBER OF WINNERS IN 42 POOLS OF 180,000 TICKETS PER POOL |
| TICKET | \$2 | 8.33 | 907,200 |
| \$2 | TICKET \$2 | 30.00 | 252,000 |
| \$2 x 2 | \$4 | 25.00 | 302,400 |
| \$1 + (\$2 x 2) | \$5 | 37.50 | 201,600 |
| \$5 | \$5 | 75.00 | 100,800 |
| \$1 x 10 (CASH REWARD NUMBER) | \$10 | 75.00 | 100,800 |
| \$5 x 2 | \$10 | 75.00 | 100,800 |
| \$10 | \$10 | 150.00 | 50,400 |
| \$5 x 5 | \$25 | 150.00 | 50,400 |
| (\$5 x 2) + (\$10 x 4) | \$50 | 1,800.00 | 4,200 |
| \$5 x 10 (CASH REWARD NUMBER) | \$50 | 450.00 | 16,800 |
| \$50 | \$50 | 1,800.00 | 4,200 |
| \$10 x 10 (CASH REWARD NUMBER) | \$100 | 6,428.57 | 1,176 |
| \$25 x 4 | \$100 | 6,428.57 | 1,176 |
| \$100 | \$100 | 9,000.00 | 840 |
| \$20 x 10 (CASH REWARD NUMBER) | \$200 | 180,000.00 | 42 |
| \$100 x 10 (CASH REWARD NUMBER) | \$1,000 | 756,000.00 | 10 |
| \$1,000 | \$1,000 | 756,000.00 | 10 |
| \$1,000 x 10 (CASH REWARD NUMBER) | \$10,000 | 3,780,000.00 | 2 |
| \$10,000 | \$10,000 | 3,780,000.00 | 2 |

(11) The estimated overall odds of winning some prize in Instant Game Number 661 are 1 in 3.61. Prizes, including the top prizes, are subject to availability at the time of ticket purchase. Prizes may be unavailable due to prior sale or other causes occurring in the normal course of business including, but not limited to, ticket damage, defect, theft, or loss.

(12) For reorders of Instant Game Number 661, the estimated odds of winning, value, and number of prizes shall be proportionate to the number of tickets reordered.

(13) By purchasing a CASH REWARD lottery ticket the player agrees to comply with and abide by all prize payment rules of the Florida Lottery.

(14) Payment of prizes for CASH REWARD lottery tickets shall be made in accordance with rules of the Florida Lottery governing payment of prizes. A copy of the current rule can be obtained from the Florida Lottery, Office of the General Counsel, 250 Marriott Drive, Tallahassee, Florida 32399-4011.

Specific Authority 24.105(9)(a), (b), (c), 24.109(1), 24.115(1) FS. Law Implemented 24.105(9)(a), (b), (c), 24.115(1) FS. History—New 10-5-06.

THIS EMERGENCY RULE TAKES EFFECT IMMEDIATELY UPON BEING FILED WITH THE DEPARTMENT OF STATE.

EFFECTIVE DATE: October 5, 2006

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

**Section V
Petitions and Dispositions Regarding Rule
Variance or Waiver**

DEPARTMENT OF LEGAL AFFAIRS

The Department of Legal Affairs, Division of Victim Services and Criminal Justice Programs, hereby gives notice that it has issued an Order on the Petition for Waiver and Variance filed on behalf of Seven Eleven, Inc. The petition seeks a waiver or variance from Rule 2A-5.005, F.A.C., in regard to the requirement regarding test photos and remote triggering devices. The Petition was filed on August 9, 2006, and the Notice was published in Vol. 32, No. 34, of the August 25, 2006, F.A.W. The Division Director determined that the petition should be granted for the following reasons: the Petitioner presented evidence that the purpose of the underlying statute has been met through the use of a superior digital recording, and that application of the rule would violate the principles of fairness in this matter. The Order granting the Petition was filed on September 12, 2006.

A copy of the Order may be obtained by contacting: Rick Nuss, Chief, Bureau of Criminal Justice Programs, Department of Legal Affairs, PL-01, The Capitol, Tallahassee, Florida 32399-1050, (850)414-3351.

DEPARTMENT OF COMMUNITY AFFAIRS

NOTICE IS HEREBY GIVEN that the Department has issued a Final Order in response to the Petition for Waiver filed by Citrus County. This petition was assigned the number DCA06-WAI-159. Notice of this petition appeared in the July 14, 2006, edition of the F.A.W. It is ordered that the Petition for Waiver by Petitioner Citrus County be, and by this Final Order is, hereby DENIED.

A copy of the Final Order may be obtained from: Paula P. Ford, Agency Clerk, Department of Community Affairs, 2555 Shumard Oak Boulevard, Tallahassee, Florida 32399-2100.

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

PUBLIC SERVICE COMMISSION

NOTICE IS HEREBY GIVEN that the Florida Public Service Commission has received a petition from The Grove Utilities, Inc., in Docket No. 060601-WS, seeking a temporary waiver of paragraphs 25-30.033(1)(k), (r), (t), (u), (v), and (w), Florida Administrative Code. The petition requests that these portions of the rule, which address information required for setting initial rates in original water and wastewater certificate proceedings, be waived temporarily to permit bifurcation of the certification proceeding into an initial certification portion, followed at a later date by the rate setting portion of the proceeding. Comments on the petition should be filed with the Commission's Division of the Commission Clerk and Administrative Services, 2540 Shumard Oak Boulevard, Tallahassee, Florida 32399-0850, within 14 days of publication of this notice.

A copy of the petition may be obtained at (<http://www.psc.state.fl.us>) or by writing to the above address. For additional information, please contact Ralph Jaeger, Office of the General Counsel, at the above address or telephone (850)413-6234.

NOTICE IS HEREBY GIVEN that the Florida Public Service Commission has received a petition from Town and Country Utilities Company, in Docket No. 060602-SU, seeking a temporary waiver of paragraphs 25-30.033(1)(k), (t), (u), (v), and (w), Florida Administrative Code. The petition requests that these portions of the rule, which address information required for setting initial rates in original wastewater certificate proceedings, be waived temporarily to permit bifurcation of the certification proceeding into an initial certification portion, followed at a later date by the rate setting portion of the proceeding. Comments on the petition should be filed with the Commission's Division of the Commission Clerk and Administrative Services, 2540 Shumard Oak Boulevard, Tallahassee, Florida 32399-0850, within 14 days of publication of this notice.

A copy of the petition may be obtained at (<http://www.psc.state.fl.us/>) or by writing to the above address. For additional information, please contact Katherine Fleming, Office of the General Counsel, at the above address or telephone (850)413-6218.

WATER MANAGEMENT DISTRICTS

The St. Johns River Water Management District hereby gives notice that it received a petition for variance on September 1, 2006 from LabCo, LLC. Pursuant to Section 120.542, Florida Statutes, LabCo, LLC. is seeking a variance from paragraph 40C-4.301(1)(k) and subparagraph 40C-41.063(1)(c)1., F.A.C., and Section 11.1.3 of the Applicant's Handbook: Management and Storage of Surface Waters (February 1, 2005) (A.H.), with respect to Environmental Resource Permit (ERP) Application 4-009-102057-1. The permit applicant is proposing to construct a residential subdivision in Brevard County. Subparagraph 40C-41.063(1)(c)1., F.A.C., and Section 11.1.3., A.H., prohibit the construction, operation, and maintenance of a surface water management system in the Upper St. Johns River Hydrologic Basin that results in an increase in the amount of water being diverted from the Basin to coastal receiving waters. Paragraph 40C-4.301(1)(k), F.A.C., requires permit applicants for an ERP to comply with any applicable special basin criteria established in Chapter 40C-41, F.A.C. These rules are intended to protect the water resources of the State by limiting discharges of fresh water to estuarine waters and curtailing interbasin diversion. Comments on this petition should be filed with: Robert Nawrocki, District Clerk, St. Johns River Water Management District, 4049 Reid Street, Palatka, Florida 32177, within 14 days of publication of this notice. The petition has been assigned F.O.R. Number 2006-85.

For a copy of the petition or additional information, contact: Veronika Thiebach, Senior Assistant General Counsel, Office of General Counsel, St. Johns River Water Management District, 4049 Reid Street, Palatka, Florida 32177, (386)329-4488.

The St. Johns River Water Management District hereby gives notice that it received a petition for variance on September 1, 2006 from RDR Communities, Inc. Pursuant to Section 120.542, Florida Statutes, RDR Communities, Inc. is seeking a variance from subparagraph 40C-41.063(1)(c)1., F.A.C., and Section 11.1.3 of the Applicant's Handbook: Management and Storage of Surface Waters (February 1, 2005) (A.H.), with respect to Environmental Resource Permit (ERP) Application 4-009-96853-1. The permit applicant is proposing to construct a residential development project to be known as Villages of West Melbourne in Brevard County. Subparagraph 40C-41.063(1)(c)1., F.A.C., and Section 11.1.3., A.H., prohibit the construction, operation, and maintenance of a surface water management system in the Upper St. Johns River Hydrologic

Basin that results in an increase in the amount of water being diverted from the Basin to coastal receiving waters. Paragraph 40C-4.301(1)(k), F.A.C., requires permit applicants for an ERP to comply with any applicable special basin criteria established in Chapter 40C-41, F.A.C. These rules are intended to protect the water resources of the State by limiting discharges of fresh water to estuarine waters and curtailing interbasin diversion. Comments on this petition should be filed with: Robert Nawrocki, District Clerk, St. Johns River Water Management District, 4049 Reid Street, Palatka, Florida 32177, within 14 days of publication of this notice. The petition has been assigned F.O.R. Number 2006-87.

For a copy of the petition or additional information, contact: Veronika Thiebach, Senior Assistant General Counsel, Office of General Counsel, St. Johns River Water Management District, 4049 Reid Street, Palatka, Florida 32177, (386)329-4488.

NOTICE IS HEREBY GIVEN that the South Florida Water Management District (SFWMD) Governing Board issued an Order Granting Waiver under Section 120.542, Fla. Stat. (SFWMD 2006-127-DAO-ROW), on September 13, 2006, to Collier County Board of County Commissioners. The petition for waiver was received by the SFWMD on July 21, 2006. Notice of receipt of the petition requesting the waiver was published in the F.A.W., Vol. 32, No. 31, on August 4, 2006. No public comment was received. This Order provides a waiver of the District's criteria for the proposed installation of a free-span 36" water main crossing the Airport Road Canal located west of the Golden Gate Parkway (S.R. 886) Bridge, serving the City of Naples; S25,26/T49S/R25E, Collier County. Specifically, the Order grants a waiver from paragraph 40E-6.221(2)(j), Fla. Admin. Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District Permit Applications within the South Florida Water Management District, incorporated by reference in subsection 40E-6.091(1), Fla. Admin. Code, which governs the minimum low member elevation (vertical clearance) of free-span utility crossings within Works or Lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the SFWMD's ability to perform necessary construction, alteration, operation and maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent Collier County Board of County Commissioners from suffering a substantial hardship.

A copy of the Order can be obtained from: Kathie Ruff, South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406-4680, (561)682-6320, or by e-mail kruff@sfwmd.gov.

NOTICE IS HEREBY GIVEN that the South Florida Water Management District (SFWMD) Governing Board issued an Order Granting Waiver under Section 120.542, Fla. Stat. (SFWMD 2006-128-DAO-ROW), on September 13, 2006, to Collier County Board of County Commissioners. The petition for waiver was received by the SFWMD on July 24, 2006. Notice of receipt of the petition requesting the waiver was published in the F.A.W., Vol. 32, No. 31, on August 4, 2006. No public comment was received. This Order provides a waiver of the District's criteria for the proposed widening of the existing, pile-supported Santa Barbara Boulevard Bridge crossing the Golden Gate Main Canal; S28,29/T49S/R26E, Collier County. Specifically, the Order grants a waiver from paragraph 40E-6.221(2)(j), Fla. Admin. Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District Permit Applications within the South Florida Water Management District, incorporated by reference in subsection 40E-6.091(1), Fla. Admin. Code, which governs the minimum low member elevation (vertical clearance) of pile-supported vehicle bridges within Works or Lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the SFWMD's ability to perform necessary construction, alteration, operation and maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent Collier County Board of County Commissioners from suffering a substantial hardship.

A copy of the Order can be obtained from: Kathie Ruff, South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406-4680, (561)682-6320, or by e-mail kruff@sfwmd.gov.

NOTICE IS HEREBY GIVEN that the South Florida Water Management District (SFWMD) Governing Board issued an Order Granting Waiver under Section 120.542, Fla. Stat. (SFWMD 2006-129-DAO-ROW), on September 13, 2006, to Joy D. Hampp. The petition for waiver was received by the SFWMD on July 5, 2006. Notice of receipt of the petition requesting the waiver was published in the F.A.W., Vol. 32, No. 39, on July 21, 2006. No public comment was received. This Order provides a waiver of the District's criteria for the proposed construction of 12 finger piers (24 mooring slips) adjacent to the existing, previously-authorized boardwalk within the north right of way of LD-4 adjacent to the "Cottages At the Lake, LLC" Development; S36/T37S/R35E, Okeechobee County. Specifically, the Order grants a waiver from paragraph 40E-6.221(2)(j), Fla. Admin. Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District Permit Applications within the South Florida Water Management District, incorporated by reference in subsection 40E-6.091(1), Fla. Admin. Code, which governs the density of mooring slips/spaces exceeding more than (4) four per 100 linear feet of frontage along the District's waterway

within Works or Lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the SFWMD's ability to perform necessary construction, alteration, operation and maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent Joy D. Hampp from suffering a substantial hardship.

A copy of the Order can be obtained from: Kathie Ruff, South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406-4680, (561)682-6320, or by e-mail kruff@sfwmd.gov

NOTICE IS HEREBY GIVEN that the South Florida Water Management District (SFWMD) Governing Board issued an Order Granting Waiver under Section 120.542, Fla. Stat. (SFWMD 2006-130-DAO-ROW), on September 13, 2006, to Old Plantation Water Control District. The petition for waiver was received by the SFWMD on August 11, 2006. Notice of receipt of the petition requesting the waiver was published in the F.A.W., Vol. 32, No. 34, on August 25, 2006. No public comment was received. This Order provides a waiver of the District's criteria for the proposed culvert to interconnect OPWCD's Canal and the District's C-12 Canal, which will include above-ground bollards and slide-gate operators within the canal right of way at the westerly terminus of C-12; S2/T51S/R40E, Broward County. Specifically, the Order grants a waiver from subsections 40E-6.011(4), and (6), Fla. Admin. Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District Permit Applications within the South Florida Water Management District, incorporated by reference in subsection 40E-6.091(1), Fla. Admin. Code, which governs the placement of above-ground permanent and semi-permanent facilities within 40 feet of the top of the canal bank within Works or Lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the SFWMD's ability to perform necessary construction, alteration, operation and maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent Old Plantation Water Control District from suffering a substantial hardship.

A copy of the Order can be obtained from: Kathie Ruff, South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406-4680, (561)682-6320, or by e-mail kruff@sfwmd.gov

NOTICE IS HEREBY GIVEN that the South Florida Water Management District (SFWMD) Governing Board issued an Order Granting Waiver under Section 120.542, Fla. Stat. (SFWMD 2006-131-DAO-ROW), on September 13, 2006, to South Florida Stadium Corporation. The petition for waiver was received by the SFWMD on August 18, 2006. Notice of receipt of the petition requesting the waiver was published in

the F.A.W., Vol. 32, No. 35, on September 1, 2006. No public comment was received. This Order provides a waiver of the District's criteria for the proposed installation of a temporary fence, berm stabilization and temporary overflow parking during the 2006 football season, Orange Bowl and Super Bowl games ending February 15, 2007; 34/T51S/R41E, Miami-Dade County. Specifically, the Order grants a waiver from subsections 40E-6.011(4), and (6), and paragraph 40E-6.221(2)(j), Fla. Admin. Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District Permit Applications within the South Florida Water Management District, incorporated by reference in subsection 40E-6.091(1), Fla. Admin. Code, which governs the placement of permanent and/or semi-permanent above-ground facilities within 40 feet of the top of the canal bank and generally prohibits parking within the right of way within Works or Lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the SFWMD's ability to perform necessary construction, alteration, operation and maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent South Florida Stadium Corporation from suffering a substantial hardship.

A copy of the Order can be obtained from: Kathie Ruff, South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406-4680, (561)682-6320; or by e-mail kruff@sfwmd.gov

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

The Bureau of Elevator Safety hereby gives notice that on August 18, 2006, it issued an Order Granting Variance Requests in response to a petition filed on May 24, 2006 and advertised in the F.A.W. Vol. 32, No. 24 by David Baskin of Otis Elevator regarding Aquilus III Condominiums in Jacksonville (VW 2006-146). The petition sought waivers from Rules 2.1.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9 of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, 2004 Florida Building Code. The petitioner requested to not have a machine room and to use coated steel belts in lieu of steel cables suspending the car. The petitions were granted as it was demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on September 18, 2006, it issued an Order Denying Variance Request in response to a petition filed on June 12, 2006, by Harry Bruderly of Spanish Oaks Condominium, seeking a waiver from ASME A17.1, 1996 Edition with 1997 Addenda,

as adopted by Chapter 3001.2, 2004 Florida Building Code. The petitioner requested to not have a means of two-way communication within the cars. The Petition was denied as additional information was requested but never received.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

NOTICE IS HEREBY GIVEN that on September 11, 2006, the Bureau of Elevator Safety received a Petition for Variance from Rules 2.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9, A.S.M.E. 17.1, 2000 edition, as adopted by Chapter 3001.2, 2004 Florida Building Code, which require a machine room, steel ropes and non welded terminations, from Rick Dayton of Otis Elevator Company. The Petitioner is requesting a variance to allow the installation of Gen2™ elevator systems in the following location: Fairfield Orlando, Bonnett Creek, Building 5, Orlando, FL (Petition 2006-234).

A copy of the Petitions can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on August 25, 2006, Bureau of Elevator Safety received a Petition for Emergency Variance from Rule 2000.7a, ASME A18.1, 1999 edition, as adopted by Chapter 3001.2, 2004 Florida Building Code, limiting travel to 12 feet. The petition was received from Jeanne Martin of Accessibility Lifts, Inc. on behalf of Filta Fry in Orlando, Florida (Petition VW 2006-216).

A copy of the Petition can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

The Bureau of Elevator Safety hereby gives notice that on July 26, 2006, it issued an Order Granting Emergency Variance Request in response to a petition filed on July 3, 2006, (as advertised in the F.A.W. Vol. 32, No. 29) by Jeanne Martin of Accessibility Lifts, Inc. regarding Jennings Arcade Retail Shoppes (VW 2006-182), seeking a waiver from Rule 2000.7a of ASME A17.1, 1999, as adopted by Chapter 3001.2, 2004 Florida Building Code. The petitioner requested to have a vertical wheelchair lift with a travel distance of 13 feet. The variance was granted as the petitioner demonstrated the lift was designed to travel safely for up to 14 feet and that the latest code allows this greater distance.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

NOTICE IS HEREBY GIVEN that on September 5, 2006, Bureau of Elevator Safety received a Petition for Variance from 5.7.12.2, A.S.M.E. 17.1, 2000 Edition, as adopted by Chapter 3001.2, 2004 Florida Building Code, limiting platform area to 13 square feet and capacity to 1000 lbs. The petition was received from Paul R. Shea of Alimak Hek on behalf of JEA Limestone Prep Building located in Jacksonville, Florida (Petition VW 2006-232).

A copy of the Petition can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on August 29, 2006, Bureau of Elevator Safety received a Petition for Variance from ASME A.17.1, Sections 2.1.3.1.2(b)(1), and ASME A17.2, Section 2.29.2, as adopted by Chapter 3001.2, 2004 Florida Building Code which prohibit the locating the elevator motor in the hoistway, require hands-on access to the governor and convenient, direct line-of-sight visual contact with the drive sheave. The petition was received from Steve Powell of KONE Inc., requesting a variance to allow the installation of MonoSpace® elevator systems in the following location: General Projection Systems, Lake Mary, FL (Petition VW 2006-222).

A copy of the Petition can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on August 29, 2006, Bureau of Elevator Safety received a Petition for Variance from ASME A.17.1, Sections 2.1.3.1.2(b)(1), and ASME A17.2, Section 2.29.2, as adopted by Chapter 3001.2, 2004 Florida Building Code which prohibit the locating the elevator motor in the hoistway, require hands-on access to the governor and convenient, direct line-of-sight visual contact with the drive sheave. The petition was received from Steve Powell of KONE Inc, requesting a variance to allow the installation of MonoSpace® elevator systems in the following location: LaQuinta, Panama City Beach, FL (Petition VW 2006-223).

A copy of the Petition can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator

Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on August 30, 2006, Bureau of Elevator Safety received a Petition for Variance from ASME A.17.1, Sections 2.1.3.1.2(b)(1), and ASME A17.2, Section 2.29.2, as adopted by Chapter 3001.2, 2004 Florida Building Code which prohibit the locating the elevator motor in the hoistway, require hands-on access to the governor and convenient, direct line-of-sight visual contact with the drive sheave. The petition was received from Steve Powell of KONE Inc, requesting a variance to allow the installation of MonoSpace® elevator systems in the following location: Snug Harbor, Pensacola, FL (Petition VW 2006-224).

A copy of the Petition can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on August 30, 2006, Bureau of Elevator Safety received a Petition for Variance from ASME A.17.1, Sections 2.1.3.1.2(b)(1), and ASME A17.2, Section 2.29.2, as adopted by Chapter 3001.2, 2004 Florida Building Code which prohibit the locating the elevator motor in the hoistway, require hands-on access to the governor and convenient, direct line-of-sight visual contact with the drive sheave. The petition was received from Steve Powell of KONE Inc, requesting a variance to allow the installation of MonoSpace® elevator systems in the following location: Harborwalk Village, Destin, FL (Petition VW 2006-225).

A copy of the Petition can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on August 30, 2006, Bureau of Elevator Safety received a Petition for Variance from ASME A.17.1, Sections 2.1.3.1.2(b)(1), and ASME A17.2, Section 2.29.2, as adopted by Chapter 3001.2, 2004 Florida Building Code which prohibit the locating the elevator motor in the hoistway, require hands-on access to the governor and convenient, direct line-of-sight visual contact with the drive sheave. The petition was received from Steve Powell of KONE Inc, requesting a variance to allow the installation of MonoSpace® elevator systems in the following location: Mid Bay Marina, Destin, FL (Petition VW 2006-226).

A copy of the Petition can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on September 14, 2006, Bureau of Elevator Safety received a Petition for Variance from ASME A.17.1, Sections 2.1.3.1.2(b)(1), and ASME A17.2, Section 2.29.2, as adopted by Chapter 3001.2, 2004 Florida Building Code which prohibit the locating the elevator motor in the hoistway, require hands-on access to the governor and convenient, direct line-of-sight visual contact with the drive sheave. The petition was received from Steve Powell of KONE Inc, requesting a variance to allow the installation of MonoSpace® elevator systems in the following location: Highwoods Preserve VII, Tampa, FL (Petition VW 2006-235).

A copy of the Petition can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

The Bureau of Elevator Safety hereby gives notice on September 1, 2006, it Issued an Order Granting Variance Request in response to a petition filed on June 6, 2006, and advertised in the F.A.W. Vol. 32, No. 24, by Lee Rigby of Vertical Assessment Associates on behalf of Progress Energy Headquarters Parking Garage (VW 2006-154). The petition sought a waiver from Rules 2.1.3.1, 2.7.6, 2.18.5, 2.24.2.1, 2.24.2.2, and 2.20.1, A.S.M.E. 17.1, 2000 edition, as adopted by Chapter 3001.2, 2004 Florida Building Code. The petitioner requested to not have a machine room, to use 9.5-mm governor rope metal sheaves and drums lined with nonmetallic groove materials, sheaves with a minimum pitch diameter 40 times the diameter of the rope and to use aramid non-metallic ropes. The petition was granted as it was demonstrated that this new technology provided equivalent or greater safety than the present code.

A copy of the Orders can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on July 18, 2006 it Issued an Order Granting Emergency Variance Request in response to a petition filed on June 28, 2006 and advertised in the F.A.W. Vol. 32, No. 29, by Lee Rigby of Vertical Assessment Associates, Inc., regarding the Key Estero Shops (VW 2006-170). The petition sought a waiver from Rule 2.27.3.2.1, A.S.M.E. A17.1, 2000 Edition as adopted by the 2004 Florida Building Code and requested to be exempted

from providing smoke detectors at each exterior elevator lobby. The petition was granted because the petitioner provided written approval for not installing the detectors from the local fire authority having jurisdiction.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on August 14, 2006 it Issued an Order Granting Emergency Variance Request in response to a petition filed on July 17, 2006 and advertised in the F.A.W. Vol. 23, No. 30 by Sarah Maman of Fire, Life Safety & Security Institute, Inc., regarding the Vivante in Punta Gorda (VW 2006-188). The petition sought a waiver from Rule 110.6, A.S.M.E. A17.1, 1996 with 1997 addenda as adopted by the 2004 Florida Building Code which prohibits elevator lobby egress through occupied tenant spaces. The petition was granted because the petitioner agreed to provide unimpeded access to the exits and to escort any elevator service personnel or inspectors whenever they are on site.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on July 14, 2006 it Issued an Order Granting Emergency Variance Request in response to a petition filed on June 28, 2006 by Lee Rigby of Vertical Assessment Associates, Inc., regarding the Grand Phoenician Dunes VI. The petition sought a waiver from Rule 2.7.4.1, A.S.M.E. A17.1, 2000 Edition as adopted by the 2004 Florida Building Code and requested to be exempted from providing 84 inches of clearance in the elevator machine room. The petition was granted because the petitioner agreed to provide caution markings and because the clearance provided was 82 inches.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on August 16, 2006, it issued an Order Granting Variance Requests in response to a petition filed on May 22, 2006 and advertised in the F.A.W. Vol. 32, No. 23 by Patricia Serley of Otis Elevator regarding Sterling Breeze Condominium in Panama City Beach (VW 2006-142). The petition sought waivers from Rules 2.1.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9 of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, 2004 Florida Building Code. The petitioner requested to not have a machine room and to use coated steel belts in lieu of steel cables suspending the car. The petitions were granted as it was demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on July 14, 2006, it Issued an Order Granting Variance Request in response to a petition filed May 24, 2006 and advertised in the F.A.W. Vol. 32, No. 23, by Steve Powell of KONE, Inc. regarding Hampton Inn in Pinellas Park, FL (VW 2006-135). The variance granted a waiver from Rules 2.1.3.1.2(b)(1), 2.7.6 and 2.15.9.2, of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, Florida Building Code. The petitioner had requested to not have a machine room and to install a Monospace© Elevator System in the above project and the petition was granted as the petitioner demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on July 14, 2006, it Issued an Order Granting Variance Request in response to a petition filed May 24, 2006 and advertised in the F.A.W. Vol. 32, No. 23, by Steve Powell of KONE, Inc. regarding 475 Condominium Project in St. Petersburg, FL (VW 2006-136). The variance granted a waiver from Rules 2.1.3.1.2(b)(1), 2.7.6 and 2.15.9.2, of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, Florida Building Code. The petitioner had requested to not have a machine room and to install a Monospace© Elevator System in the above project and the petition was granted as the petitioner demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on July 14, 2006, it Issued an Order Granting Variance Request in response to a petition filed May 8, 2006 and advertised in the F.A.W. Vol. 32, No. 23, by Steve Powell of KONE, Inc. regarding Maitland Office Building in Maitland, FL (VW 2006-138). The variance granted a waiver from Rules 2.1.3.1.2(b)(1), 2.7.6 and 2.15.9.2, of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, Florida Building Code. The petitioner had requested to not have a machine room and to install a Monospace© Elevator System in the above project and the petition was granted as the petitioner demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on August 16, 2006, it issued an Order Granting Variance Requests in response to a petition filed on and advertised in the F.A.W. Vol. 32, No. 23 by Patricia Serley of Otis Elevator regarding Aqua Condominium in Panama City Beach (VW 2006-141). The petition sought waivers from Rules 2.1.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9 of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, 2004 Florida Building Code. The petitioner requested to not have a machine room and to use coated steel belts in lieu of steel cables suspending the car. The petitions were granted as it was demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on August 16, 2006, it issued an Order Granting Variance Requests in response to a petition filed on May 23, 2006 and advertised in the F.A.W. Vol. 32, No. 23 by Patricia Serley of Otis Elevator regarding Beach Colony Navarre West in Navarre (VW 2006-143). The petition sought waivers from Rules 2.1.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9 of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, 2004 Florida Building Code. The petitioner requested to not have a machine room and to use coated steel belts in lieu of steel cables suspending the car. The petitions were granted as it was demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on August 15, 2006, it Issued an Order Granting Variance Request in response to a petition filed May 17, 2006 and advertised in the F.A.W. Vol. 32, No. 24, by Steve Powell of KONE, Inc. regarding Redfish Key Villas on Lemon Bay in Englewood, FL (VW 2006-151). The variance granted a waiver from Rules 2.1.3.1.2(b)(1), 2.7.6 and 2.15.9.2, of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, Florida Building Code. The petitioner had requested to not have a machine room and to install a Monospace© Elevator System in the above project and the petition was granted as the petitioner demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on August 15, 2006, it Issued an Order Granting Variance Request in response to a petition filed May 17, 2006 and advertised in the F.A.W. Vol. 32, No. 24, by Steve Powell of KONE, Inc. regarding Pennsylvania Hotel in ST. Petersburg, FL (VW 2006-152). The variance granted a waiver from Rules 2.1.3.1.2(b)(1), 2.7.6 and 2.15.9.2, of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, Florida Building Code. The petitioner had requested to not have a machine room and to install a Monospace© Elevator System in the above project and the petition was granted as the petitioner demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on July 14, 2006, it Issued an Order Granting Variance Request in response to a petition filed April 17, 2006 and advertised in the F.A.W. Vol. 32, No. 29, by Steve Powell of KONE, Inc. regarding Fairfield Inn and Suites in Clermont, FL (VW 2006-157). The variance granted a waiver from Rules 2.1.3.1.2(b)(1), 2.7.6 and 2.15.9.2, of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, Florida Building Code. The petitioner had requested to not have a machine room and to install a Monospace© Elevator System in the above project and the petition was granted as the petitioner demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on August 16, 2006, it Issued an Order Granting Variance Request in response to a petition filed May 24, 2006 and advertised in the F.A.W. Vol. 32, No. 29, by Steve Powell of KONE, Inc. regarding Regency Suites in Orlando, FL (VW 2006-159). The variance granted a waiver from Rules 2.1.3.1.2(b)(1), 2.7.6 and 2.15.9.2, of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, Florida Building Code. The petitioner had requested to not have a machine room and to install a Monospace© Elevator System in the above project and the petition was granted as the petitioner demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on August 16, 2006, it Issued an Order Granting Variance Request in response to a petition filed May 26, 2006 and advertised in the F.A.W. Vol. 32, No. 29, by Steve Powell of KONE, Inc. regarding The Place at Channelside in Tampa, FL (VW 2006-161). The variance granted a waiver from Rules 2.1.3.1.2(b)(1), 2.7.6 and 2.15.9.2, of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, Florida Building Code. The petitioner had requested to not have a machine room and to install a Monospace© Elevator System in the above project and the petition was granted as the petitioner demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on September 18, 2006, it Issued an Order Granting Variance Request in response to a petition filed June 21, 2006 and advertised in the F.A.W. Vol. 32, No. 29, by Steve Powell of KONE, Inc. regarding Summerhouse at Mexico Beach in Mexico Beach, FL (VW 2006-176). The variance granted a waiver from Rules 2.1.3.1.2(b)(1), 2.7.6 and 2.15.9.2, of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, Florida Building Code. The petitioner had requested to not have a machine room and to install a Monospace© Elevator System in the above project and the petition was granted as the petitioner demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on August 16, 2006, it Issued an Order Granting Variance Request in response to a petition filed June 30, 2006 and advertised in the F.A.W. Vol. 32, No. 29, by Steve Powell of KONE, Inc. regarding Delta Delta Delta Sorority House in Gainesville, FL (VW 2006-178). The variance granted a waiver from Rules 2.1.3.1.2(b)(1), 2.7.6 and 2.15.9.2, of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, Florida Building Code. The petitioner had requested to not have a machine room and to install a Monospace© Elevator System in the above project and the petition was granted as the petitioner demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on August 16, 2006, it Issued an Order Granting Variance Request in response to a petition filed June 30, 2006 and advertised in the F.A.W. Vol. 32, No. 29, by Steve Powell of KONE, Inc. regarding Bay Club II in Palmetto, FL (VW 2006-179). The variance granted a waiver from Rules 2.1.3.1.2(b)(1), 2.7.6 and 2.15.9.2, of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, Florida Building Code. The petitioner had requested to not have a machine room and to install a Monospace© Elevator System in the above project and the petition was granted as the petitioner demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

NOTICE IS HEREBY GIVEN that on August 21, 2006, the Bureau of Elevator Safety received a Petition for Variance from Rules 2.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9, A.S.M.E. 17.1, 2000 edition, as adopted by Chapter 3001.2, 2004 Florida Building Code, which require a machine room, steel ropes and non welded terminations, from William O. Williams, III of Otis Elevator Company. The Petitioner is requesting a variance to allow the installation of Gen2™ elevator systems in the following location: Mayo Clinic Hospital Addition, Jacksonville, FL (Petition 2006-230).

A copy of the Petitions can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on August 28, 2006, the Bureau of Elevator Safety received a Petition for Variance from Rules 2.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9, A.S.M.E. 17.1, 2000 edition, as adopted by Chapter 3001.2, 2004 Florida Building Code, which require a machine room, steel ropes and non welded terminations, from David Baskin of Otis Elevator Company. The Petitioner is requesting a variance to allow the installation of Gen2™ elevator systems in the following location: Mayo Clinic Jacksonville – Stabile Vertical Expans, Jacksonville (Petition 2006-219).

A copy of the Petitions can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator

Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on August 28, 2006, the Division of Hotels and Restaurants received a Petition for an Emergency Variance for subsections 61C-4.010(1), and 61C-4.010(6), Florida Administrative Code from Carolina's Super Snack Food Service located in Orlando. The above referenced F.A.C. addresses food supplies, food protection, and physical facilities-except as specifically provided in this rule, public food service establishments shall be subject to the provisions of chapter three and chapter six of the FDA Food Code. They are requesting to do open air food service on three Mobile Food Dispensing Vehicles.

This variance request was approved September 14, 2006, and is contingent upon Petitioner's use of open-air steam table is properly covered and air curtain is operating properly according to manufacturer's specifications and Section 6-202-15(D)(2), 2001 FDA Food Code, as to expel possible contaminants and vermin. Approval is also contingent upon Petitioner conducting all re-heating for hot holding at approved commissaries to the proper temperature per Section 3-403.11, 2001 FDA Food Code; and potentially hazardous food is held at proper temperatures according to Section 3-501.16, 2001 FDA Food Code.

The Petitioner shall strictly adhere to subsection 61C-4.0161(c), Florida Administrative Code, and report to the commissary at least once daily when operating. All warewashing is to be conducted at the commissary and strict adherence to employee health guidelines as specified in the Section 2-201, 2001 FDA Food Code, are to be followed. Petitioner shall also use a potable water tank and utilize a wastewater holding tank that is at least 15% larger than the potable water holding tank; and sloped to a drain that is 1 inch in inner diameter or greater, equipped with a shut-off valve. Petitioner must receive potable water from an approved source with written documentation provided and sanitize the fresh water and wastewater tanks at least once every 24 hours.

Copies of variance and operating procedures are to be present on each MFDV at all times of operation and shall be adhered to as approved by the Division. This variance is not transferable under any conditions. All provisos must be complied prior to final approval and licensing. Any violation of the variance is the equivalent of a violation of the Rule and may result in a rescission of the variance, and subject the Petitioner to disciplinary sanctions as enumerated in Section 509.261, Florida Statutes.

NOTICE IS HEREBY GIVEN that on August 23, 2006, the Division of Hotels and Restaurants received a Petition for a Routine Variance for subsection 61C-4.010(7), Florida Administrative Code from Subway Restaurant located in

Miami. The above referenced F.A.C. states ...each public food service establishment shall maintain a minimum of one public bathroom for each sex, properly designated.... They are requesting a variance to not add an additional bathroom facility for customer use and have a seating capacity of eighteen (18).

This variance request was approved September 14, 2006, and is contingent upon Petitioner ensuring the public bathroom inside Subway Restaurant is functional, has hot and cold running water at all times, provided with soap and an approved method to dry hands, and kept in a clean and sanitary manner. Seating shall not exceed eighteen (18) which includes inside and outside seating. Any violation of the variance is the equivalent of a violation of the Rule and may result in a rescission of the variance, and subject the Petitioner to disciplinary sanctions as enumerated in Section 509.261, Florida Statutes.

NOTICE IS HEREBY GIVEN that on August 25, 2006, the Division of Hotels and Restaurants received a Petition for an Emergency Variance for subsection 61C-4.010(7), Florida Administrative Code from Original Maryland Fried Chicken located in Orlando. The above referenced F.A.C. states ...each public food service establishment shall maintain a minimum of one public bathroom for each sex, properly designated.... They are requesting a variance to not add an additional bathroom facility for customer use and have a seating capacity of twenty-nine (29).

This variance request was approved September 14, 2006, and is contingent upon Petitioner ensuring the public bathroom inside Original Maryland Fried Chicken is functional, has hot and cold running water at all times, provided with soap and an approved method to dry hands, and kept in a clean and sanitary manner. Seating shall not exceed twenty-nine (29) which includes inside and outside seating. Any violation of the variance is the equivalent of a violation of the Rule and may result in a rescission of the variance, and subject the Petitioner to disciplinary sanctions as enumerated in Section 509.261, Florida Statutes.

NOTICE IS HEREBY GIVEN that on August 29, 2006, the Division of Hotels and Restaurants received a Petition for an Emergency Variance for subsection 61C-4.010(7), Florida Administrative Code from Goodfells Pizza located in Fort Pierce. The above referenced F.A.C. states ...each public food service establishment shall maintain a minimum of one public bathroom for each sex, properly designated.... They are requesting a variance to have ten (10) seats with no public bathrooms in the facility. They are requesting to use centrally located bathroom facilities.

This variance request was approved September 14, 2006, and is contingent upon Petitioner notifying guests to the location of the public bathroom facilities by directional signage, the public bathrooms have running water at all times, operate in a clean

and sanitary manner, provided with soap and an approved method to dry hands. Petitioner will have no more than ten (10) seats in the establishment, which includes any outside seating. Any violation of the variance is the equivalent of a violation of the Rule and may result in a rescission of the variance, and subject the Petitioner to disciplinary sanctions as enumerated in Sec. 509.261, Florida Statutes.

NOTICE IS HEREBY GIVEN that on August 25, 2006, the Division of Hotels and Restaurants received a Petition for an Emergency Variance for paragraph 61C-4.010(7)(e), Florida Administrative Code from Rocky's Italian Ice located in Miami. The above referenced F.A.C. states public food service establishments which seat 10 persons or less shall be required to provide a minimum of one bathroom accessible to the public. They are requesting a variance to not add a bathroom facility for customer or employee access, instead use bathroom facilities provided by the landlord.

This variance request was approved September 14, 2006, and is contingent upon Petitioner ensuring the three public bathrooms are functional, has hot and cold running water at all times, provided with soap and an approved method to dry hands, and kept in a clean and sanitary manner. No seating shall be provided as noted on the submitted plans. All provisos shall be met prior to final licensing. Any violation of the variance is the equivalent of a violation of the rule and may result in a rescission of the variance, and subject the Petitioner to disciplinary sanctions as enumerated in Section 509.261, Florida Statutes.

**NOTICE OF WITHDRAWAL OF THE
PETITION FOR WAIVER OR VARIANCE**

Notice is hereby given that the Petition for Waiver or Variance by James M. Power (Petitioner), as published in Vol. 32, No. 33, of the F.A.W. on August 18, 2006, has been withdrawn.

NOTICE IS HEREBY GIVEN that on September 11, 2006, the Construction Industry Licensing Board has issued an order. The Board reviewed the petition at its meeting held August 11, 2006, in Tampa, Florida. The Board's Final Order, filed in this cause on September 11, 2006, finds that the Petitioner's waiver is granted. The Petitioner is allowed two years in which to pass all parts of the test as specified in Rule 61G4-16.009, F.A.C.

A copy of the Order may be obtained by contacting: Construction Industry Licensing Board, Northwood Centre, 1940 N. Monroe Street, Tallahassee, Florida 32399-0750.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

DEPARTMENT OF HEALTH

NOTICE IS HEREBY GIVEN that on September 15, 2006, the Board of Nursing, received a petition for Variance or Waiver filed on September 15, 2006 by Alice Nied, MSN, R.N. Pursuant to Chapter 28-104, F.A.C., and Section 120.542, F.S., petitioner seeks a waiver of the provisions of Rule 64B9-2.013, F.A.C., entitled "Program Changes Requiring Board Approval." Specifically, the Petitioner requests that in order to prevent the creation of hardship for 24 additional students admitted to a nursing program at Florida Community College in Jacksonville (FCCJ) without prior approval from the Board as a result of an FCCJ erroneous interpretation of the rule, the Board waive the requirement for such an approval. FCCJ acknowledges that a serious mistake has been made, even though it was unintentional. The college now seeks to remedy the situation in whatever way is necessary that will not negatively impact the students who enrolled in good faith.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Rick Garcia, Executive Director, Board of Nursing, 4052 Bald Cypress Way, Bin C07, Tallahassee, Florida 32399-3259.

NOTICE IS HEREBY GIVEN that on September 15, 2006, the Department of Health received a Petition for Variance from Community Trailer Park, Inc. d/b/a Lucky Clover Mobile Homes. The petition requests relief from the minimum sanitary facilities and dump station as required in Chapter 64E-15, F.A.C. The Community Trailer Park is located at 635 E. Eau Gallie Blvd., Satellite Beach, FL 32937.

Comments on this petition should be filed with Sam Power, Agency Clerk, Department of Health, Office of General Counsel, 4052 Bald Cypress Way, BIN A02, Tallahassee, Florida 32399-1703, within 14 days of publication of this notice. A copy of the Petition may be obtained from: David B. Wolfe, Bureau of Community Environmental Health, 4052 Bald Cypress Way, BIN A08, Tallahassee, Florida 32399-1710, or by calling (850)245-4277.

NOTICE IS HEREBY GIVEN that the Department of Health received Petitions for Waiver of subsection 64E-3.004(2), F.A.C., from the following persons on the below dates who desire to obtain a temporary certificate to practice as a Basic X-Ray Machine Operator:

September 7, 2006:

Israel Suarez

September 15, 2006:

Lisa Looney Johna Kristalyn Beech

Petitioners request a waiver because the rule indicates that an applicant who has failed the radiologic technology certification examination for a Basic X-Ray Machine Operator may not qualify for a temporary certification to practice under the direct supervision of a licensed practitioner.

Comments on these Petitions should be filed with: Elizabeth B. Hines, Executive Director, Certification Unit of EMT/Paramedic and Radiologic Technology, 4052 Bald Cypress Way, Bin C-85, Tallahassee, Florida 32399-3285.

NOTICE IS HEREBY GIVEN that on September 7, 2006, the State of Florida, Department of Health, Bureau of Emergency Medical Services, received a petition for a ninety-day extension of the temporary emergency variance, due to expire November 30, 2006, that was granted to the American Safety and Health Institute, Holiday, Florida.

Applicable Rule: subsections 64E-2.038(1), (2), (3), and (5), F.A.C. requires accreditation by the Continuing Education Coordinating Board for Emergency Medical Services (CECBEMS) of cardiopulmonary resuscitation (CPR) or advanced cardiac life support (ACLS) courses to be accepted as equivalent to CPR or ACLS courses conducted by the American Heart Association or the American Red Cross.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Ms. Lisa M. Walker, Bureau of Emergency Medical Services, 4052 Bald Cypress Way, Bin C-18, Tallahassee, FL 32399-1738, or Lisa_Walker2@doh.state.fl.us. Any interested person or agency may submit written comments on this petition until close of business October 13, 2006, to Ms. Walker.

NOTICE IS HEREBY GIVEN that on September 18, 2006, the Department of Health has issued an order.

A Final Order was issued on September 18, 2006, in response to a petition for a waiver filed on May 1, 2006, by Jon Hinchliff, representing Composting Toilet Systems, Inc. Petitioner sought a waiver of subsection 64E-6.009(1), Florida Administrative Code, which requires composting toilets to be in compliance with standards for Wastewater Recycle/Reuse and Water Conservation Systems as defined by ANSI/NSF International Standard Number 41. Notice of the petition was published in the May 19, 2006, edition of the Florida Administrative Weekly.

The Department found that the Petitioner demonstrated that the underlying intent of the statute could be achieved by alternative means and that strict application of the rules would violate principles of fairness and would create a substantial hardship in the Petitioner's particular circumstance. Therefore,

pursuant to the requirements of Section 120.542(2), Florida Statutes, the Department GRANTED Petitioner's request for a waiver.

A copy of the Order may be obtained by contacting: Agency Clerk, Department of Health, Office of the General Counsel, 4052 Bald Cypress Way, Bin A02, Tallahassee, Florida 32399-1734.

NOTICE IS HEREBY GIVEN that on September 15, 2006, the Department of Health filed Orders disposing of petitions for waiver of subsection 64E-3.004(2), F.A.C., from the following persons: Barbara Renae Thomas and Thelma F. Aneiros. The petitions were filed with the Department and were noticed in the F.A.W. on September 8, 2006, Vol. 32, No. 36.

The orders provide in summary that petitioners are entitled to receive a temporary certificate allowing them to continue to work while awaiting their examination results because petitioners have demonstrated that a Department error resulted in a violation of principles of fairness. Further, the waivers may be granted while fully protecting the health and safety of the public and, thus, do not violate the underlying purposes of the statute. Accordingly, the petitions for waiver of subsection 64E-3.004(2), F.A.C., from the above-named petitioners have been Granted.

A copy of the orders may be obtained from: Elizabeth B. Hines, Executive Director, Certification Unit of EMT/Paramedic and Radiologic Technology, 4052 Bald Cypress Way, Bin C85, Tallahassee, Florida 32399-3285.

FLORIDA HOUSING FINANCE CORPORATION

NOTICE IS HEREBY GIVEN that on September 15, 2006, the Florida Housing Finance Corporation, received a petition for Variance of paragraph 11 of the 2005 Qualified Allocation Plan as applied to RFP 2006-04 SAIL program funds from Amber Garden, LLC, ("Petition"). The Petition is seeking a variance of the Petitioner's Qualified Allocation Plan's prohibition from requesting an extension of the placed in service date for the Development.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m., Eastern Standard Time, on the 14th day after publication of this notice at: Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN that on September 15, 2006, the Florida Housing Finance Corporation, received a petition for Variance of subsection 67-48.002(83), Florida Administrative

Code, and a variance of Paragraph 11 of the 2005 Qualified Allocation Plan from Amber Garden, LLC, ("Petition"). The Petition is seeking a variance of the Petitioner's Qualified Allocation Plan's prohibition from requesting an extension of the placed in service date for the Development.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m., Eastern Standard Time, on the 14th day after publication of this notice at: Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN that on September 15, 2006, the Florida Housing Finance Corporation, received a petition for Variance of subsection 67-48.002(83), Florida Administrative Code, and a variance of Paragraph 11 of the 2006 Qualified Allocation Plan from Amber Garden, LLC, ("Petition"). The Petition is seeking a variance of the Petitioner's Qualified Allocation Plan's prohibition from requesting an extension of the placed in service date for the Development.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m., Eastern Standard Time, on the 14th day after publication of this notice at: Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN that on September 19, 2006, the Florida Housing Finance Corporation, received a petition for Waiver of paragraph 67-48.010(6)(a), Florida Administrative Code from Andrews Place II, LLC. ("Petition"). The Petition is seeking a waiver of the requirement for audited financial statements for the year ending December 31, 2005.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m., Eastern Standard Time, on the 14th day after publication of this notice at: Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN that on September 19, 2006, the Florida Housing Finance Corporation, received a petition for Waiver of subsection 9I-28.006(7), Florida Administrative Code from Liberty Center III, Ltd. ("Petition"). The Petition is seeking a waiver of the requirement of the repayment of a SAIL loan and outstanding interest as of October 2006.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m., Eastern Standard Time, on the 14th day after publication of this notice at: Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN that on September 19, 2006, the Florida Housing Finance Corporation, received a petition for Waiver of paragraphs 67-48.004(14)(j) and 67-48.004(14)(k), Florida Administrative Code from Millenia Development Group, LLLP. ("Petition"). The Petition is seeking a waiver of the requirement that certain items cannot be revised, corrected or supplemented after the Application Deadline, i.e., the total number of units.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m., Eastern Standard Time, on the 14th day after publication of this notice at: Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN that on September 18, 2006, the Florida Housing Finance Corporation, received a petition for Waiver or Variance of subsections 67-21.003(1)-(3), (13) and 67-21.006(2), Florida Administrative Code from Old Orchard Village Associates, Ltd. ("Petition"). The Petition is seeking a waiver or variance of the requirement that the residential buildings contain at least give (5) dwelling units.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m., Eastern

Standard Time, on the 14th day after publication of this notice at: Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN that on September 19, 2006, the Florida Housing Finance Corporation, received a petition for Waiver of paragraph 67-48.004(14)(j) and subsection 67-48.004(1), F.A.C., from BHG-79th St., LLC, ("Petition"). The Petition is seeking a reduction in the total number of units and the pro rata reduction of housing credits.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m., Eastern Standard Time, on the 14th day after publication of this notice at Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN that on September 19, 2006, the Florida Housing Finance Corporation, received a petition for Waiver of paragraph 67-48.004(14)(j) and subsections 67-48.004(1), F.A.C., from BHG-79th St., LLC, ("Petition"). The Petition is seeking a reduction in the total number of units and the pro rata reduction of the SAIL funds.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m., Eastern Standard Time, on the 14th day after publication of this notice at Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN that on September 19, 2006, the Florida Housing Finance Corporation, received a petition for Variance of the 2005 Qualified Allocation Plan's requirement for returning Housing Credits by BHG-79th St., LLC.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m., Eastern

Standard Time, on the 14th day after publication of this notice at Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN that on September 19, 2006, the Florida Housing Finance Corporation, received a petition for Variance of the 2005 Qualified Allocation Plan as applied to RFP 2006-04 SAIL program funds by BHG-79th St., LLC.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m., Eastern Standard Time, on the 14th day after publication of this notice at Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN that on September 18, 2006, the Florida Housing Finance Corporation, received a petition for Variance of paragraph 67-48.010(3)(b), Florida Administrative Code from Harbour Cove Associates, Ltd. ("Petition"). The Petition is seeking a variance to allow the interest rate on the SAIL Loan to be reduced from 3% to 1%.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m., Eastern Standard Time, on the 14th day after publication of this notice at: Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN that on September 18, 2006, the Florida Housing Finance Corporation, received a petition for Variance of Emergency Rule 67ER05-17, Florida Administrative Code (2005) from Johnson Lakes Escambia Limited Partnership ("Petition"). The Petition is seeking a variance which requires an interest rate of three percent (3%) simple interest per annum on the pro-rata portion of the RRLP base loan attributable to non-Extremely Low Income ("ELI") units.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m., Eastern

Standard Time, on the 14th day after publication of this notice at: Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN that on September 18, 2006, the Florida Housing Finance Corporation, received a petition for Variance of Emergency Rule 67ER05-17, Florida Administrative Code (2005) from Palmetto Ridge Estates Limited Partnership ("Petition"). The Petition is seeking a variance which requires an interest rate of three percent (3%) simple interest per annum on the pro-rata portion of the RRLP base loan attributable to non-Extremely Low Income ("ELI") units.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m., Eastern Standard Time, on the 14th day after publication of this notice at: Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN that on September 20, 2006, the Florida Housing Finance Corporation, received a petition for Waiver of subsection 67-48.004(14), and Rule 67-48.009, F.A.C., and Part V.A.1 of the University Application incorporated by referenced into subsection 67-48.002(111), Florida Administrative Code, from Harbour Cove Associates, Ltd. ("Petition"). The Petition is seeking a waiver of the Rules to allow the applicant to request additional SAIL funding and a variance which limits the SAIL request of large County applicants to no more than \$2 million or in excess of 25% of the Total Development Cost.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m., Eastern Standard Time, on the 14th day after publication of this notice at: Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN that on September 20, 2006, the Florida Housing Finance Corporation, received a petition for Waiver of subsection 67-48.002(83), Florida Administrative Code and Paragraph 11 of the Qualified Allocation Plan from Pinnacle Park, Ltd. ("Petition"). The Petition is seeking a waiver of the prohibition on returning Housing Credits only in

the last calendar quarter of the year in which a development is required to be placed in service, an allocation to be made for the year after the Placed-in-Service Date.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m., Eastern Standard Time, on the 14th day after publication of this notice at: Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN that on September 20, 2006, the Florida Housing Finance Corporation, received a petition for Waiver of subsection 67-48.002(83), Florida Administrative Code and Paragraph 11 of the Qualified Allocation Plan from Villa Aurora, LLLP. ("Petition"). The Petition is seeking a waiver of the prohibition on returning Housing Credits only in the last calendar quarter of the year in which a development is required to be placed in service, an allocation to be made for the year after the Placed-in-Service Date.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m., Eastern Standard Time, on the 14th day after publication of this notice at: Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN that on September 20, 2006, the Florida Housing Finance Corporation, received a petition for Waiver of paragraphs 67-48.004(1)(a), 67-48.004(14)(b) and subsection 67-48.004(15), Florida Administrative Code, from Maple Crest Limited Partnership ("Petition"). The Petition is seeking a waiver of the Rules to allow a change to the ownership structure of RLI Beneficial Holdings 6, LLC, sole member of the General Partner and to the structure of the Developer.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m., Eastern

Standard Time, on the 14th day after publication of this notice at: Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

Section VI Notices of Meetings, Workshops and Public Hearings

The following state governmental agencies, boards and commissions announce a public meeting to which all persons are invited:

State Board of Administration
 Financial Services Commission
 Department of Veterans' Affairs
 Department of Highway Safety and Motor Vehicles
 Department of Law Enforcement
 Department of Revenue
 Department of Education
 Administration Commission
 Florida Land and Water Adjudicatory Commission
 Board of Trustees of the Internal Improvement Trust Fund
 Department of Environmental Protection

DATE AND TIME: October 17, 2006, 9:00 a.m.

PLACE: Cabinet Meeting Room, Lower Level, The Capitol, Tallahassee, Florida

GENERAL SUBJECT MATTER TO BE CONSIDERED:
 Regular scheduled meeting of the Governor and Cabinet

The State Board of Administration will take action on matters duly presented on its agenda, which may include such matters as Executive Director's reports; approval of fiscal sufficiency of state bond issues; approval of sale of local bonds at an interest rate in excess of statutory interest rate limitation; report on investment performance; designation of banks as depositories for state funds; adoption of rules and regulations; investment of state funds pursuant to Chapter 215, F.S.; and consideration of other matters within its authority pursuant to Chapters 215 and 344, F.S., and Section 16 of Article IX of the Florida Constitution of 1885, as continued by subsection 9(c) of Article XII of the Florida Constitution of 1968. The Division of Bond Finance of the State Board of Administration will take action on matters duly presented on its agenda, which will deal with the issuance of State bonds, arbitrage compliance and related matters.

The Financial Services Commission will take action on matters duly presented on its agenda which may include, but not be limited to, matters relating to rulemaking for all activities concerning insurers and other risk bearing entities, including licensing, rates, policy forms, market conduct, claims, adjusters, issuance of certificates of authority, solvency, viatical settlements, premium financing, and administrative supervision, as provided under the Insurance Code or Chapter

636, F.S., and for all activities relating to the regulation of banks, credit unions, other financial institutions, finance companies, and the securities industry.

The Department of Veterans' Affairs will take action on matters duly presented on its agenda which may include the administration of the Department as well as actions taken to further the Department's mission of providing assistance to veterans and their dependents, pursuant to Section 292.05, F.S. The Department of Highway Safety and Motor Vehicles will take action on matters duly presented on its agenda, which may include such matters as approval of agency policies, taking agency action with regard to administrative procedure matters, and considering other matters within its authority pursuant to Florida Statutes.

The Department of Law Enforcement will take action on matters duly presented on its agenda which may include but not be limited to such matters as transfer of agency funds or positions, formulation of Departmental Rules, administrative procedure matters, submittal of reports as required, enter into contracts as authorized and to consider other matters within its authority pursuant to Chapters 20, 23, 120 and 943, F.S.

The Department of Revenue will act on matters duly presented on its agenda which may include approval of rules, legislative concept proposals, contracts over \$100,000, Departmental budgets, taking final action on formal and informal hearings under Chapter 120, F.S., and consideration of other matters within its authority.

The Department of Education will finalize agency action on the business of the Florida Department of Education.

The Administration Commission will take action on matters duly presented on its agenda which may include such matters as to create or transfer agency funds or positions, approve Career Service rules, administrative procedure matters, environmental matters arising under Chapter 380, F.S., comprehensive planning issues pursuant to Section 163.3184, F.S., determine sheriffs' budget matters, and consider other matters within its authority pursuant to Chapters 110, 215 and 216, F.S.

The Florida Land and Water Adjudicatory Commission will take action on matters duly presented on its agenda including appeals of local government development orders in areas of critical state concern or of developments of regional impact under Section 380.07, F.S.; and review of water management matters under Chapter 373, F.S. The Commission will also review Department of Environmental Protection's rules and orders which, prior to July 1, 1993, the Governor and Cabinet, sitting as the head of the Department of Natural Resources, had authority to issue or promulgate.

The Board of Trustees of the Internal Improvement Trust Fund will take action on matters duly presented on its agenda which may include such matters as mineral leases or sales, state or sovereign land leases, sales, exchanges, dedications, and easements, Conservation and Recreation Lands (CARL) and