

(\$100 x 4) + \$100	\$1,000	40,000.00	189
(\$\$) + \$200 (\$\$)			
\$1,000	\$1,000	60,000.00	126
\$5,000	\$5,000	60,000.00	126
\$10,000	\$10,000	120,000.00	63
\$250,000	\$250,000	945,000.00	8

(8) The estimated overall odds of winning some prize in Instant Game Number 1044 are 1 in 4.27. Prizes, including the top prizes, are subject to availability at the time of ticket purchase. Prizes may be unavailable due to prior sale or other causes occurring in the normal course of business including, but not limited to, ticket damage, defect, theft, or loss.

(9) For reorders of Instant Game Number 1044, the estimated odds of winning, value, and number of prizes shall be proportionate to the number of tickets reordered.

(10) Payment of prizes for \$250,000 TREASURE TREE lottery tickets shall be made in accordance with the rule of the Florida Lottery governing payment of prizes.

A copy of the current rule can be obtained from the Florida Lottery, Office of the General Counsel, 250 Marriott Drive, Tallahassee, Florida 32399-4011.

Rulemaking Authority 24.105(9)(a), (b), (c), 24.109(1), 24.115(1) FS. Law Implemented 24.105(9)(a), (b), (c), 24.115(1) FS. History—New 10-2-09.

THIS RULE TAKES EFFECT UPON BEING FILED WITH THE DEPARTMENT OF STATE UNLESS A LATER TIME AND DATE IS SPECIFIED IN THE RULE.

EFFECTIVE DATE: October 2, 2009

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

Section V

Petitions and Dispositions Regarding Rule Variance or Waiver

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

PUBLIC SERVICE COMMISSION

NOTICE IS HEREBY GIVEN THAT the Progress Energy Florida, Inc.'s Petition for Waiver of subsection 25-17.250(1) and paragraph (2)(a), F.A.C. was approved by Commission Order No. PSC-09-0643-FOF-EI.

DOCKET NO.: 080501-EI – Petition for Waiver of subsection 25-17.250(1) and paragraph (2)(a), F.A.C., which requires Progress Energy Florida to have a standard offer contract open until a request for proposal is issued for same avoided unit in standard offer contract.

Progress Energy Florida, Inc.'s (Progress) petition for a waiver of subsection 25-17.250(1) and paragraph (2)(a), Florida Administrative Code, was filed July 15, 2008. The rule provides that each investor-owned utility shall, by April 1 of each year, file with the Commission a Standard offer contract or contracts for the purchase of firm capacity and energy from renewable generating facilities and small qualifying facilities with a design capacity of 100 kW or less. A separate standard offer contract shall be based on the next avoidable fossil fueled generating unit of technology type identified in the utility's Ten-Year Site Plan. Notice of the petition was published in the F.A.W. on August 8, 2008.

The petition was approved as a proposed agency action at the Commission's September 29, 2008, Agenda Conference. It was approved as the utility demonstrated that the purpose of the underlying statute could be approved by other means and that the application of the rule would create a substantial hardship. The Commission also approved Progress's standard offer contract at that time. Commission Order No. PSC-08-0706-TRF-EI issued October 23, 2008, memorialized the decision. On November 13, 2008, White Springs Agricultural Chemicals, Inc. d/b/a PCS Phosphate – White Springs timely filed a petition for formal hearing, but did not challenge the waiver of rule. The formal hearing was held April 16, 2009. Following the hearing, the Commission issued Order No. PSC-09-0643-FOF-EI, on September 22, 2009, which approved the standard offer contract and consummated the grant of the waiver of the rule.

A copy of the Commission's orders may be obtained by contacting: Office of Commission Clerk, 2540 Shumard Oak Boulevard, Tallahassee, Florida 32399-0850, (850)413-6770 or the Commission's Homepage at <http://www.floridapsc.com>.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

NOTICE IS HEREBY GIVEN THAT on April 20, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Robert Spear, Lake Worth Towers, Lake Worth, FL, to not comply with Rules 8.11.2.1.1(c) and 8.11.2.1.4(b), ASME A17.1, 2005 edition until April 15, 2010 (VW 2009-007).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on April 20, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Board of Directors, Windward Point Condominium, Ft. Myers Beach, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until April 15, 2011 (VW 2009-008).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on April 29, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Robert Driscoll, Emerald Point Condominium Association, Inc., Punta Gorda, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until April 20, 2012 (VW 2009-012).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on April 29, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Margaret DeCorso, Longboat Harbour Towers Condominium, Inc., Longboat Key, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until April 20, 2011 (VW 2009-014).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on April 29, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Patricia Serley, Otis Elevator Company on behalf of Hotel Indigo, Pensacola Beach, FL, to not comply with Rules 2.20.1, 2.20.9 and 2.24.2, ASME A17.1, 2004 edition to allow the installation of an Otis Gen2™ elevator systems at the above project (VW 2009-016).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on April 29, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Jean Ravenscroft, Surf Song Condominium, Fort Myers Beach, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until August 1, 2009 (VW 2009-025).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Jack Blake, Hickory Harbor Condominium Association, Inc., Bonita Springs, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until December 31, 2009 (VW 2009-029).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Paul Komie, Harbor Village Condominium Association, North Palm Beach, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until March 5, 2013 (VW 2009-038).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Sam Modi, Days Inn Tampa Bay, Tampa, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until May 29, 2010 (VW 2009-039).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 18, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Chad Van Tilburg, CAM, Schooner Bay Condominium Association, North Fort Myers, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until May 1, 2012 (VW 2009-040).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Chad Van Tilburg, CAM, North Shore Place #1 & 2, North Fort Myers, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until May 1, 2012 (VW 2009-041).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Jan Konigsberg, The Atrium, Tampa, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until May 29, 2012 (VW 2009-045).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 2, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Rich Levy, Ocean at the Jupiter Bluffs, Jupiter, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until August 1, 2009 (VW 2009-050).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 2, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Andree Achim, High Point Group Seven, Naples, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until June 30, 2011 (VW 2009-052).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Jon M. Surprise, Cascades Condominium Association, Fort Myers, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until September 1, 2009 (VW 2009-053).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 18, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Andrew Dietz, Regions Financial Tower, West Palm Beach, FL, to not comply with Rules 3.11.3, 3.10.5, 3.6.1, 3.3.2 and 2.7.4, ASME A17.3, 1996 edition until June 30, 2013 (VW 2009-059).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 18, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Christopher Conventry, Orlando Health, Orlando, FL, to not comply with Rules 3.11.3, 3.11.1 and 2.7.4, ASME A17.3, 1996 edition until November 1, 2009 (VW 2009-063).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 18, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to John Lapi, Sutton Place, Palm Beach, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until June 30, 2011 (VW 2009-064).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 18, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to William E. Hardman, Pompano Owners Association, Inc., Sarasota, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until September 1, 2009 (VW 2009-068).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Joel Sainer, Belmont Park Apts., Bradenton, FL, to not comply with Rules 3.11.1 and 2.7.4, ASME A17.3, 1996 edition until July 1, 2010 (VW 2009-069).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Scott Woddard, Ocean Sound Condominiums, Tequesta, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until September 1, 2010 (VW 2009-070).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to W. Lee Mikell, Federal Trust Bank, Sanford, FL, to not comply with Rules 3.11.3, 7.2.6 and 2.7.4, ASME A17.3, 1996 edition until June 31, 2011 (VW 2009-071).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Anne Harrington, Good Samaritan Society, Daytona Beach, FL, to not comply with Rules 3.11.3, 2.7.3, 3.11.1(a)(2), 3.4.4(a), 3.10.4(t), 3.11.1(a)(1), 3.4.3(c), 3.9.2, 3.4.5(d)(1), 3.3.2, 3.4.1(a) and 2.7.4, ASME A17.3, 1996 edition until July 1, 2012 (VW 2009-072).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Adrian M. Pfeffer, Steamboat Bend East Condominium Association, Fort Myers, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until August 1, 2009 (VW 2009-073).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to J. Peter Schmidt, South Seas North Condominium Association, Marco Island, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until May 1, 2011 (VW 2009-074).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Karen Koelemij, Managing Agent, Casa Calderon, Tallahassee, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until January 1, 2011 (VW 2009-076).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Minor Hart, ThyssenKrupp Elevator Service, 410 Wilma Condo Association, Riviera Beach, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until August 31, 2009 (VW 2009-078).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 13, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to William Snyder, Clearwater Point 7 Condominium Association, Clearwater, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until January 31, 2011 (VW 2009-085).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 13, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Patricia Brier, 200 Ocean Rd., Condo, Vero Beach, FL, to not comply with Rules 3.11.3, 2.3.1(a) and 2.7.4, ASME A17.3, 1996 edition until July 1, 2012 (VW 2009-086).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 13, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Noel Wildman, Blue Surd Condominium Management Association Inc., Daytona Beach Shores, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until July 1, 2012 (VW 2009-087).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 13, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Therese A. Wagner, Gulf Towers Condo. Association, Inc., Naples, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until August 1, 2010 (VW 2009-088).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to William Snyder, 50 Harbor View Lane Condominium, Belleair Bluffs, FL, to not comply with Rules 3.11.3, 3.11.1 and 2.7.4, ASME A17.3, 1996 edition until July 31, 2011 (VW 2009-089).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Elizabeth Rumbarger, White Sands Condominium Association, Inc., Sanibel, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until September 1, 2009 (VW 2009-091).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Rhonda Gross, Willow Wood Mid-Rise Consominium II Association, Boca Raton, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition and subsection 61C-5.001(1), Florida Administrative Code, until December 31, 2009 for the door restrictors, and December 31, 2011 for the fire fighter service (VW 2009-094).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Rhonda Gross, Willow Wood Mid-Rise Condominium III Association, Boca Raton, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until December 31, 2009 for the door restrictors, and December 31, 2011 for the fire fighter service (VW 2009-095). A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Irmagard Engleson, Excelsior Beach to Bay Owners Association, Inc., Sarasota, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until July 1, 2012 (VW 2009-097).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Rosalyn Smith, Watersedge Bldg. D, Delray Beach, FL, to not comply with Rules 3.11.3 and 3.11.1(a)(2), ASME A17.3, 1996 edition until July 1, 2010 (VW 2009-098).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Andy Schmitt, Town & Country Professional Center, Tampa, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until July 10, 2012 (VW 2009-101).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Charles DiCroce, The Landfall Condominium Association Inc., Jupiter Island, FL, to not comply with Rules 3.11.3 and 3.11.3, ASME A17.3, 1996 edition until July 10, 2012 (VW 2009-102).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 23, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Martin Cole, Red Roof Inn, Clearwater, FL, to not comply with Rule 2.2.5, ASME A17.3, 1996 edition and allow a water pipe not directly connected with the elevator operation in the machine room to conform (VW 2009-105).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 23, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Lisa Gerard, Holiday Towers, Holiday, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until March 1, 2010 (VW 2009-106).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 23, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Debra Spruell, Sunbow Bay Association, Inc., Holmes Beach, FL, to not comply with Rules 2.7.4, ASME A17.3, 1996 edition until July 1, 2010 (VW 2009-107).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 23, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Debra Spruell, Sunbow Bay Association, Inc., Holmes Beach, FL, to not comply with Rules 3.10.4(t) and 2.7.4, ASME A17.3, 1996 edition until July 1, 2010 (VW 2009-108).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 23, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Debra Spruell, Sunbow Bay Association, Inc., Holmes Beach, FL, to not comply with Rules 2.7.4, ASME A17.3, 1996 edition until July 1, 2010 (VW 2009-109).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 23, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Lisa Gerard, Holiday Towers, Holiday, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition and allow the minimum travel distance of 25 feet 9 inches to conform with code (VW 2009-111).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 23, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Richard H. Jones, Whispering Sands Condominium Association, Sarasota, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until August 1, 2010 (VW 2009-112).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 23, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to William Snyder, Namsions by the Sea Condominiums, Treasure Island, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until July 31, 2011 (VW 2009-113).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 23, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Tricia Sexton, Esq., Florida Automotive Distributing (formally Montgomery Wards Building), St. Petersburg, FL, to not comply with Rules 8.6.5.8, ASME A17.1, 2004 edition with 2005 Addenda until November 1, 2009 (VW 2009-114).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 23, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Dr. Ray Smith, Arbomar Apartments, Longboat Key, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until October 31, 2011 (VW 2009-116).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 23, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Stacia Scofero, Action Association Management on behalf of Ironwood Twelfth Condominium Association, Inc., Sarasota, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until July 31, 2010 (VW 2009-117).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 23, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to William Snyder, Harbour Hill Condominium Association, St. Petersburg, FL, to not comply with Rules 3.11.3, 3.11.1 and 2.7.4, ASME A17.3, 1996 edition until July 31, 2011 (VW 2009-118).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Carole Bowden, Holmes Beach Property Management LLC. on behalf of Ironwood Seventh Condominium Association, Inc., Bradenton, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until April 30, 2010 (VW 2009-119).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Duane Knecht, Stetson University – Presser Hall, Deland, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until January 1, 2010 (VW 2009-120).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 23, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Sheron Nichols, 736 Island Way Condo Association, Clearwater, FL, to not comply with Rules 3.11.1, 3.10.4(t) and 2.7.4, ASME A17.3, 1996 edition until July 1, 2012 (VW 2009-121).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Carole Bowden, Holmes Beach Property Management LLC. on behalf of Ironwood Sixth Condominium Association, Inc., Bradenton, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until April 30, 2010 (VW 2009-122).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Carole Bowden, Holmes Beach Property Management LLC. on behalf of Ironwood Fourth Condominium Association, Inc., Bradenton, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until April 30, 2010 (VW 2009-123).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Carole Bowden, CAM, Holmes Beach Property Management LLC. on behalf of Ironwood Fifth Condominium Association, Inc., Bradenton, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until April 30, 2010 (VW 2009-124).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Carole Bowden, Holmes Beach Property Management LLC. on behalf of Ironwood Ninth Condominium Association, Inc., Bradenton, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until April 30, 2010 (VW 2009-125).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Carole Bowden, Holmes Beach Property Management LLC. on behalf of Ironwood Fourteenth Condominium Association, Inc., Bradenton, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until April 30, 2010 (VW 2009-126).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Patricia J. Serley, Otis Elevator Company on behalf of Sacred Heart Cancer Center, Pensacola, FL, to not comply with Rules 2.20.1, 2.20.9 and 2.24.2, ASME A17.1, 2004 edition to allow the installation of an Otis Gen2™ elevator systems at the above project (VW 2009-131).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Dave Palmer, Winter Park Memorial Hospital, Winter Park, FL, to not comply with Rules 3.11.3, 3.11.1(a)(2) and 2.7.4, ASME A17.3, 1996 edition until January 1, 2010 for elevators with license numbers 26272 and 30991 and January 1, 2011 for elevators with license numbers 26273 and 24468 (VW 2009-134).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Richard Dolson, Otis Elevator Company on behalf of All Children's Hospital Medical Office Building, St. Petersburg, FL, to not comply with Rules 2.20.1,

2.20.9 and 2.24.2, ASME A17.1, 2004 edition to allow the installation of an Otis Gen2™ elevator systems at the above project (VW 2009-135).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to B. J. Miller, Sarasota County West Wing Jail, Sarasota, FL, to not comply with Rules 3.11.1(a)(2) and 3.4.5(d)(1), ASME A17.3, 1996 edition until December 1, 2009 (VW 2009-137).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Larry E. Williams, Garden Gate Bldg., Winter Park, FL, to not comply with Rules 3.11.1(a)(2), 2.7.2.1, 3.4.5(d)(1) and 2.7.4, ASME A17.3, 1996 edition until August 1, 2012 (VW 2009-138).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to David Winters, LCAM, Seawatch at Jupiter Island Condominium, Jupiter, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until September 1, 2010 (VW 2009-139).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to William Snyder, 6/10 Corporation, Winter Haven, FL, to not comply with Rules 3.11.3, 3.11.1 and 2.7.4, ASME A17.3, 1996 edition until August 1, 2012 (VW 2009-140).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to William Boedicker, Louttit Manor, Orlando, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until June 1, 2010 (VW 2009-142).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Wanda Daberko, University of Central Florida, Orlando, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until August 1, 2012 (VW 2009-143).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Wanda Daberko, University of Central Florida, Orlando, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until August 1, 2012 (VW 2009-144).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Wanda Daberko, University of Central Florida, Orlando, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until August 1, 2012 (VW 2009-145).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Wanda Daberko, University of Central Florida, Orlando, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until August 1, 2012 (VW 2009-146).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Wanda Daberko, University of Central Florida, Orlando, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until August 1, 2012 (VW 2009-147).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Wanda Daberko, University of Central Florida, Orlando, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until August 1, 2012 (VW 2009-148).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Wanda Daberko, University of Central Florida, Orlando, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until August 1, 2012 (VW 2009-149).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Wanda Daberko, University of Central Florida, Orlando, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until August 1, 2012 (VW 2009-150).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Wanda Daberko, University of Central Florida, Orlando, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until August 1, 2012 (VW 2009-151).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Wanda Daberko, University of Central Florida, Orlando, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until August 1, 2012 (VW 2009-152).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Wanda Daberko, University of Central Florida, Orlando, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until August 1, 2012 (VW 2009-153).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Wanda Daberko, University of Central Florida, Orlando, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until August 1, 2012 (VW 2009-154).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Wanda Daberko, University of Central Florida, Orlando, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until August 1, 2012 (VW 2009-155).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to James B. Rukin, President of Park Towers Condominium, Inc., Lake Worth, FL, to not comply with Rules 3.11.3, 3.11.1(a)(2), 3.10.4(t) and 2.7.4, ASME A17.3, 1996 edition until August 1, 2011 (VW 2009-156).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Stacia Scofero, The Greens at Pinebrook, Bradenton, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until September 1, 2010 (VW 2009-163).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Lee Rigby, Halifax Medical Center, Daytona, FL, to not comply with Rule 2.7.2.1, ASME A17.1, 2005 addenda edition to allow installation of a access ladder and a hatch in the elevator machine room at the above project (VW 2009-164).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 17, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Anne Harrington, Good Samaritan Society, Daytona Beach, FL, to not comply with Rules 3.11.3, 2.8.1, 2.2.2, 2.2.3, 3.11.1, 3.10.5, 3.10.6, 3.10.4(t), 3.11.1(a)(1), 3.11.2, 3.12.2, 2.1.1, 3.4.5, 3.3.2, 2.3.1 and 2.7.4, ASME A17.3, 1996 edition until August 14, 2012 (VW 2009-166).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 17, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Paul McCoy, Castel Del Mare Condominium Association, Inc., Sarasota, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until August 31, 2010 (VW 2009-170).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 17, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Wayne Johnson, The Surfside Club South, Ormond Beach, FL, to not comply with Rules 3.11.3, 3.11.1(a)(2) and 2.7.4, ASME A17.3, 1996 edition until December 1, 2011 (VW 2009-171).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 17, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Raymond Henney, Imperial Cove Building VIII, Clearwater, FL, to not comply with Rules 3.11.3, 3.10.4(t), 3.9.1, and 3.3.2, ASME A17.3, 1996 edition and Rule 106.1e, ASME A17.1, 1955 edition until August 14, 2012 (VW 2009-172).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 17, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Bruce Peterson, Pointe Santo de Sanibel Condominium Association, Sanibel, FL, to not comply with Rules 3.11.3, 3.11.1(a)(2), 3.3.2 and 2.7.4, ASME A17.3, 1996 edition until January 1, 2011 (VW 2009-173).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 17, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Peggy L. Rice, Oceans Two Condominium Association, Daytona Beach, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until January 1, 2010 (VW 2009-174).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 2, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Lee Rigby, Ringling Square, Sarasota, FL, to not comply with Rule 2.20.4, and 8.7.2.27.4 ASME A17.1, 2005 addenda and allow a smaller 8mm diameter rope size and an alternate code date for controller installation (VW 2009-186).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 2, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Cynthia Campfield, Association Manager, Le Chateau Royal, South Palm Beach, FL, to not comply with Rules 3.11.3, 3.11.1(a)(2) and 2.7.4, ASME A17.3, 1996 edition until September 1, 2011 (VW 2009-188).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 2, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Colleen Ansell, Otis Elevator Company on behalf of Health Village Medical Office Building, Florida Hospital, Orlando, FL, to not comply with Rules 2.20.1, 2.20.9 and 2.24.2, ASME A17.1, 2004 edition to allow the installation of an Otis Gen2™ elevator systems at the above project (VW 2009-192).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Jonnie Mac Warner, 2400 Maitland Center Parkway, Maitland, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until September 1, 2012 (VW 2009-193).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Jonnie Mae Warner, 500 Winderley Place, Maitland, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until September 1, 2012 (VW 2009-194).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 14, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Ted Ricketts, All Children's Hospital, St. Petersburg, FL, to not comply with Rules 3.11.3, 3.11.1 and 2.7.4, ASME A17.3, 1996 edition until August 1, 2010 (VW 2009-196).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 14, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to William Snyder, Sea Island South Condominium Association, Clearwater, FL, to not comply with Rules 3.11.3, 3.11.1 and 2.7.4, ASME A17.3, 1996 edition until May 1, 2011 (VW 2009-198).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 14, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Terry Carpenter, Lakewood Nursing Center, Crescent City, FL, to not comply with Rules 3.11.3, 3.11.1, 3.4.5, 2.2.2, 2.2.4, 2.2.5 and 2.7.4, ASME A17.3, 1996 edition, Rule 301.7, ASME A17.1, 1996 edition and Rule 61C-5.0051, Florida Administrative Code, until May 12, 2010 (VW 2009-199).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 24, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Mary K. Sittman, Chipola Apartments, Marianna, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until September 10, 2012 (VW 2009-201).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Lee Wedlake, Capeway Condominium Association, Cape Coral, FL, to not comply with Rules 3.11.3, 3.11.1, 2.7.4, 3.10.4(q), 3.10.4(u), 3.4.5(d)(1) and 3.3.2, ASME A17.3, 1996 edition and Rule 110.11e(2), ASME A17.1, 1973 edition until September 1, 2010 (VW 2009-206).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Dave Gibson, Oceans Five Condo Association, Daytona, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until September 10, 2011 (VW 2009-207).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 14, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to David Miller, St. Joseph's Hospital, Tampa, FL, to not comply with Rule 3.11.3 ASME A17.3, 1996 edition until June 30, 2010 (VW 2009-208).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 14, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to David Miller, St. Joseph's Hospital, Tampa, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until June 30, 2010 (VW 2009-209).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Brian Schauer, Citadel I Limited Partnership and Citadel II Limited Partnership, Orlando, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until September 1, 2012 (VW 2009-212).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Tim Cleckner, The Van Lee Condo, Ormond Beach, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until September 10, 2012 (VW 2009-214).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business And Professional Regulation, Division of Hotels and Restaurants has issued an order.

That order granted a variance to Tim Cleckner, Oceans Four, Daytona Beach, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until September 10, 2012 (VW 2009-215).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Colleen Ansell, Otis Elevator Company, 618 East South Street, Orlando, FL, to not comply with Rules 2.20.1, 2.20.9 and 2.24.2, ASME A17.1, 2005 edition to allow the installation of an Otis Gen2™ elevator systems at the above project (VW 2009-217).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That the order was denied as the department is not authorized to grant variance for Section 399.15, Florida Statutes, to Robert E. Bertics, Edgewater Arms Third, Inc., Dunedin, FL, as specified in Section 120.542(1), Florida Statutes, titled Petition for Variances and Waivers. (VW 2009-218).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Ron Williams, Firefighters' Training Building, Tavares, FL, to not comply with Rules 110.10b, 211.1(a)(2), 211.3b and 204.1e, ASME A17.1, 1996 edition with 1997 Addenda to allow limited use in a secure setting by fire personnel for training purposes only (VW 2009-219).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Jeffrey Estis, Pelican Bay Apartments, Lantana, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until March 31, 2011 (VW 2009-221).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Gay N. Sells, Forestbrook I Association, Inc., Largo, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until June 30, 2012 (VW 2009-222).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 24, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to William Torr, Marco Towers, Naples, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition and Rule 8.6.5.8, ASME A17.1, 2004 edition with 2005 Addenda until January 1, 2010 (VW 2009-223).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Mark Singletary, Gulfside Place, Sanibel, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until September 10, 2013 (VW 2009-224). A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 24, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Leigh Terssler, Casa Del Mar II Condominium Association, St. Petersburg, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until January 1, 2010 (VW 2009-227).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 24, 2009, the Department Of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Kathleen M. Huldrum, Sundial, Sanibel Island, FL, to not comply with Rules 3.11.3, 3.3.2 and 2.7.4, ASME A17.3, 1996 edition until January 1, 2013 (VW 2009-228).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 24, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Alan Pierce, Franklin County Courthouse, Apalachicola, FL, to not comply with Rules 3.11.3, 3.9.1, 3.4.6 and 2.7.4, ASME A17.3, 1996 edition until October 1, 2010 (VW 2009-229).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Ralph Metzger III, Clarendon Condo Assn., Highland Beach, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until September 10, 2010 (VW 2009-230).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Harvey Landress, Madeira Towers, St. Petersburg, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until August 1, 2014 (VW 2009-233).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Daniel DeRussy, Ranger Condominium Association, St. Petersburg, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until August 1, 2013 (VW 2009-234).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 17, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Thomas Shewan, Florida State University – Westcott, Tallahassee, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition and subsection 61C-5.001(1), Florida Administrative Code, until December 31, 2012 (VW 2009-235 and VW 2009-309).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 17, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Thomas Shewan, Florida State University – Diffenbaugh, Tallahassee, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition and subsection 61C-5.001(1), Florida Administrative Code, until December 31, 2012 (VW 2009-237 and VW 2009-313).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 17, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Thomas Shewan, Florida State University – Housewright, Tallahassee, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition and subsection 61C-5.001(1), Florida Administrative Code, until December 31, 2012 (VW 2009-238 and VW 2009-307).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 17, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Thomas Shewan, Florida State University – Love Building, Tallahassee, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition and subsection 61C-5.001(1), Florida Administrative Code, until December 31, 2012 (VW 2009-239 and VW 2009-311).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 17, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Thomas Shewan of Florida State University – Old FHP, Tallahassee, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition and subsection 61C-5.001(1), Florida Administrative Code, until December 31, 2012 (VW 2009-240 and VW 2009-306).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 23, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That the order is denied as the petitioner has not met its burden to meet the intent of the code within a reasonable time as submitted by Thomas Shewan, Richards UPL (FSU), Tallahassee, FL, as specified in Section 120.542, Florida Statutes (VW 2009-241).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 17, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Thomas Shewan, Florida State University – Rogers Hall, Tallahassee, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition and subsection 61C-5.001(1), Florida Administrative Code, until December 31, 2012 (VW 2009-242 and VW 2009-310).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 24, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Jennifer Warren, Siesta Harbor Condominium Association, Sarasota, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until December 31, 2010 (VW 2009-243).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 24, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Randy Moody, Park Central Towers, St. Petersburg, FL, to not comply with Rules 3.11.1(a)(2), 3.4.6 and 2.7.4, ASME A17.3, 1996 edition and Chapters 3002.3 and 3008.1, Florida Building Code until January 1, 2010 (VW 2009-246).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Richard Dolson, Otis Elevator Company, on behalf of Salvador Dali Museum, St. Petersburg, FL, to not comply with Rules 2.20.1, 2.20.9 and 2.24.2.2, ASME A17.1, 2005 edition to allow the installation of an Otis Gen2(TM) elevator systems at the above project (VW 2009-247).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 28, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Kyle Hubler, CAM, Moorings Point Condominium Association, Inc., Fort Myers, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition and subsection 61C-5.001(1), Florida Administrative Code, until July 1, 2012 (VW 2009-249).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Carolyn Gullett, The Promenade at Boca Pointe, Boca Raton, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until September 10, 2014 (VW 2009-250).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Pat Bell, Boca Entrada Condominium, Boca Raton, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until September 10, 2012 (VW 2009-251).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 17, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Thomas Shewan, Florida State University – Shores Library, Tallahassee, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition and subsection 61C-5.001(1), Florida Administrative Code, until December 31, 2012 (VW 2009-253 and VW 2009-314).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 17, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Thomas Shewan, Florida State University – Duxbury Hall, Tallahassee, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition and subsection 61C-5.001(1), Florida Administrative Code, until December 31, 2012 (VW 2009-254 and VW 2009-308).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Achim A. Fuhr, Palms of Bay Beach, Ft. Myers, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until March 1, 2011 (VW 2009-255).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Achim A. Fuhr, Palms of Bay Beach, Fort Myers, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until September 1, 2010 (VW 2009-256).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Kenny Thomas, Renaissance Orlando Resort, Orlando, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until January 30, 2011 (VW 2009-257).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Trista Sue Youngquist, Bayfront Inn, Naples, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until September 10, 2012 (VW 2009-259).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Ryan J. Futch, SilberCrested Management, LLC. on behalf of Marinatown Apartments – One, North Fort Myers, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until July 1, 2012 (VW 2009-260).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Rick Cassata, Chalet, San Marco, Marco Island, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until March 31, 2011 (VW 2009-261).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 7, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Laura E. Melton, Angler's Cove Condominium Association, Inc., Marco Island, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition and subsection 61C-5.001(1), Florida Administrative Code, until June 1, 2011 (VW 2009-263 and VW 2009-302).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Meghan Panek, 400 Cleveland Street, Clearwater, FL, to not comply with Rules 3.11.3 ASME A17.3, 1996 edition until June 1, 2012. (VW 2009-264 and VW 2009-270).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Sharon Surless, Kress Building, Orlando, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until March 1, 2010 (VW 2009-278).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Roger Brooks, Bridgeport Center, Tampa, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until August 1, 2010 (VW 2009-282).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Jack Korsan, Lender Processing Services, Inc., Building IV, Jacksonville, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until July 1, 2012 (VW 2009-297).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Rochelle B. Murray, One Capital Center, St. Petersburg, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until August 1, 2012 (VW 2009-300).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 14, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Martha Hulgan, MMH & Associates LLC., Largo, FL, to not comply with Rules 2.7.4, ASME A17.3, 1996 edition until April 30, 2010 (VW 2009-301).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 17, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Thomas Shewan, Florida State University – Strozier Annex, Tallahassee, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until December 31, 2012 (VW 2009-312 and VW 2009-236).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 17, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Brad Barnhill, Westshore Hotel, Tampa, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until July 1, 2012 (VW 2009-317).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 17, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Danica Suarez, One Barbados Condominium Association, Tampa, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until August 1, 2012 (VW 2009-324).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 2, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to David Matthews, Blake Medical Center, Bradenton, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until January 1, 2011 (VW 2009-379).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 2, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to David Matthews, Blake Medical Center, Bradenton, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until January 1, 2011 (VW 2009-380).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 2, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to James O'Grady, Ocean Sands Condo, Indialantic, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until November 1, 2010 (VW 2009-383).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 2, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Nelson Guagliardo, Team Staff Building, Tampa, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until August 1, 2012 (VW 2009-384).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Lee Rigby, Florida A&M University (Housing), Tallahassee, FL, to not comply with Rules 3.11.3, 3.3.2, 3.4.5(d)(1), 3.11.1, 3.10.4(q), 3.10.4(u) and 2.7.4, ASME A17.3, 1996 edition and Rule 8.6.5.8, ASME A17.1, 2005 edition until August 31, 2013 (VW 2009-390).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 14, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Kevin Gazia, Holiday Inn, Panama City, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until August 31, 2012 (VW 2009-403).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 24, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Lee Rigby, Florida A&M University, Tallahassee, FL, to not comply with Rules 3.11.3, 3.11.3, 3.3.2, 3.10.4(q), 3.10.4(u) and 2.7.4, ASME A17.3, 1996 edition and Rule 8.6.5.8, ASME A17.1, 2005 edition until August 31, 2011 (VW 2009-407).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Lee Rigby, Florida A&M University (Group 2), Tallahassee, FL, to not comply with Rules 2.7.4, 3.3.2, 3.11.3 and 3.10.4(q), ASME A17.3, 1996 edition until August 11, 2013 (VW 2009-408).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Joseph Elhabr, The Place At Summerlin, Fort Myers, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until July 21, 2012 (VW 2009-410).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Marlin Swikert, Tampa Electric Co., Tampa, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until August 1, 2010 (VW 2009-411).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Marlin Swikert, Tampa Electric Co., Tampa, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until August 1, 2010 (VW 2009-412).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Marlin Swinkert, Tampa Electric Co., Tampa, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until August 1, 2011 (VW 2009-413).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Stephen Dilluvio, Island Winds, Ft. Myers Beach, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until August 31, 2012 (VW 2009-415).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Lisa Heide, Boca Bayou Condo Association, Boca Raton, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until August 13, 2010 (VW 2009-424 and VW 2009-393).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to William Hardaway, Point Brittany Rutland House, St. Petersburg, FL, to not comply with Rules 3.11.3 and 3.10.4(u), ASME A17.3, 1996 edition until August 1, 2012 (VW 2009-426).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Robert Morin, Morse Life, West Palm Beach, FL, to not comply with Rules 3.11.3, ASME A17.3, 1996 edition until September 10, 2012 (VW 2009-431).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That order granted a variance to Audry Krois, Emeralds House, Lantana, FL, to not comply with Rule 3.11.3 ASME A17.3, 1996 edition until September 10, 2010 (VW 2009-434).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 14, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Blair Newton on behalf of Sky Harbour, St. Petersburg, FL, License Number 10834 and 10835 (VW 2009-478).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 22, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Joseph Kuharcik on behalf of Bermuda Cay Condominium Association, Inc., Boynton Beach, FL (VW 2009-496).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 22, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for petition for a temporary variance from unspecified rules as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., from Virginia Wistner on behalf of Regency Condominium Association, St. Petersburg, FL (VW 2009-497).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 23, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C.,

which requires Fire Fighter Service Phase 1 and 2 from James Schenck on behalf of Advent Christian Village – Dowling House, License Number 20483 (VW 2009-498).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 24, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Horizon House of Naples, FL, and location of the Serial Numbers 9008 and 9127, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from James T. Childers, Branch Manager, Otis Elevator Company (VW 2009-505).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 28, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Sections 3.11.3, 3.11.1, 2.7.4 and 2.27.3 (or an unspecified Section of A17.3), as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, BBW, Inc. of Ormond Beach, FL, and location of the Serial Numbers 23218 and 23219, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Ann Burt, Partner (VW 2009-532).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 28, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Sections 3.11.3 and 1.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Pinellas County, Public Works Department of Clearwater, FL, and location of the Serial Numbers 21220 and 21221, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from William Snyder (VW 2009-533).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 28, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Sections 3.11.3, 3.10.4 and 1.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Pinellas County, Clearwater Courthouse of Clearwater, FL, and location of the Serial Number 07115, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from William Snyder (VW 2009-534).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 28, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from specified sections of A17.3 and A17.1, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Dalton Place Condominium Association, Inc., Highland Beach, FL, and location of the License Number 28255, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Linda Leopard, Manager (VW 2009-535).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

DEPARTMENT OF HEALTH

NOTICE IS HEREBY GIVEN THAT on September 29, 2009, the Board of Chiropractic Medicine, received a petition for Marc H. Feldman, D.C., seeking a variance or waiver of Rule 64B2-13.004, Florida Administrative Code, which requires that for the purpose of renewing or reactivating a license, an applicant must demonstrate to the Board that he/she has participated in at least forty (40) classroom hours of Board approved continuing chiropractic education, including at least

three (3) hours in risk management, six (6) hours in record keeping/documentation and coding; and two (2) hours in the area of ethics and boundaries.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Joe Baker, Jr., Executive Director, Board of Chiropractic Medicine/MQA, 4052 Bald Cypress Way, Bin #C07, Tallahassee, Florida 32399-3258. Comments on this petition should be filed with the Board of Chiropractic Medicine within 14 days of publication of this notice.

The Board of Clinical Laboratory Personnel hereby gives notice that it has received an emergency petition for variance or waiver filed on September 30, 2009, from Ivan Marc E. De Los Reyes, who seeks a variance from the training experience requirement set forth in subsection 64B3-5.003(3), Florida Administrative Code, for medical technologists. Petitioner also seeks a variance or waiver from subsection 64B3-2.003(9), F.A.C., which provides the definition of an accredited program as a clinical laboratory personnel training program that is accredited by the Committee on Allied Health Education and Accreditation (CAHEA), National Accrediting Agency for Clinical Laboratory Sciences (NAACLS), Council on Accreditation of Allied Health Education Programs (CAAHEP), or Accrediting Bureau of Health Education Schools (ABHES).

Comments on the petition should be filed with: Board of Clinical Laboratory Personnel, 4052 Bald Cypress Way, Bin #C07, Tallahassee, Florida 32399-3257, within 5 days of publication of this notice. Copies of the petition may be obtained by written request from: Joe Baker, Jr., Executive Director, Board of Clinical Laboratory Personnel, at the above address.

The Department of Health hereby provides this correction to a Notice of receipt by the Department of a Petition for Temporary Variance from paragraph 64E-16.005(1)(b), F.A.C., from Teri L. Donaldson, on behalf of Stericycle, Inc., published in the September 18, 2009 issue of the Florida Administrative Weekly, Vol. 35 No. 37. The previously published notice inadvertently stated that on August 27, 2009, the Petitioner was seeking a variance from paragraph 64E-16.005(1)(b), F.A.C. The Notice should have stated that on August 27, 2009, the Department of Health received a Petition for Temporary Variance from subsection 64E-16.005(1), F.A.C., and subsequently on September 2, 2009, the Department received an amended Petition for Temporary Variance from paragraph 64E-16.005(1)(b), F.A.C., from the Petitioner.

DEPARTMENT OF CHILDREN AND FAMILY SERVICES

NOTICE IS HEREBY GIVEN THAT on September 28, 2009, the Department of Children and Families, received a petition for waiver of Rule 65C-13.030, F.A.C., from Florida Baptist Children's Homes and Terrance & Kaiwana Maxwell, assigned Case No. 09-034W. Rule 65C-13.030, F.A.C., states there should be no more than five children in a licensed home, including the family's own children.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Children and Families, 1317 Winewood Blvd., Bldg. 2, Room 204, Tallahassee, FL 32399-0700.

NOTICE IS HEREBY GIVEN THAT on September 28, 2009, the Department of Children and Families, received a petition for waiver of subsection 65C-14.024(2), F.A.C., from Seamark Ranch, assigned Case No. 09-033W. Subsection 65C-14.024(2), F.A.C., states the facility shall have adequate staff coverage at all times to provide the services identified in the agency's statement of purpose.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Children and Families, 1317 Winewood Blvd., Bldg. 2, Room 204, Tallahassee, FL 32399-0700.

FISH AND WILDLIFE CONSERVATION COMMISSION

NOTICE IS HEREBY GIVEN THAT on September 3, 2009, the Florida Fish and Wildlife Conservation Commission (FWC) has issued an order.

The Order denies a petition submitted by American Airboat Tours for a temporary 3-year variance from a portion of the Collier County manatee protection rule (Rule 68C-22.023, Florida Administrative Code). The petition sought authorization for two airboats to be operated at speeds up to 20 MPH while conducting guided tours through the Slow Speed zone in Goodland Bay. The FWC received the petition on April 27, 2009, and a notice of petition was published in the Florida Administrative Weekly, May 22, 2009. Three interested parties submitted comments on the petition. The petition was denied because issuance of the variance would not meet the purposes of the underlying statute, Section 379.2431(2), Florida Statutes.

A copy of the Order may be obtained by contacting: Scott Calleson, Florida Fish and Wildlife Conservation Commission, Imperiled Species Management Section (Mail Station #6A), 620 South Meridian Street, Tallahassee, FL 32399-1600.

**Section VI
Notices of Meetings, Workshops and Public Hearings**

The following state governmental agencies, boards and commissions announce a public meeting to which all persons are invited:

- State Board of Administration
- Division of Bond Finance
- Financial Services Commission:
- Office of Insurance Regulation
- Office of Financial Regulation
- Agency for Enterprise Information Technology
- Department of Veterans' Affairs
- Department of Highway Safety and Motor Vehicles
- Department of Law Enforcement
- Department of Revenue
- Administration Commission
- Florida Land and Water Adjudicatory Commission
- Board of Trustees of the Internal Improvement Trust Fund
- Department of Environmental Protection

DATE AND TIME: November 17, 2009, 9:00 a.m.

PLACE: Cabinet Meeting Room, Lower Level, The Capitol, Tallahassee, Florida

GENERAL SUBJECT MATTER TO BE CONSIDERED:

Regular scheduled meeting of the Governor and Cabinet to act on all executive branch matters provided by law and to act on any agendas submitted for their consideration. The Governor and Cabinet will proceed through each agenda, item by item.

The State Board of Administration will take action on matters duly presented on its agenda, which may include such matters as Executive Director's reports; approval of fiscal sufficiency of state bond issues; approval of sale of local bonds at an interest rate in excess of statutory interest rate limitation; reports on investment performance; designation of banks as depositories for state funds; adoption of rules and regulations; investment of state funds pursuant to Chapter 215, F.S.; and consideration of other matters within its authority pursuant to Chapters 215 and 344, F.S., and Section 16 of Article IX of the Florida Constitution of 1885, as continued by subsection 9(c) of Article XII of the Florida Constitution of 1968.

The Division of Bond Finance of the State Board of Administration will take action on matters duly presented on its agenda, which will deal with the issuance of State bonds, arbitrage compliance and related matters.

The Financial Services Commission will take action on matters duly presented on its agenda which may include, but not be limited to; matters relating to rulemaking for all activities of the Office of Insurance Regulation concerning insurers and other risk bearing entities, including licensing, rates, policy forms, market conduct, claims, adjusters, issuance of