

(8) Players may win on one or more player’s cards per ticket; however, players may not win more than one prize on each player’s card.

(9) The estimated odds of winning, value, and number of prizes in Instant Game Number 1055 are as follows:

GAME PLAY	WIN	ESTIMATED	NUMBER OF
		ODDS OF	WINNERS IN 60 POOLS OF 180,000 TICKETS
		1 IN	PER POOL
Line - Card 1	\$3	10.00	1,080,000
Line - Card 2	\$6	12.50	864,000
Line - Card 1 (MB)	\$9	100.00	108,000
Line - Card 1 + Line - Card 2	\$9	100.00	108,000
Line - Card 3	\$10	50.00	216,000
Line - Card 1 (MB) + Line - Card 2	\$15	100.00	108,000
Line - Card 1 + Line - Card 2 (MB)	\$21	100.00	108,000
Line - Card 4	\$25	1,200.00	9,000
Line - Card 3 (MB)	\$30	1,200.00	9,000
4 Corners - Card 1	\$40	500.00	21,600
Line - Card 1 (MB) + Line - Card 2 (MB)	\$52	600.00	18,000
+ Line - Card 4			
4 Corners - Card 2	\$60	3,000.00	3,600
Line - Card 5	\$60	3,000.00	3,600
Line - Card 4 (MB)	\$75	1,800.00	6,000
Line - Card 3 + Line - Card 6	\$100	4,500.00	2,400
4 Corners - Card 3	\$100	4,500.00	2,400
4 Corners - Card 3 + Line - Card 4 (MB)	\$175	12,000.00	900
X - Card 1	\$200	7,200.00	1,500
X - Card 1 + Line - Card 2	\$206	36,000.00	300
Line - Card 3 (MB) + Line - Card 5 (MB) + Line - Card 6	\$300	45,000.00	240
Line - Card 3 (MB) + Line - Card 6 (MB)	\$300	45,000.00	240
4 Corners - Card 4	\$300	45,000.00	240
X - Card 2	\$500	20,000.00	540
X - Card 2 + 4 Corners - Card 5	\$1,000	45,000.00	240
X - Card 3	\$1,000	45,000.00	240
4 Corners - Card 6	\$3,000	180,000.00	60
X - Card 4	\$10,000	720,000.00	15
X - Card 5	\$25,000	1,080,000.00	10
X - Card 6	\$50,000	1,080,000.00	10

(10) The estimated overall odds of winning some prize in Instant Game Number 1055 are 1 in 4.04. Prizes, including the top prizes, are subject to availability at the time of ticket purchase. Prizes may be unavailable due to prior sale or other causes occurring in the normal course of business including, but not limited to, ticket damage, defect, theft, or loss.

(11) For reorders of Instant Game Number 1055, the estimated odds of winning, value, and number of prizes shall be proportionate to the number of tickets reordered.

(12) Payment of prizes for TRIPLE BINGO lottery tickets shall be made in accordance with the rule of the Florida Lottery governing procedures for awarding prizes.

A copy of the current rule can be obtained from the Florida Lottery, Office of the General Counsel, 250 Marriott Drive, Tallahassee, Florida 32399-4011.

Rulemaking Authority 24.105(9)(a), (b), (c), 24.109(1), 24.115(1) FS. Law Implemented 24.105(9)(a), (b), (c), 24.115(1) FS. History—New 4-9-10.

THIS RULE TAKES EFFECT UPON BEING FILED WITH THE DEPARTMENT OF STATE UNLESS A LATER TIME AND DATE IS SPECIFIED IN THE RULE.

EFFECTIVE DATE: April 9, 2010

**DEPARTMENT OF ENVIRONMENTAL PROTECTION**

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled “Official Notices.”

**Section V  
Petitions and Dispositions Regarding Rule  
Variance or Waiver**

**DEPARTMENT OF EDUCATION**

Redlands Christian Migrant Association has filed an Emergency Petition for Waiver from Rule 6A-1.099821, F.A.C., Voluntary Prekindergarten (VPK) Provider Kindergarten Readiness Rate, DOE Agency Case No.: DOE-2010-2050.

An emergency petition was filed by Redlands Christian Migrant Association (RCMA) operating at the following locations: Centro Villas Child Development Center, Florida City; LaEstancia Child Development Center, Wimauma; Mira Verde Child Development Center, LaBelle; Mascotte Child Development Center, Mascotte; Pomona Park Child Development Center, Pomona Park; Wimauma Early Education Center, Wimauma; Krome Child Development Center, LaBelle; and Redlands Child Development Center, Homestead; requesting a waiver from Rule 6A-1.099821, F.A.C., Voluntary Prekindergarten (VPK) Provider Kindergarten Readiness Rate on April 12, 2010. Redlands Christian Migrant Association petitions the Department for a temporary waiver from the requirements of subsection 6A-1.099821(4), F.A.C., beginning on April 13, 2010 through July 1, 2011. The petitioner states that uniformly applying Rule 6A-1.099821, F.A.C., to RCMA will cause the centers to suffer

a substantial hardship or result in a violation of principles of fairness that would justify a variance for the provider. The specific facts presented by the Petitioner are: 1) "It is a violation of the principles of fairness to employ the Department of Education's calculation of its readiness rate to assess a VPK program that serves children deemed limited English proficient in accordance with Section 1003.56, F.S. Based on the Department's rule each child's performance on each of the screening measures in English is used to calculate a provider's readiness rate." 2) "These children when served by the kindergarten-12 educational system are identified as limited English proficient and provisions are made for alternate instruction and services for these children. B calculating the rate based on a limited English proficient child's scores in English, the rule creates a substantial hardship to a VPK program that serves this population of students." 3) "Considering the nature of the services offered by a migrant VPK program to its intended population, penalizing a VPK program so that it may no longer participate in the program may leave this population of children with few VPK options. Other VPK programs may choose not to accept these students due to the way the readiness rate is calculated as providers may not want to jeopardize their ability to participate in the program." 4) "While the RCMA providers listed above can demonstrate learning gains for all of its students through the use of valid program assessment, many of these children are below the normed baseline at the beginning of their VPK program. Allowing RCMA to show proof of child gains that increase a child's preparedness for kindergarten meets the purpose of the VPK program."

A copy of the petition may be obtained by contacting: Lynn Abbott, Agency Clerk at (850)245-9661 or email: [lynn.abbott@fldoe.org](mailto:lynn.abbott@fldoe.org) and may also be obtained from the Department's website at [https://app1.fldoe.org/DOE\\_Calendar/default.aspx?WhichCalendar=4](https://app1.fldoe.org/DOE_Calendar/default.aspx?WhichCalendar=4).

---

#### **BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND**

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

---

#### **WATER MANAGEMENT DISTRICTS**

NOTICE IS HEREBY GIVEN THAT on April 8, 2010, the South Florida Water Management District (District), received a petition for waiver from Collier County Board of Commissioners, Application Number: 10-0104-1, for utilization of Works or Lands of the District known as the Golden Gate Main Canal for the proposed construction of the 23rd Street SW Bridge; Section 7, Township 49 South, Range 27 East, Collier County. The petition seeks relief from

paragraphs 40E-6.221(2)(a) and (j), Florida Administrative Code, which governs the minimum low member elevation of pile-supported facilities within the Works or Lands of the District.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juli Russell at (561)682-6268 or email: [jurussell@sfwmd.gov](mailto:jurussell@sfwmd.gov). The District will accept comments concerning the petition for 14 days from the date of publication of this notice. To be considered, comments must be received by end of business on 14th day at: South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406, Attn.: Juli Russell, Office of Counsel.

---

NOTICE IS HEREBY GIVEN THAT on April 8, 2010, the South Florida Water Management District (District), received a petition for waiver from Collier County Board of Commissioners, Application Number: 09-1104-1, for utilization of Works or Lands of the District known as the Golden Gate Main Canal for the proposed removal and replacement of the existing White Boulevard Bridge; Section 18, Township 49 South, Range 27 East, Collier County. The petition seeks relief from paragraphs 40E-6.221(2)(a) and (j), Florida Administrative Code, which governs the minimum low member elevation of pile-supported facilities within the Works or Lands of the District.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juli Russell at (561)682-6268 or email: [jurussell@sfwmd.gov](mailto:jurussell@sfwmd.gov). The District will accept comments concerning the petition for 14 days from the date of publication of this notice. To be considered, comments must be received by end of business on 14th day at: South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406, Attn.: Juli Russell, Office of Counsel.

---

#### **DEPARTMENT OF MANAGEMENT SERVICES**

NOTICE IS HEREBY GIVEN THAT on April 12, 2010, the Agency for Workforce Innovation, received a petition for variance from subsection 60BB-4.210(1), F.A.C., which provides requirements for maintaining school readiness eligibility and allows an individual to be unemployed for a maximum of 30 days before losing eligibility to receive services. The Petition was filed by: Early Learning Coalition of Putnam and St. Johns Counties, 440 N. State Road 19, Suite 440, Palatka, FL 32177.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Stephanie Savestanan, Agency for Workforce Innovation, Office of Early Learning, 107 East Madison Street, MSC #140, Tallahassee, FL 32399.

---

NOTICE IS HEREBY GIVEN THAT on April 12, 2010, the Agency for Workforce Innovation, received a petition for received a petition for Temporary Waiver of paragraph

60BB-8.201(4)(a), F.A.C., which provides requirements for conducting parent orientation sessions for parents registering their children for the VPK program. The Petition was filed by the: Early Learning Coalition of Putnam and St. Johns Counties, 440 N. State Road 19, Suite 440, Palatka, FL 32177. A copy of the Petition for Variance or Waiver may be obtained by contacting: Stephanie Savestanan, Agency for Workforce Innovation, Office of Early Learning, 107 East Madison Street, MSC #140, Tallahassee, Florida 32399.

---

**DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION**

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Continental Towers Assoc., filed November 4, 2009, and advertised in Vol. 35, No. 48, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until August 1, 2010, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2009-706).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Palm Beach Airport Hilton, filed January 14, 2010, and advertised in Vol. 36, No. 5, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until April 1, 2014, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-025).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Royal Floridian, filed February 1, 2010, and advertised in Vol. 36, No. 9, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rules 2.20.1, 2.20.9 and 2.24.2, ASME A17.1, 2005 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-052).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from YWCA, filed February 2, 2010, and advertised in Vol. 36, No. 9, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, 2.7.4 and 3.11.1(a)(2), ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until June 1, 2011, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-055).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from FLH Celebration Health Tower, filed February 4, 2010, and advertised in Vol. 36, No. 9, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.20.1, 2.20.9 and 2.24.2, ASME A17.1, 2005 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has demonstrated that the purpose of the

statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-060).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Lake Worth Towers, filed February 5, 2010, and advertised in Vol. 36, No. 9, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 2.7.4, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until April 15, 2010, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-062).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Holiday Inn, filed February 8, 2010, and advertised in Vol. 36, No. 10, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.20.1, 2.20.9 and 2.24.2, ASME A17.1, 2005 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-075).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Ketch Courtyard, filed February 11, 2010, and advertised in Vol. 36, No. 10, of the Florida Administrative

Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition and from Rule 1004.2(e)(3), ASME A17.1, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until August 15, 2010, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-081).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Bonita Resort & Club, filed February 11, 2010, and advertised in Vol. 36, No. 10, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 3.3.2, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until August 1, 2010, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-083).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Pattison Building, filed February 12, 2010, and advertised in Vol. 36, No. 10, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.1(a)(2) and 2.7.4, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until December 31, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-084).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from UWF Heritage Hall, filed February 12, 2010, and advertised in Vol. 36, No. 10, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.20.1, 2.20.9 and 2.24.2, ASME A17.1, 2005 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-087).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Shoreline Island Resort, filed February 15, 2010, and advertised in Vol. 36, No. 10, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until March 15, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-088).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from The Envoy Condo Assoc., Inc., filed February 18, 2010, and advertised in Vol. 36, No. 11, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3,

ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until December 31, 2014, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-094).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from Greater Orlando Aviation Authority, filed February 19, 2010, and advertised in Vol. 36, No. 11 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from Rule 2.8.2.3.4, ASME A17.1a, 2005 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the detectors were installed without a permit (VW 2010-095).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

---

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Corniche Condo Assoc. Apt., the Palm Beaches, Inc., filed February 19, 2010, and advertised in Vol. 36, No. 11, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 3.10.3(a), ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until April 1, 2012 because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-096).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Yorktown COA, Inc., filed February 22,

2010, and advertised in Vol. 36, No. 11, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 2.7.4, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until December 1, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-100).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Venture Rentals, Ltd. Bldg. 16R, filed February 23, 2010, and advertised in Vol. 36, No. 11, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until February 19, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-101).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Venture Rentals, Ltd. Bldg. 16R-North, filed February 23, 2010, and advertised in Vol. 36, No. 11, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until February 19, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-102).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Venture Rentals, Ltd. Bldg. 16R-North, filed February 23, 2010, and advertised in Vol. 36, No. 11, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until February 19, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-103).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Smugglers Cove, filed February 24, 2010, and advertised in Vol. 36, No. 12, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, 3.11.1 and 2.7.4, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until June 30, 2010, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-109).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Winston Gateway Assoc., Inc., filed February 24, 2010, and advertised in Vol. 36, No. 12, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4,

3.10.4(t), 3.3.2, 2.2.3 and 3.9.1, ASME A17.3, 1996 edition and from Rule 8.6.5.8, ASME A17.1a, 2005 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until October 1, 2011, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-110). A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Ironwood Tenth Condo Assoc., filed February 25, 2010, and advertised in Vol. 36, No. 12, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 2.7.4, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until September 1, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-111). A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from Greater Orlando Aviation Authority, filed February 25, 2010, and advertised in Vol. 36, No. 12 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from Rule 2.8.2.4, ASME A17.1a, 2005 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the current pipes are not in violation of A17.3 and therefore no variance is needed (VW 2010-112). A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, 850-488-1133.

---

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has

issued an order. The Final Order was in response to a Petition for Variance from Kress Building, filed February 25, 2010, and advertised in Vol. 36, No. 12, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until March 22, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-115).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Plantation House Condo, filed February 25, 2010, and advertised in Vol. 36, No. 12, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-116).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Indian Shores, filed February 26, 2010, and advertised in Vol. 36, No. 12, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until March 1, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-119).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Coquina Condo Assoc., filed February 26, 2010, and advertised in Vol. 36, No. 12, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, 4.7.8 and 3.10.4(t), ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until November 1, 2010, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-120).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Clarion Hotel & Conference Center, filed March 1, 2010, and advertised in Vol. 36, No. 12, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, 3.11.1 and 2.7.4, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until December 31, 2010 because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-122).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Amway Center, filed March 2, 2010, and advertised in Vol. 36, No. 12, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4.2, ASME A17.1,

2004 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-124).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Calini Beach Club Condo Assoc., Inc., filed March 2, 2010, and advertised in Vol. 36, No. 12, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until September 11, 2010, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-127).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from El Rancho Motel, filed March 5, 2010, and advertised in Vol. 36, No. 12, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.20.4, 2.24.2.1 and 2.2.2.5, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-130).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has



issued an order. The Final Order was in response to a Petition for Variance from Bellair Condos, filed March 5, 2010, and advertised in Vol. 36, No. 12, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until September 1, 2011, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-131).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from 2404 S. Harbor City Blvd., filed February 15, 2010, and advertised in Vol. 36, No. 10, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.1(a)(2), ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-140).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from Poincianna Place Condos, filed March 3, 2010, and advertised in Vol. 36, No. 12 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from Rule 2.7.4, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has not demonstrated that the purpose of the statute underlying the rule will be met or that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-142).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

---

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Town Shores Condo – Kenmore Bldg., filed March 4, 2010, and advertised in Vol. 36, No. 12, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, 2.7.4, 3.10.4(t), 3.11.1(a)(1), 3.3.2, 2.2.3, 3.9.1 and 3.10.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until April 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-143).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Devonshire Properties, filed March 8, 2010, and advertised in Vol. 36, No. 15, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.1, ASME A18.1, 2003 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-150).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Crystal Tree, filed March 8, 2010, and advertised in Vol. 36, No. 15, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, 3.3.2 and 2.7.4,

ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until March 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-152).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Island Club 1 & 2, filed March 8, 2010, and advertised in Vol. 36, No. 15, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-153).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Beacon Reef Condo, filed March 9, 2010, and advertised in Vol. 36, No. 15, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until August 1, 2010, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-155).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has

issued an order. The Final Order was in response to a Petition for Variance from Riverside Condo Assoc., filed March 9, 2010, and advertised in Vol. 36, No. 15, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until July 1, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-157).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on April 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from The Cove, filed March 11, 2010, and advertised in Vol. 36, No. 15, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 2.7.4, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until March 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-162).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on April 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Orlando Lutheran Towers, filed March 11, 2010, and advertised in Vol. 36, No. 15, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 2.7.4, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until March 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-163).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Grandview Condo Assoc., filed March 16, 2010, and advertised in Vol. 36, No. 15, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until August 1, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-169).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Water Club, filed March 16, 2010, and advertised in Vol. 36, No. 15, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.3.1.1 and 2.12.6.1, ASME A17.1, 2005 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a) Florida Administrative Code, and from Section 3006.1 Florida Building Code because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-170).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Colony Surf Condo, filed March 17, 2010, and advertised in Vol. 36, No. 15, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996

edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-173).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 5, 2010, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for an Emergency Variance for Section 509.221(1)(b), Florida Statutes, subsection 61C-1.004(1), paragraph 61C-1.004(1)(d), Florida Administrative Code, and Paragraph 5-202.11(A), 2001 FDA Food Code from Healthy Delights, Coral Springs, FL. The above referenced F.A.C. addresses the requirement that each establishment discharge sewage into an approved collection system and have an approved plumbing system installed. They are requesting to utilize holding tanks to provide potable water and to collect waste water.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

---

NOTICE IS HEREBY GIVEN THAT on April 5, 2010, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for a Routine Variance for subsections 61C-4.010(6), (7), Florida Administrative Code, from Park Street Caterers, Jacksonville, FL. The above referenced F.A.C. addresses the requirement that at least one accessible bathroom be provided for use by customers. They are requesting to utilize bathrooms located within another licensed food service establishment for customer use only.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

---

NOTICE IS HEREBY GIVEN THAT on April 5, 2010, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for a Routine Variance for Paragraph 4-301.11, 2001 FDA Food Code, subsection 61C-4.010(5), F.A.C., from Ramp Raw Bar located in Ft. Pierce, FL. The above referenced F.A.C. addresses the requirement that a food service establishment provide equipment to maintain potentially hazardous food at proper temperatures. They are requesting to share a cold holding unit with an adjacent food service.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

---

NOTICE IS HEREBY GIVEN THAT on April 7, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for for an Emergency Variance for Subparagraph 3-305.11(A)(2), 2001 FDA Food Code, Paragraph 3-305.14, 2001 FDA Food Code, Paragraph 6-202.15, 2001 FDA Food Code, Paragraph 6-202.16, 2001 FDA Food Code, subsections 61C-4.010(1), (6), Florida Administrative Code, from Ready Food, Orlando, FL. The above referenced F.A.C. addresses the requirement for proper handling and dispensing of food. They are requesting to dispense bulk potentially hazardous foods other than frankfurters from an open air mobile food dispensing vehicle.

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 13, 2010, the Board of Architecture and Interior Design, received a petition for Jorge L. Trelles, seeking a variance or waiver of Rule 61G1-13.0021, F.A.C., which requires that applicants follow the Intern Development Program through the Nation Council of Architectural Registration Boards in order to satisfy the requirements of Section 481.211, F.S.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Anthony Spivey, Executive Director, Board of Architecture and Interior Design, 1940 North Monroe Street, Tallahassee, FL 32399-0783. Comments on this petition should be filed with the Board of Architecture and Interior Design within 14 days of publication of this notice.

---

NOTICE IS HEREBY GIVEN THAT on March 22, 2010, the Board of Architecture and Interior Design has issued an order. The Order is regarding the Petition for Waiver or Variance, filed on November 19, 2009, by Danielle Wolf. The Notice of Petition for Waiver or Variance was published in Vol. 35, No. 49, of the December 11, 2009, Florida Administrative Weekly. Petitioner sought a waiver or variance of subsection 61G1-22.002(4), F.A.C., entitled "Schedule for Award of Interior Design Professional Experience," which requires that an applicant's experience record shall be based upon written statements as to employment from the employer or supervisors of the applicant that set forth the quality and character of the applicant's duties and responsibilities. The Board considered the instant Petition at a duly-noticed public meeting, held January 29, 2010, in St. Augustine, Florida.

The Board's Order granted the petition finding that Petitioner established that the purpose of the underlying statutes, Section 481.209, F.S., would be met by granting a variance or waiver

from subsection 61G1-22.002(4), F.A.C. The Board further found that Petitioner established that applying the requirements of the aforementioned Rules to her circumstances would violate principles of fairness and impose a substantial hardship. A copy of the Order may be obtained by contacting: Anthony Spivey, Executive Director, Board of Architecture and Interior Design, 1940 North Monroe Street, Tallahassee, Florida 32399-0750.

---

NOTICE IS HEREBY GIVEN THAT on April 13, 2010, the Board of Accountancy, received a petition for Baby Varkey, seeking a variance or waiver of paragraph 61H1-27.001(5)(a), Florida Administrative Code, which lists the requirements for an applicant for licensure who holds a degree from a college that is not accredited.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Voloria Kelly, Division Director, Board of Accountancy, 240 Northwest 76th Dr., Suite A, Gainesville, Florida 32607. Comments on this petition should be filed with the Board of Accountancy within 14 days of publication of this notice.

---

#### **DEPARTMENT OF ENVIRONMENTAL PROTECTION**

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

---

#### **DEPARTMENT OF HEALTH**

NOTICE IS HEREBY GIVEN THAT on March 3, 2010, the Board of Physical Therapy Practice, received a petition for Lorena Velasquez, seeking a waiver of the requirements of Rule 64B17-3.003, Florida Administrative Code. The Petitioner seeks a waiver of the requirement that applicants pass the NPT Examination.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Allen Hall, Executive Director, Board of Physical Therapy Practice, 4052 Bald Cypress Way, Bin #C05, Tallahassee, Florida 32399-3255, (850)488-0595. Comments on this petition should be filed with the Board of Physical Therapy Practice/MQA within 14 days of publication of this notice.

---

NOTICE IS HEREBY GIVEN THAT on March 30, 2010, the Board of Physical Therapy Practice, received a petition for Patricia Stemrich-Harris, seeking a waiver of the requirements of Rule 64B17-3.003, Florida Administrative Code. The Petitioner seeks a waiver of the requirement that applicants pass the NPT Examination.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Allen Hall, Executive Director, Board of Physical Therapy Practice, 4052 Bald Cypress Way, Bin #C05,

Tallahassee, Florida 32399-3255, (850)488-0595. Comments on this petition should be filed with the Board of Physical Therapy Practice/MQA within 14 days of publication of this notice.

## FISH AND WILDLIFE CONSERVATION COMMISSION

NOTICE IS HEREBY GIVEN THAT the Treasure Coast Boat Racing Association has withdrawn its request for a temporary variance from a portion of the Martin County manatee protection rule (Rule 68C-22.024, Florida Administrative Code). The Florida Fish and Wildlife Conservation Commission received the original request on March 16, 2010, and a notice of petition was published on April 2, 2010, in the Florida Administrative Weekly (Vol. 36, No. 13). The request had sought authorization to allow the applicant to hold a powerboat racing event between 10:00 a.m. and 6:00 p.m., April 24-25, 2010, within a Slow Speed boat speed zone west of the Intracoastal Waterway channel and immediately north of the Jensen Beach Causeway. Activities would have involved hydroplane and Jersey skiffs style vessels operating at speeds in excess of 100 miles per hour. Additional information can be obtained by contacting: Mr. Scott Calleson, Florida Fish and Wildlife Conservation Commission, Imperiled Species Management Section (6A), 620 South Meridian Street, Tallahassee, FL 32399-1600, (850)922-4330.

## Section VI

### Notices of Meetings, Workshops and Public Hearings

The following state governmental agencies, boards and commissions announce a public meeting to which all persons are invited:

State Board of Administration

Division of Bond Finance

Financial Services Commission:

Office of Insurance Regulation

Office of Financial Regulation

Agency for Enterprise Information Technology

Department of Veterans' Affairs

Department of Highway Safety and Motor Vehicles

Department of Law Enforcement

Department of Revenue

Administration Commission

Florida Land and Water Adjudicatory Commission

Board of Trustees of the Internal Improvement Trust Fund

Department of Environmental Protection

DATE AND TIME: May 11, 2010, 9:00 a.m.

PLACE: Cabinet Meeting Room, Lower Level, The Capitol, Tallahassee, Florida

## GENERAL SUBJECT MATTER TO BE CONSIDERED:

Regular scheduled meeting of the Governor and Cabinet to act on all executive branch matters provided by law and to act on any agendas submitted for their consideration. The Governor and Cabinet will proceed through each agenda, item by item.

The **State Board of Administration** will take action on matters duly presented on its agenda, which may include such matters as Executive Director's reports; approval of fiscal sufficiency of state bond issues; approval of sale of local bonds at an interest rate in excess of statutory interest rate limitation; reports on investment performance; designation of banks as depositories for state funds; adoption of rules and regulations; investment of state funds pursuant to Chapter 215, F.S.; and consideration of other matters within its authority pursuant to Chapters 215 and 344, F.S., and Section 16 of Article IX of the Florida Constitution of 1885, as continued by subsection 9(c) of Article XII of the Florida Constitution of 1968.

The **Division of Bond Finance** of the State Board of Administration will take action on matters duly presented on its agenda, which will deal with the issuance of State bonds, arbitrage compliance and related matters.

The **Financial Services Commission** will take action on matters duly presented on its agenda which may include, but not be limited to; matters relating to rulemaking for all activities of the **Office of Insurance Regulation** concerning insurers and other risk bearing entities, including licensing, rates, policy forms, market conduct, claims, adjusters, issuance of certificates of authority, solvency, viatical settlements, premium financing, and administrative supervision, as provided under the Insurance Code or Chapter 636, F.S., and matters related to rulemaking for all activities of the **Office of Financial Regulation** relating to the regulation of banks, credit unions, other financial institutions, finance companies, retail installment sales providers, title loan lenders, collection agencies, mortgage brokers, mortgage lenders, certified capital companies, money services businesses, and the securities industry.

The **Agency for Enterprise Information Technology** will take action on matters duly presented on its agenda which may include, but not be limited to, the presentation and approval of the Agency's Annual Operational Work Plan as well as matters relating to rulemaking for all activities of the Agency.

The **Department of Veterans' Affairs** will take action on matters duly presented on its agenda which may include the administration of the Department as well as actions taken to further the Department's mission of providing assistance to veterans and their dependents, pursuant to Section 292.05, F.S.

The **Department of Highway Safety and Motor Vehicles** will take action on matters duly presented on its agenda, which may include such matters as approval of agency policies, taking agency action with regard to administrative procedure matters, and considering other matters within its authority pursuant to Florida Statutes.