

Section V Petitions and Dispositions Regarding Rule Variance or Waiver

DEPARTMENT OF EDUCATION

NOTICE IS HEREBY GIVEN that on July 7, 2010, the Department of Education has issued an order.

The Redlands Christian Migrant Association filed on April 12, 2010, an Emergency Petition for Waiver from Rule 6A-1.099821, F.A.C., Voluntary Prekindergarten (VPK) Provider Kindergarten Readiness Rate, DOE Agency Case No.: DOE-2010-2050. Receipt of the waiver was published in the April 23, 2010, Florida Administrative Weekly. The Department issued an order denying the emergency review of the petition on May 11, 2010, which was noticed in the May 28, 2010, Florida Administrative Weekly. On July 7, 2010, the Department issued an Order Denying Petition for Waiver from Rule 6A-1.099821, F.A.C., With Leave to File for Good Cause Exemption. The order states that prior to May 31, 2010, the Department did not have the authority to deviate from the established formula for calculation of readiness rates and that no agency has the authority to grant a variance from statutory requirements. However, effective May 31, 2010, the State Board of Education is authorized to grant requests for good cause exemptions to VPK providers who serve at least twice the statewide average of ELLs (English Language Learners), according to the standards and process described in statute. (Chapter 2010-210, Laws of Florida.) As the petition for rule variance is not the correct vehicle to request a good cause exemption under the revised statute, the Petitioners are authorized to request a good cause exemption according to the new statutory standards and procedure.

A copy of the Order may be obtained by contacting: Lynn Abbott, Agency Clerk at (850)245-9661 or lynn.abbott@fldoe.org A copy may also be obtained from the Department's website at https://app1.fldoe.org/DOE_Calendar/default.aspx?WhichCalendar=4.

DEPARTMENT OF LAW ENFORCEMENT

NOTICE IS HEREBY GIVEN THAT on July 6, 2010, the Criminal Justice Standards and Training Commission, received a petition for permanent waiver of subsection 11B-27.00213(4), F.A.C., by Eduardo Fernandez. The rule requires recruits employed by agencies on a temporary employment authorization (TEA) to have a four-year break before they may enter into another TEA if they end a TEA prior to becoming certified. Petitioner's employer has handed over operations of the facility employing Petitioner to another private contractor who will not honor the Petitioner's TEA, thereby making it impossible for Petitioner to remain employed. Petitioner seeks a waiver of this rule so that he may

seek another TEA immediately at another facility and, thereby, remain employed while he fulfills the requirements of Section 943.13, F.S., to become certified.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Grace A. Jaye, Assistant General Counsel, Florida Department of Law Enforcement, P. O. Box 1489, Tallahassee, FL 32302, (850)410-7676.

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

DEPARTMENT OF MANAGMENT SERVICES

NOTICE IS HEREBY GIVEN THAT on July 13, 2010, the Agency for Workforce Innovation, received a petition for variance from subsection 60BB-4.210(1), F.A.C., which provides requirements for maintaining school readiness eligibility and allows an individual to be unemployed for a maximum of 30 days before losing eligibility to receive services. The Petition was filed by: Early Learning Coalition of Escambia County, 3636-D North "L" Street, Suite A, Pensacola, Florida 32505.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Stephanie Savestanan, Agency for Workforce Innovation, Office of Early Learning, 107 East Madison Street, MSC #140, Tallahassee, FL 32399.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

NOTICE IS HEREBY GIVEN THAT on June 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from Seaside Property Management, filed November 6, 2009, and advertised in Vol. 35, No. 48 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from Rule 3.3.2, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner failed to meet its burden by not providing the information requested by the Division (VW 2009-715).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on June 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from Boca Teeca Condo, filed November 9, 2009, and advertised in Vol. 35, No. 48 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from Rule 2.7.4, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner failed to meet its burden by not providing the information requested by the Division (VW 2009-722).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on June 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from DMS, Division of Real Estate Development and Management, filed December 2, 2009, and advertised in Vol. 35, No. 51 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from non-specific elevator codes because the Petitioner failed to meet its burden by not providing the information requested by the Division (VW 2009-780).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on June 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from Watermark Apartments, filed December 18, 2009, and advertised in Vol. 36, No. 3 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from Rule 2.7.3.1, ASME A17.1, 2004 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner failed to meet its burden by not providing the information requested by the Division (VW 2009-812).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on June 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from Everglades Condos, filed December 31, 2009, and advertised in Vol. 36, No. 4 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from non-specific elevator codes because the Petitioner failed to meet its burden by not providing the information requested by the Division (VW 2009-830).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on June 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from Phipps Plaza, filed January 11, 2010, and advertised in Vol. 36, No. 5 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance because the Petitioner failed to meet its burden by not providing the information requested by the Division (VW 2010-018).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on June 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from 290 Cypress Gardens Blvd, filed January 15, 2010, and advertised in Vol. 36, No. 5 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from non-specific elevator codes because the Petitioner failed to meet its burden by not providing the information requested by the Division (VW 2010-027).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on June 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from 2314 Medical Office Bldg., filed February 9, 2010, and advertised in Vol. 36, No. 10 of the Florida

Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from Rule 2.15.9.2 and 2.4.1.5, ASME A17.1, 2004 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner failed to meet its burden by not providing the information requested by the Division (VW 2010-076).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on June 30, 2010 the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from Ocean Shores Condo Assoc., Inc., filed February 22, 2010, and advertised in Vol. 36, No. 11 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from non-specific elevator codes because the Petitioner failed to meet its burden by not providing the information requested by the Division (VW 2010-098).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on June 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from Harbor Walk One Condo Assoc., filed February 22, 2010, and advertised in Vol. 36, No. 11 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from Rule 3.10.4(t), ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner failed to meet its burden by not providing the information requested by the Division (VW 2010-099).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on June 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from Coco Plum Beach Villas Condo Assoc., filed March 1, 2010, and advertised in Vol. 36, No. 12 of the Florida

Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from Rule 3.11.3, 2.7.4, 3.11.1(a)(2) and 3.10.4, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner failed to meet its burden by not providing the information requested by the Division (VW 2010-121).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on June 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from The Parker Highland East, filed March 12, 2010, and advertised in Vol. 36, No. 15 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner failed to meet its burden by not providing the information requested by the Division (VW 2010-164).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on July 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Coral Harbor Condo Assoc., Inc., filed April 2, 2010, and advertised in Vol. 36, No. 20, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until July 1, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-217).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from DOBS Residential Training Facility, filed April 6, 2010, and advertised in Vol. 36, No. 20, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.20.4 and 2.24.2.1, ASME A17.1a, 2005 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-231).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Edwinola Retirement Community, filed April 7, 2010, and advertised in Vol. 36, No. 20, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, 2.7.4, 3.11.1 and 3.3.2, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until July 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-236).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on July 2, 2010 the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Boca Club Condo Assoc., filed April 7, 2010, and advertised in Vol. 36, No. 19, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, 2.7.4 and 3.4.5, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until December 31, 2010, because the Petitioner has demonstrated

that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-237).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from The Narberth Condo, filed April 8, 2010, and advertised in Vol. 36, No. 20 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from non-specific elevator codes because the Petitioner failed to meet its burden by not providing the information requested by the Division (VW 2010-239).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on July 2, 2010 the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Bayfront Medical Center/Plant Ops, filed April 9, 2010, and advertised in Vol. 36, No. 19, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 2.3.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until August 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-241).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from UCF Career Services & Experimental Learning Center, filed April 9, 2010, and advertised in Vol. 36, No. 19, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.20.4 and 2.24.2.1, ASME A17.1, 1996 edition, as

adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-242).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Boca Raton Community Hospital, filed April 7, 2010, and advertised in Vol. 36, No. 17, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.13.5 and 2.12.6, ASME A17.1, 2007 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, and from Rule 61C-5.0051, Florida Administrative Code, until April 7, 2010, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-249).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Ocean Optics, Inc., filed April 8, 2010, and advertised in Vol. 36, No. 20, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until July 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-250).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has

issued an order. The Final Order was in response to a Petition for Variance from Diamond Isle Condo, Inc., filed April 12, 2010, and advertised in Vol. 36, No. 20, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, and 2.7.4, ASME A17.3, 1996 edition and from Rule 211.1, ASME A17.1a, 1997 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until July 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-253).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from 6505 Democracy Associates, filed April 23, 2010, and advertised in Vol. 36, No. 25, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until May 1, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-309).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Spinakker Point Condos, filed May 19, 2010, and advertised in Vol. 36, No. 24, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4, 3.3.2 and 3.10.6, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until August 1, 2012, because the Petitioner has demonstrated that

the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-342).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Pelican Pointe of Sebastian I Condo Assoc., filed May 24, 2010, and advertised in Vol. 36, No. 25, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 3.3.2, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until January 1, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-364).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Beach Condo, filed June 1, 2010, and advertised in Vol. 36, No. 25, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until January 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-368).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from Poe Parking Garage, filed June 7, 2010, and advertised in Vol. 36, No. 26 of the Florida Administrative

Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from Rule 3.11.3 and 3.10.4(t), ASME A17.3, 1996 edition and from Rule 303.4, ASME A17.1a, 1997 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the features required under the new rules will not be installed within a reasonable time period and has not demonstrated that the purpose of the statute underlying the rule will be met (VW 2010-373).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on July 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Poe Garage, filed June 7, 2010, and advertised in Vol. 36, No. 26, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.3.2, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-374).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from The Pointe, filed June 7, 2010, and advertised in Vol. 36, No. 26 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from Rule 2.2.2.5, ASME A17.1, 2004 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the permit was applied for four months after, and issued seven months after, the announcement was made that permits issued on or after July 1, 2009 would be required to meet the sump pump requirement when firefighter service is installed (VW 2010-375).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on July 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Sailwind Waterfront, Beso Del Sol, filed June 7, 2010, and advertised in Vol. 36, No. 26, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until October 1, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-377).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Royal Yacht Club Condo Assoc., filed June 7, 2010, and advertised in Vol. 36, No. 26, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until October 1, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-379).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from Robb & Stucky Building, filed June 7, 2010, and advertised in Vol. 36, No. 26 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996

edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because there were no means of meeting the intent of the code put forth to justify a permanent variance from Firefighters Service Phase II (VW 2010-381).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on July 8, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That Final Order was in response to a Petition for Variance from Isles Club I Condo Assoc., filed June 8, 2010, and advertised in Vol. 36, No. 26 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from NFPA 70, Article 620.22(a), as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has not demonstrated that the purpose of the statute underlying the rule will be met (VW 2010-382).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on July 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Isles Club I Condo Assoc., filed June 8, 2010, and advertised in Vol. 36, No. 26, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until July 15, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-383).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Isles Club I Condo Assoc., filed June 8,

2010, and advertised in Vol. 36, No. 26, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.3.2, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until July 15, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-384).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Capital BMW, filed June 4, 2010, and advertised in Vol. 36, No. 26, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.2.2.5, ASME A17.1a, 2005 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-388).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from Tidewater Building, filed June 4, 2010, and advertised in Vol. 36, No. 26 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has not demonstrated that the purpose of the statute underlying the rule will be met (VW 2010-389).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on July 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from Two South Orange Building, filed June 4, 2010, and advertised in Vol. 36, No. 26 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because this feature required under the new rules will not be installed within a reasonable time period and has not demonstrated that the purpose of the statute underlying the rule will be met (VW 2010-390).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on July 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Royal Palms Commons, filed June 9, 2010, and advertised in Vol. 36, No. 26, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until June 30, 2011 because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-395).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from 1150 Building, filed June 10, 2010, and advertised in Vol. 36, No. 26, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until August 1, 2015, because the Petitioner has demonstrated that the purpose of the statute

underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-401).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Williams Building, filed June 10, 2010, and advertised in Vol. 36, No. 26, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, 2.7.4 and 3.11.1(a)(2), ASME A17.3, 1996 edition and from Rule 101.3(a), ASME A17.1a, 1997 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until August 1, 2011, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-402).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from BSE Investments, filed June 11, 2010, and advertised in Vol. 36, No. 26, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 5.7.1, ASME A18.1, 2005 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-406).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 8, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

The Final Order was in response to a Petition for Variance from Gulfside Place Condo Assoc., filed June 14, 2010, and advertised in Vol 36, No 26, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.27.3.3.7 and 8.7.2.28, ASME A17.1, 2004 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-407).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Tropicana Field, filed June 14, 2010, and advertised in Vol. 36, No. 26, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 6.1.3.3.7, ASME A17.1a, 2005 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until March 1, 2011, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-408).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 17, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Trafalgar Condo. Petitioner seeks a variance of the requirements of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-421).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 17, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Everglades Plaza Condo Association, Inc. Petitioner seeks a variance of the requirements of ASME A17.3, Section 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires restricted door openings which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-422).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from AAA Auto Club South. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-423).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Royal Celebration Inn. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-424).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Fire Station #1. Petitioner seeks a variance of the requirements of ASME A17.3, Section 2.7.4 and 3.10.4(t), as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires door restrictors and a keyed stop switch which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-425).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Cheffy Passidomo Building. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.20.4, 2.18.5 and 8.11.2.1.3(c)(1) and (3), as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a certain diameter of the steel wire ropes which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-426).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from The Lincoln Tower. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-427).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from The Law Offices of Andrew Shein. Petitioner seeks a variance of the requirements of ASME A18.1, Section 2.1.6.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires marking the certification of the electrical controller unit on the platform lift which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-428).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from First Financial Plaza. Petitioner seeks a variance of the requirements of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-429).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Morris Manor. Petitioner seeks a variance of the requirements of ASME A17.3, Section 2.7.4 and 3.3.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires restricted door openings and platform guards which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-430).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 22, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from USF-Visual and Performing Arts. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.2.2.5, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a sump pump in elevators provided with Firefighters' Emergency Operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-431).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 22, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from The Riverfront Professional Center. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and restricted door openings which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-432).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 23, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Sutton Place. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and restricted door openings which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-433).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 23, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from S.H. Condominium. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-434).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 23, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Silver Beach Club. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3 and 2.27.1, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and a phone which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-435).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 24, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Alhambra Club Condo. Petitioner seeks a variance of the requirements of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-436).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 24, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Union 700, Inc. Petitioner seeks a variance of the requirements of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-437).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 24, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Jacquelin Bridals II. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.20.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a minimum number and diameter of suspension ropes which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-438).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 24, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Inverness Condo II. Petitioner seeks a variance of the requirements of ASME A17.1, Section 303.3d, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires the shut-off valve to be located within the elevator machine room which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-439).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 24, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Edgewater High School. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.2.2.5, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a sump pump in elevators provided with Firefighters' Emergency Operation which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-440).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 24, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Osceola Elementary School. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.2.2.5, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a sump pump in elevators provided with Firefighters' Emergency Operation which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-441).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 25, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Seven Lakes. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3 and 3.4.3(d), as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and a sight guard which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this

notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-442).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 25, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Palm Bay Villas Condo. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-443).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 28, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Tampa Theatre Building. Petitioner seeks a variance of the requirements of ASME A17.3, Section 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires restricted door openings which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-445).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 29, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Tallahassee Professional Building. Petitioner seeks a variance of the requirements of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-446).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 29, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Tallahassee Professional Building. Petitioner seeks a variance of the requirements of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-447).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Lakeview Center and Eastpointe Bldg. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-448).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Pelicans Condominium. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-449).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Hilton Tampa Airport Westshore. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-450).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Manatee County Judicial Center. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-451).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from 933 Office Bldg. A. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-452).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from 500 Clearlake Plaza. Petitioner seeks a variance of the requirements of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-453).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Mayfair, Boca Raton, FL. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-454).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Washington Towers. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and restricted door openings which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-455).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Atlantis Condo Assoc., Inc. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, 2.7.4 and 3.3.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations, restricted door openings and platform guards which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-456).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Rutland House. Petitioner seeks a variance of the requirements of ASME A17.3, Section 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires restricted door openings which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-457).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from 850 Trafalgar Associates. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and restricted door openings which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-458).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from Whitehall South Condo Assoc., Inc., filed December 30, 2009, and advertised in Vol. 36, No. 3 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from non-specific elevator codes because the Petitioner failed to meet its burden by not providing the information requested by the Division (VW 2010-827).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

NOTICE IS HEREBY GIVEN THAT on July 1, 2010, the Bureau of Beaches and Coastal Systems has issued an order.

This Order (WL-932 AR ATF V) grants a variance under Section 120.542, F.S., to Daniel & Jeanne McNellis, regarding WL-932 AR ATF, an application for after-the-fact armoring. A petition for variance was received on 3/10/10. Notice of receipt of petition requesting variance was published in the F.A.W., Vol. 36, No. 12, 3/26/10. No public comment was received. This Order grants a limited variance from subsections 62B-33.002(18) and (64), F.A.C., which defines "eligible structures" and "vulnerable," respectively, and from paragraph 62B-33.0051(1)(a), F.A.C., which provides the condition where construction of armoring shall be authorized for the protection of an eligible structure. The petition was approved because the petitioner was able to demonstrate that strict adherence would create a substantial economic hardship and that the rule and underlying statute will be or has been achieved by other means. The property is located at 4525, West Hwy. 30A, Walton County, FL.

A copy of the Order may be obtained by contacting: Rosaline Beckham at (850)488-7815 or by e-mail: rosaline.beckham@dep.state.fl.us.

DEPARTMENT OF HEALTH

NOTICE IS HEREBY GIVEN THAT on July 6, 2010, the Board of Medicine, Council on Physician Assistants, received a petition for waiver or variance filed by Teresa Hoye Doolittle, PA-C, from Rule 64B8-30.003, F.A.C., with regard to the requirement for letters of recommendation for physician assistant applicants. Comments on this petition should be filed with the: Board of Medicine, 4052 Bald Cypress Way, Bin #C03, Tallahassee, Florida 32399-3053, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Larry McPherson, Jr., Executive Director, Board of Medicine, at the above address, or telephone (850)245-4131.

NOTICE IS HEREBY GIVEN THAT on July 7, 2010, the Board of Medicine, received a petition for variance or waiver filed by Ata Ulhaq, M.D., from subsection 64B8-4.009(5), F.A.C., with regard to the requirement for submission of documentation of medical education directly from Petitioner's medical school. Comments on this petition should be filed with the: Board of Medicine, 4052 Bald Cypress Way, Bin #C03, Tallahassee, Florida 32399-3053, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Larry McPherson, Jr., Executive Director, Board of Medicine, at the above address, or telephone (850)245-4131.

NOTICE IS HEREBY GIVEN THAT on July 8, 2010, the Board of Pharmacy, received a petition for Aravand Ganta, seeking a waiver of the requirements of Rule 64B16-26.2031, Florida Administrative Code. The Petitioner seeks a waiver of the requirement to pass the TOEFL exam.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Rebecca Poston, Executive Director, Board of Pharmacy, 4052 Bald Cypress Way, Bin #C04, Tallahassee, Florida 32399-3254. Comments on this petition should be filed with the Board of Pharmacy within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN THAT on July 8, 2010, the Board of Physical Therapy Practice, received a petition for Rene Navarro, Jr., seeking a waiver of the requirements of subparagraph 64B17-4.001(3)(b)3., Florida Administrative Code, which requires the completion of a Board approved English proficiency exam if English was not the language of instruction as evidenced by a minimum total score of 89 on the TOEFL as well as accompanying minimum scores in the test's four components of: 24 in writing; 26 in speaking; 21 in reading comprehension; and 18 in listening comprehension.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Allen Hall, Executive Director, Board of Physical Therapy Practice, 4052 Bald Cypress Way, Bin #C05,

Tallahassee, Florida 32399-3255. Comments on this petition should be filed with the Board of Physical Therapy Practice within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN THAT on July 14, 2010, the Department of Health has issued an order.

The rule requires that a foreign educational credentialing agency use original documentation to conduct an evaluation of an applicant's education as it pertains to the independent practice of midwifery. The Department determined to deny Petitioner's request that the foreign educational credentialing agency not be required to use original documentation because Petitioner has not established a substantial hardship or that the underlying purposes of the statute would be achieved by granting the request.

A copy of the Order may be obtained by contacting: Anthony Jusevitch, Executive Director, Council of Licensed Midwifery, Department of Health, 4052 Bald Cypress Way, Bin #C06, Tallahassee, Florida 32399-3285.

NOTICE IS HEREBY GIVEN THAT on July 9, 2010, the Department of Health, received a petition for paragraphs 64E-11.006(3)(a) and 64E-11.007(3)(b), Florida Administrative Code (F.A.C.), from Mary Ellen F. Chasteen of Palm Cottages of Rockledge, FL 32955. Paragraph 64E-11.006(3)(a), F.A.C., states, "Waste piping from all refrigerators shall discharge indirectly into a floor sink, floor drain or receptor approved by the plumbing authority." Paragraph 64E-11.007(3)(b), F.A.C., indicates that there shall be no direct connection between the sewerage system and any drains originating from equipment in which food, portable equipment or utensils are placed. Comments on this petition should be filed with: Sam Power, Agency Clerk, Department of Health, Office of General Counsel, 4052 Bald Cypress Way, BIN #A02, Tallahassee, Florida 32399-1703, within 14 days of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Ric Mathis, Bureau of Community Environmental Health, 4052 Bald Cypress Way, BIN #A08, Tallahassee, Florida 32399-1710, (850)245-4277.

Section VI Notices of Meetings, Workshops and Public Hearings

The following state governmental agencies, boards and commissions announce a public meeting to which all persons are invited:

State Board of Administration
Division of Bond Finance

Financial Services Commission:

Office of Insurance Regulation
Office of Financial Regulation

Agency for Enterprise Information Technology
Department of Veterans' Affairs
Department of Highway Safety and Motor Vehicles
Department of Law Enforcement
Department of Revenue
Administration Commission
Florida Land and Water Adjudicatory Commission
Board of Trustees of the Internal Improvement Trust Fund
Department of Environmental Protection

DATE AND TIME: August 10, 2010, 9:00 a.m.

PLACE: Cabinet Meeting Room, Lower Level, The Capitol, Tallahassee, Florida

GENERAL SUBJECT MATTER TO BE CONSIDERED:

Regular scheduled meeting of the Governor and Cabinet to act on all executive branch matters provided by law and to act on any agendas submitted for their consideration. The Governor and Cabinet will proceed through each agenda, item by item.

The **State Board of Administration** will take action on matters duly presented on its agenda, which may include such matters as Executive Director's reports; approval of fiscal sufficiency of state bond issues; approval of sale of local bonds at an interest rate in excess of statutory interest rate limitation; reports on investment performance; designation of banks as depositories for state funds; adoption of rules and regulations; investment of state funds pursuant to Chapter 215, F.S.; and consideration of other matters within its authority pursuant to Chapters 215 and 344, F.S., and Section 16 of Article IX of the Florida Constitution of 1885, as continued by subsection 9(c) of Article XII of the Florida Constitution of 1968.

The **Division of Bond Finance** of the State Board of Administration will take action on matters duly presented on its agenda, which will deal with the issuance of State bonds, arbitrage compliance and related matters.

The **Financial Services Commission** will take action on matters duly presented on its agenda which may include, but not be limited to; matters relating to rulemaking for all activities of the **Office of Insurance Regulation** concerning insurers and other risk bearing entities, including licensing, rates, policy forms, market conduct, claims, adjusters, issuance of certificates of authority, solvency, viatical settlements, premium financing, and administrative supervision, as provided under the Insurance Code or Chapter 636, F.S., and matters related to rulemaking for all activities of the **Office of Financial Regulation** relating to the regulation of banks, credit unions, other financial institutions, finance companies, retail installment sales providers, title loan lenders, collection