

Consumer Services, landowners, and other stakeholders to legislatively authorize, develop, and adopt BMPs to protect wildlife species within three years of the effective date of these rules.

(e)(4) Wildlands fire suppression actions necessary to ensure public safety during emergency circumstances, including but not limited to, setting counterfires, removing fences and other obstacles, digging trenches, cutting firelines, or using water from public and private sources are authorized and do not require a permit authorizing incidental take despite any other provision of this section, unless specified in management plans for species as defined in this rule chapter.

(f)(e) Take of a marine organism as defined in Chapter 68B-8, F.A.C., and life identified as a Florida Endangered and Threatened Species will be permitted pursuant to the provisions of Chapter 68B-8, F.A.C.

No other changes were made to the rule amendments as proposed.

DEPARTMENT OF FINANCIAL SERVICES

Division of Insurance Agents and Agency Services

RULE NO.: 69B-220.001
 RULE TITLE: Pre-Qualification and Licensure of
 Emergency Adjusters
 NOTICE OF CHANGE

Notice is hereby given that the following changes have been made to the proposed rule in accordance with subparagraph 120.54(3)(d)1., F.S., published in Vol. 36, No. 26, July 2, 2010 issue of the Florida Administrative Weekly.

- (1) through (5) No change.
- (6) (a) through (e) No change.
- (f) 1. through 3. No change.

4. If after the license licensure expires or is terminated, the Department has reason to believe there was a violation of any provision of the Florida Insurance Code or Chapter 69B, Florida Administrative Code, these rules by the former licensee while licensed, the Department is not precluded from filing administrative action against the former licensee, and from serving the charges by certified mail to the licensee, or by publication of notice of action in the legal notices section of a newspaper of general circulation in or near the city or county of permanent residence or place of business as shown on the licensee's application for emergency adjuster if certified mail service is unsuccessful.

The remainder of the rule remains as published on July 2, 2010.

**Section IV
 Emergency Rules**

**BOARD OF TRUSTEES OF THE INTERNAL
 IMPROVEMENT TRUST FUND**

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

**Section V
 Petitions and Dispositions Regarding Rule
 Variance or Waiver**

**DEPARTMENT OF AGRICULTURE AND CONSUMER
 SERVICES**

NOTICE IS HEREBY GIVEN THAT on September 7, 2010, the Department of Agriculture and Consumer Services, received a petition for Variance or Waiver from Charles J. DeGrange, Vice President of The Windsor at Bay Colony Condominium Association. The Petition requests a permanent variance or waiver from subsection 5F-11.002(1), F.A.C., which adopts the standards of the National Fire Protection Association for gas appliances and gas piping as published in NFPA No. 54, American National Standard National Fuel Gas Code (2006). The specific section of NFPA 54 for which the variance would apply is Section 7.9.2.2, NFPA 54, National Fuel Gas Code, 2006 (formerly, Section 3.10.2, NFPA 54, National Fuel Gas Code, 1996).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lisa M. Bassett, Chief, Bureau of Liquefied Petroleum Gas Inspection, 3125 Conner Boulevard, Suite N, Tallahassee, Florida 32399-1650 or by calling Lisa M. Bassett at (850)921-8001.

The Department of Agriculture and Consumer Services will accept comments concerning this petition for 14 days from the date of publication of this Notice. To be considered, the comments must be received by the end of business on the 14th day at the: Department of Agriculture and Consumer Services, Bureau of Liquefied Petroleum Gas Inspection, 3125 Conner Boulevard, Suite N, Tallahassee, Florida 32399-1650, Attn.: Lisa M. Bassett, Chief, Bureau of LP Gas Inspection.

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

WATER MANAGEMENT DISTRICTS

NOTICE IS HEREBY GIVEN THAT on September 9, 2010, the South Florida Water Management District (District) Governing Board has issued an order.

SFWMD Order No.: 2010-174-DAO-ROW was issued to Collier County Board of Commissioners (Application No.: 10-0216-1). The petition for waiver was received by the District on June 7, 2010. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 36, No. 25, on June 25, 2010. No public comment was received. This Order provides a waiver of the District's criteria to allow an existing pole-mounted safety camera, including foundation and buried conduits to remain within the west right of way of the C.R.951 Canal; Section 26, Township 49 South, Range 26 East, Collier County. Specifically, the Order grants a waiver from subsections 40E-6.011(4) and (6), paragraph 40E-6.221(2)(j), Florida Administrative Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District, incorporated by reference in subsection 40E-6.091(1), Florida Administrative Code, which governs the placement of permanent and/or semi-permanent above-ground facilities within 40 feet of the top of the canal bank within works of lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the District's current ability to perform necessary construction, alteration, operation, and routine maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent Petitioner from suffering a substantial hardship and would violate principles of fairness.

A copy of the Order may be obtained by contacting: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406-4680, (561)682-6268 or by email at: jurussel@sfwmd.gov.

NOTICE IS HEREBY GIVEN THAT on September 9, 2010, the South Florida Water Management District (District) Governing Board has issued an order.

SFWMD Order No.: 2010-175-DAO-ROW was issued to Collier County Board of Commissioners (Application No.: 10-0216-2). The petition for waiver was received by the District on June 7, 2010. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 36, No. 25, on June 25, 2010. No

public comment was received. This Order provides a waiver of the District's criteria to allow an existing pole-mounted safety camera, including foundation and buried conduits to remain within the west right of way of the Airport Road Canal; Section 26, Township 49 South, Range 26 East, Collier County. Specifically, the Order grants a waiver from subsections 40E-6.011(4) and (6), paragraph 40E-6.221(2)(j), Florida Administrative Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District, incorporated by reference in subsection 40E-6.091(1), Florida Administrative Code, which governs the placement of permanent and/or semi-permanent above-ground facilities within 40 feet of the top of the canal bank within works of lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the District's current ability to perform necessary construction, alteration, operation, and routine maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent Petitioner from suffering a substantial hardship and would violate principles of fairness.

A copy of the Order may be obtained by contacting: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406-4680, (561)682-6268 or by email: jurussel@sfwmd.gov.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

NOTICE IS HEREBY GIVEN that on September 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from The Glens, filed April 5, 2010, and advertised in Vol. 36, No. 20, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until April 1, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-221).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a

Petition for Variance from Hillcrest Building, filed July 8, 2010, and advertised in Vol. 36, No. 30, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until August 1, 2011 because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-461).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from St. Anthony's Parking Garage, filed July 9, 2010, and advertised in Vol. 36, No. 30, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until August 1, 2011 because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-464).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from St. Anthony's SARC, filed July 9, 2010, and advertised in Vol. 36, No. 30, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until June 1, 2011, because the Petitioner has demonstrated that

the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-465).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Riverdome Apartments, Inc., filed July 22, 2010, and advertised in Vol. 36, No. 33, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until October 31, 2010, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-483).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Lemon Bay View East Condo Assoc., filed July 29, 2010, and advertised in Vol. 36, No. 33, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until July 1, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-492).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a

Petition for Variance from Springlake Business Center, filed July 30, 2010, and advertised in Vol. 36, No. 33, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and restricted door openings until June 30, 2011, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-495).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Renaissance Orlando at Seaworld, filed August 2, 2010, and advertised in Vol. 36, No. 33, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until January 30, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-502).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from John R. Kelly Generating Station, filed August 2, 2010, and advertised in Vol. 36, No. 33, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 111.5 ASME A17.1a, 1997 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for restricted door openings until September 30, 2010, because the Petitioner has demonstrated

that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-504).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 7, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

The Final Order was in response to a Petition for Variance from The Ocean Club, filed August 2, 2010, and advertised in Vol. 36, No. 34, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until July 1, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-505).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from The Ocean Club. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-505).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 4, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Sanctuary Center. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters'

emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-507).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 4, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from 330 Coconut Row Bldg. Petitioner seeks a variance of the requirements of ASME A17.3, Section 2.7.4 and 3.11.1, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for door restrictors and car emergency signal which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-508).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 4, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from PLACE. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.14.1.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires no more than two compartments per car which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-509).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 4, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from St. James Condo. Petitioner seeks a variance of the requirements of ASME A17.3, Section 2.7.4, 3.3.2, 3.9.3, 3.10.3, 3.10.4(u), 3.11.1 and 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for door restrictors, platform guards,

normal terminal devices, cartop operating devices, car stop switch, two-way communication and firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-510).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 4, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from St. John's River Power Park. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.1.6.2 and 2.7.4.2(a), as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that limits the size of the hoistway compared to the elevator car which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-511).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 5, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from The Legal Building. Petitioner seeks a variance of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-513).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from City of Jacksonville. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters'

emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-514).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Siesta Towers. Petitioner seeks a variance of the requirements of ASME A17.3, Section 2.7.4, 3.3.2 and 3.11.1(a)(3), as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for restricted door openings, platform guards and a car alarm which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-516).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Crestmanor. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, 2.7.4 and 3.3.2 and of ASME A17.1, Section 8.6.5.0, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations, restricted door openings, platform guards and single bottom jack which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-517).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Acapulco Inn. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative

Code, that requires upgrading the elevators for firefighters' emergency operations and restricted door openings which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-518).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Makai Beach Lodge. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and restricted door openings which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-519).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Best Western Mainsail. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code that requires upgrading the elevators for firefighters' emergency operations and restricted door openings which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-520).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Surfside Hotel. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code

adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and restricted door openings which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-521).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Atlantis Regency Condo. Petitioner seeks a variance of the requirements of ASME A17.3, Section 2.7.4 and 3.11.1, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for restricted door openings and car emergency signal which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-522).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Atlantis Regency Condo, filed August 11, 2010, and advertised in Vol 36, No 34, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, 2.7.4, 3.3.2 and 2.8.2 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations, restricted door openings, platform guards and re-opening device for car doors and gates until August 1, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-522).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Flamingo Bay. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.3.2 and 3.10.4(u), as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for platform guards and car emergency signal which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-523).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from J.H. Miller Health Science Center. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.3.2 and of ASME A17.1, Section 2.27.8, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and switch keys which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-524).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Tallahassee Leon Co. Civic Center. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-525).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Wachovia Bank. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-526).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Bok Tower Gardens. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, 2.7.4, 3.10.6 and 3.3.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations, restricted door openings, phase reversal and failure protection and platform guards which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-527).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Bok Tower Gardens, filed August 11, 2010, and advertised in Vol. 36, No. 34, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations

and restricted door openings because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-527).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Christian Life Center, filed August 12, 2010, and advertised in Vol 36, No 36, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and restricted door openings until June 30, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-530).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from YWCA, filed August 13, 2010, and advertised in Vol. 36, No. 36, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4, 3.10.4(e), (q) & (u), 3.11.1(a)(2), 3.3.2, 2.2.2, 2.3.3 and 3.10.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for restricted door openings, top-of-car stop switch, normal terminal stopping devices, emergency stop switch, two-way communication, platform guards, machine room access and top-of-car operating devices until August 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-531).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That Final Order was in response to a Petition for Variance from El Capistrano Condo Assoc, filed August 16, 2010, and advertised in Vol. 36, No. 36 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations because the Petitioner has not demonstrated that the purpose of the statute underlying the rule will be met (VW 2010-536).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on September 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Bank of America Bldg., filed August 16, 2010, and advertised in Vol. 36, No. 36, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 3.10.4(u) ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and emergency stop switch until August 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-537).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Casa Del Mar III Condo, filed August 16, 2010, and advertised in Vol. 36, No. 36, of the Florida Administrative Weekly. No comments were received in

response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4, 3.3.2 and 3.9.1 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for restricted door openings, platform guards and normal terminal stopping devices until February 15, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-538).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Silver Sands Assoc. I, filed August 23, 2010, and advertised in Vol. 36, No. 36, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 3.3.2 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and platform guards until August 15, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-548).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 23, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Club at Barefoot Beach. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.4.1.5 and 2.15.9.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that prohibits the car or bumper from hitting any part of the pit or equipment which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-550).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 25, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Crowne Plaza Jacksonville Riverfront. Petitioner seeks a variance of the requirements of ASME A17.3, Section 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for restricted door openings which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-551).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 26, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Maitland Forum. Petitioner seeks a variance of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-552).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 26, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Park Center. Petitioner seeks a variance of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-553).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 26, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Ybor City Business Condo Assoc. Petitioner seeks a variance of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-554).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Palm Ave Parking Garage. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.20.4 and 2.24.2.1, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that specifies rope, material and grooves requirements which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-555).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from City of Tampa, Police Headquarters. Petitioner seeks a variance of the requirements of ASME A17.1, Section 5.3.7 and 8.6.8.3.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a means to stop an escalator when an object becomes caught and specifies the step/skirt performance which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-556).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Raymond James Tower III. Petitioner seeks a variance of the requirements of Section 3003.1.5 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that specifies access to exits which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-557).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Florida Hospital. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.21.1.1 and 2.21.2.6, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires counterweight mounted in metal frames and secured as to prevent shifting which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-558).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Ocean Dunes Condo Assoc. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, 2.7.4 and 3.3.2 and ASME A17.1, Section 1001.2 and 2.7.3.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations, restricted door openings, platform guards, specifies access doors and openings and inspection test requirements which poses a significant economic/financial hardship. Any interested person may file

comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-559).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 31, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Citizens Building of West Palm Beach. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-560).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 31, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from American Building. Petitioner seeks a variance of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-561).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 31, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Greater Orlando Aviation Authority. Petitioner seeks a variance of the requirements of ASME A17.1, Section 6.1.7.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires certain lighting levels over escalators which poses a significant economic/financial hardship. Any interested person may file comments within 14

days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-562).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Four Points Office Bldg. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.20.4, 2.18.5 and 8.11.2.1.3(cc)(1)(3), as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that specifies rope requirements which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-563).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 3, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Penthouse Beach Club Assoc., Inc. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-564).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 7, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Nordvind. Petitioner seeks a variance of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this

notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-566).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 7, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from USF – Wellness & Nutrition Center. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.2.2.5, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators with a sump pump which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-567).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 7, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Morris Bridge Water Treatment Plant. Petitioner seeks a variance of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-568).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 7, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from The Palace. Petitioner seeks a variance of the requirements of ASME A17.3, Section 2.7.4, 3.3.2, 3.4.3(d), 3.10.3, 3.10.4(q) and 3.11.1(a)(2), as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires restricted door openings, platform guards, sight guards, top-of-car operating devices, normal terminal stopping devices and two way communication which poses a significant economic/financial hardship. Any interested person may file

comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-569).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 8, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Coco Key Hotel and Water Resort. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-570).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 8, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from The Links Condo Phase II. Petitioner seeks a variance of the requirements of ASME A17.1a, Section 303.3d, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a manual shutoff valve which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-571).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

NOTICE IS HEREBY GIVEN THAT on September 8, 2010, the Florida Department of Environmental Protection (Department) has issued an order.

On August 6, 2010, the Department received a petition for variance or waiver under Section 120.542, F.S., from the Pelican Landing Community Association. The Petition requested a variance from or waiver of certain provisions in Chapter 62B-36 of the Florida Administrative Code, as those provisions apply to cost sharing with eligible government entities for the implementation of beach management projects. Notice of receipt of this petition was published in the Florida Administrative Weekly on September 3, 2010. No public comment was received. On September 1, 2010, the Petitioner withdrew its petition for variance or waiver, and an order closing file was issued on September 8, 2010.

A copy of the Order may be obtained by contacting: N. West Gregory, Department of Environmental Protection, Office of General Counsel, 3900 Commonwealth Boulevard, MS #35, Tallahassee, FL 32399-3000, west.gregory@dep.state.fl.us.

DEPARTMENT OF HEALTH

NOTICE IS HEREBY GIVEN THAT on September 14, 2010, the Board of Optometry, received a petition for for waiver or variance filed by Yasmine Fozooni, O.D., from Rule 64B13-4.001, F.A.C., with regard to the licensure requirement of Rule 64B13-4.001, F.A.C., entitled "Examination Requirements." Specifically, the Petitioner, an out-of-state optometrist who has applied for an optometrist license in Florida, requests for reasons stated in the petition that the Board waives the requirement under Rule 64B13-4.001, F.A.C., pertaining to the National Examinations Requirements. Comments on this petition should be filed with the: Board of Optometry, 4052 Bald Cypress Way, Bin #C07, Tallahassee, Florida 32399-3257, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Bruce Deterding, Executive Director, Board of Optometry, at the above address, or telephone (850)245-4355.

NOTICE IS HEREBY GIVEN THAT on September 15, 2010, the Board of Optometry received a petition for waiver or variance filed by Jack W. Harvey, II, O.D., from Rule 64B13-4.001, F.A.C., with regard to the licensure requirement of Rule 64B13-4.001, F.A.C., entitled "Examination Requirements." Specifically, the Petitioner, an out-of-state optometrist who has applied for an optometrist license in Florida, requests for reasons stated in the petition that the Board waives the requirement under Rule 64B13-4.001, F.A.C., pertaining to the National Examinations Requirements. Comments on this petition should be filed with the: Board of Optometry, 4052 Bald Cypress Way, Bin #C07, Tallahassee, Florida 32399-3257, within 14 days of publication of this notice.

For a copy of the petition, contact: Bruce Deterding, Executive Director, Board of Optometry, at the above address, or telephone (850)245-4355.

NOTICE IS HEREBY GIVEN THAT on August 31, 2010, the Board of Pharmacy, received a petition for Alan Oberlender, seeking a waiver of the requirements of paragraph 64B16-26.103(1)(h), Florida Administrative Code, which requires continuing education to be board approved prior to completion.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Rebecca Poston, Executive Director, Board of Pharmacy, 4052 Bald Cypress Way, Bin #C04, Tallahassee, Florida 32399-3254. Comments on this petition should be filed with the Board of Pharmacy within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN THAT on September 13, 2010, the Board of Psychology, received a petition for variance filed by Rob J. Rotunda, Ph.D., from Rule 64B19-12.0085, F.A.C., with regard to the amount of the delinquency fee for late renewal of an active license. Comments on this petition should be filed with the: Board of Psychology, 4052 Bald Cypress Way, Bin #C05, Tallahassee, Florida 32399-3055, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Allen Hall, Executive Director, Board of Psychology, at the above address, or telephone (850)245-4373.

NOTICE IS HEREBY GIVEN THAT on September 8, 2010, the Department of Health, received a petition for variance from Plaza 3300, Inc T/A Central and Harbour Mobile Home Park, requesting variance from the lot size requirements in paragraphs 64E-15.002(2)(a) and 64E-15.002(2)(b), Florida Administrative Code. Comments on the petition should be filed with: Sam Power, Agency Clerk, Department of Health, Office of the General Counsel, 4052 Bald Cypress Way, Bin #A02, Tallahassee, Florida 32399-1703, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: David B. Wolfe, Bureau of Community Environmental Health, 4052 Bald Cypress Way, Bin #A08, Tallahassee, Florida 32399-1710, (850)245-4277.

NOTICE IS HEREBY GIVEN THAT on September 8, 2010, the Florida Department of Health, received a petition for an emergency variance from or waiver of Agency rule subsection 64F-12.015(7), F.A.C. from The Blood Alliance, Inc., 7595 Centurion Parkway, Jacksonville, Florida 32256. The petition seeks an emergency variance from or waiver of subsection 64F-12.015(7), F.A.C. That rule subsection provides application content requirements for licensure and renewal of licensure as a Prescription Drug Wholesale Distributor.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Rebecca Poston, R.Ph, Executive Director, Drugs Devices and Cosmetics Program, 4052 Bald Cypress Way, Mail Bin #C-04, Tallahassee, FL 32399, (850)245-4294.

NOTICE OF CORRECTION – A petition was filed on June 1, 2010, by Manatee Technical Institute for a variance or waiver of paragraph 64J-1.0201(3)(a), Florida Administrative Code, as it relates to the minimum qualifications for Program Directors at Florida-approved EMS Training Programs. Subsequently, the Petitioner filed a letter of withdrawal on July 27, 2010. The Department filed an Order Closing File on August 20, 2010 based on the letter of withdrawal filed by Petitioner.

A copy of the Petition for Variance or Waiver may be obtained by contacting: John Bixler, Chief, Bureau of Emergency Medical Services, 4052 Bald Cypress Way, Bin #C18, Tallahassee, Florida 32399-1738, (850)245-4055, Fax: (850)488-9408, john_bixler@doh.state.fl.us.

FLORIDA HOUSING FINANCE CORPORATION

NOTICE IS HEREBY GIVEN THAT on September 14, 2010, the Florida Housing Finance Corporation, received a petition for Waiver/Variance from subsection 9IER93-10(3), F.A.C., which requires “Interest payments, where applicable, on the HOME mortgage will be due to the servicer on the first day of the calendar quarter”, from Biscayne Apartments Associates, LTD. The petition is seeking a waiver of the required quarterly interest payments for loan financing provided through the HOME Investment Partnerships Program (“Disaster Relief”) (“HOME Program”).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Della Harrell, Corporation Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. The Petition has also been posted on Florida Housing’s website at: www.floridahousing.org. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m. (Eastern Standard Time), on the 14th day after publication of this notice at Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

Section VI Notices of Meetings, Workshops and Public Hearings

The following state governmental agencies, boards and commissions announce a public meeting to which all persons are invited: