

**DEPARTMENT OF ENVIRONMENTAL PROTECTION**

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

---

**Section V**  
**Petitions and Dispositions Regarding Rule**  
**Variance or Waiver**

**DEPARTMENT OF COMMUNITY AFFAIRS**

**NOTICE OF CORRECTION – NOTICE IS HEREBY GIVEN THAT** on September 30, 2010, the Department of Community Affairs, received a petition for waiver from Robert R. McDonald, of Greenberg Traurig, on behalf of William Scotsman, Inc. The rule from which a waiver is sought is Rule 9B-1.030, Florida Administrative Code. This rule governs responsibility for affixing insignia to existing factory built schools and the conditions therefore. It has been assigned the number DCA10-WAI-194. This is a corrected notice; the first notice (11/5/10 F.A.W.) did not list the rule from which a waiver is sought in the text.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Paula P. Ford, Commission Clerk, Department of Community Affairs, 2555 Shumard Oak Boulevard, Tallahassee, Florida (850)922-1682.

**NOTICE IS HEREBY GIVEN THAT** on November 8, 2010, the Division of Emergency Management, State Emergency Response Commission, received a petition for waiver from Buck Stine, General Manager, Kissimmee Bay Country Club. The petitioner seeks a waiver of Rule 9G-14.003, F.A.C., relating to annual registration fees for hazardous chemicals. This waiver is being requested pursuant to the provisions of Section 120.542, Florida Statutes and Rule 28-104.002, F.A.C. It has been assigned the number DCA10-WAI-229.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Paula P. Ford, Agency Clerk, Department of Community Affairs, 2555 Shumard Oak Boulevard, Tallahassee, Florida 32399-2100.

**BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND**

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

**WATER MANAGEMENT DISTRICTS**

**NOTICE IS HEREBY GIVEN THAT** on November 4, 2010, the South Florida Water Management District (District), received a petition for waiver from Granada Estates Homeowners Association, Application No.: 10-1104-1 for issuance of a Right of Way Occupancy Permit, for utilization of Works or Lands of the District known as C-103S Canal for the proposed installation of cross-fence with pedestrian pass-through and vehicular access gates within the north right of way of C-103S, Section 17, Township 57 South, Range 39 East, Miami-Dade County. The petition seeks relief from paragraph 40E-6.221(2)(j), Florida Administrative Code, which governs the placement of permanent and/or semi-permanent above-ground facilities within 40 feet of the top of the canal bank within Works or Lands of the District.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juli Russell at (561)682-6268 or e-mail: [jurussel@sfwmd.gov](mailto:jurussel@sfwmd.gov). The District will accept comments concerning the petition for 14 days from the date of publication of this notice. To be considered, comments must be received by the end of business on the 14th day at the South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406, Attn.: Juli Russell, Office of Counsel.

**NOTICE IS HEREBY GIVEN THAT** on November 10, 2010, the South Florida Water Management District (District) Governing Board has issued an order.

SFWMD Order No.: 2010-196-DAO-ROW was issued to Mirtha Marshall (Application No.: 10-0702-4). The petition for waiver was received by the District on October 6, 2010. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 36, No. 42, on October 22, 2010. No public comment was received. This Order provides a waiver of the District's criteria to allow an existing lawn light pole, dock, water and electric, fence, landscaping and pool heater to remain within the north right of way of the Hillsboro Canal; Section 33, Township 47 South, Range 42 East, Palm Beach County. Specifically, the Order grants a waiver from subsections 40E-6.011(4) and (6), Florida Administrative Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District, incorporated by reference in subsection 40E-6.091(1), Florida Administrative Code, which prohibits the placement of permanent and semi-permanent above-ground facilities within forty feet of the top of the canal bank within works or lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the District's current ability to perform necessary construction, alteration, operation, and routine maintenance activities; and 2) the Order granting a waiver from the subject rule is based upon principles of fairness.

A copy of the Order may be obtained by contacting: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406-4680, (561)682-6268 or by email: jurussel@sfwmd.gov.

---

NOTICE IS HEREBY GIVEN THAT on November 9, 2010, the South Florida Water Management District (District), received a petition for waiver from Charles and Maria Torres, Application No.: 10-0812-3, for utilization of Works or Lands of the District known as the C-2 Canal for existing landscaping that is within 40 feet from top of bank within the north right of way of the C-2 Canal, Section 33, Township 54 South, Range 40 East, Miami-Dade County. The petition seeks relief from subsections 40E-6.011(4) and (6), Florida Administrative Code, which governs the use of the District's Right of Way for placement of above ground facilities within 40 feet from top of bank within Works or Lands of the District.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juli Russell at (561)682-6268 or e-mail: jurussel@sfwmd.gov. The District will accept comments concerning the petition for 14 days from the date of publication of this notice. To be considered, comments must be received by the end of business on the 14th day at the: South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406, Attn.: Juli Russell, Office of Counsel.

---

#### **DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION**

NOTICE IS HEREBY GIVEN THAT on November 15, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Amway Center, filed August 18, 2010, and advertised in Vol. 36, No. 36, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.2.2.5 ASME A17.1a, 2005 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for sump pump because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-539).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Clerk's Annex, filed August 23,

2010, and advertised in Vol. 36, No. 36, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for restricted door openings until July 31, 2011, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-547).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Sarasota Co. Health, filed August 23, 2010, and advertised in Vol. 36, No. 36, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.3.2 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for platform guards until December 31, 2011, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-549).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Crowne Plaza Jacksonville Riverfront, filed August 25, 2010, and advertised in Vol. 36, No. 38, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for restricted door openings until February 1, 2011, because the Petitioner has demonstrated

that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-551).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Ybor City Business Condo Assoc., filed August 26, 2010, and advertised in Vol. 36, No. 38, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until June 1, 2011, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-554).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Palm Avenue Parking Garage, filed August 27, 2010, and advertised in Vol. 36, No. 38, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.20.4 and 2.24.2.1 ASME A17.1, 2005 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires 9.5 mm steel rope and metallic sheave because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-555).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a

Petition for Variance from Ocean Dunes Condo Assoc., Inc., filed August 30, 2010, and advertised in Vol. 36, No. 38, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, 3.3.2 and 2.7.4 ASME A17.3, 1996 edition and from Rule 2.7.3.4 ASME A17.1, 2000 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations, platform guards, restricted door openings and access doors and openings until December 31, 2011, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-559).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Crestwood Nursing Center, filed September 20, 2010, and advertised in Vol. 36, No. 41, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, 3.10.3, 3.11.1(a)(2), 3.4.5(d) and 2.3.3 ASME A17.3, 1996 edition and from Rule 102.2(c)(3) ASME A17.1, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations, top-of-car operating devices, two-way communication, emergency lighting, stop switch and automatic disconnect of the main line power supply until February 1, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-589).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from UCF – Physical Science Bldg., filed October 1, 2010, and advertised in Vol. 36, No. 42, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.2.2.5

ASME A17.1, 2005a edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for sump pump because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-607).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Concourse Tower II, filed October 5, 2010, and advertised in Vol. 36, No. 42, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 211.3c(1)(c) and 211.3c(1)(d) ASME A17.1, 1987 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for fire fighter service door close button and call cancel button until November 1, 2020, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-609).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Concourse Tower I, filed October 5, 2010, and advertised in Vol. 36, No. 42, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 211.3c(1)(c) and 211.3c(1)(d) ASME A17.1, 1987 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for fire fighter service door close button and call cancel button until November 1, 2020, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-611).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 8, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received a letter withdrawing the Petition for variance from Lynn University, filed October 5, 2010, and advertised in Vol. 36, No. 42 of the Florida Administrative Weekly. The Petition for variance requested a variance from undisclosed rules of ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code. The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety is taking no further action on the petition (VW 2010-612).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 5, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

The Final Order was in response to a Petition for emergency Variance from Peninsula Inn, filed October 6, 2010, and advertised in Vol. 36, No. 42, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4, 3.3.2, 2.2.2 and 3.10.4(v) ASME A17.3, 1996 edition and from Rule 210.4 ASME A17.1, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for restricted door openings, platform guards, a spring locked door, stop switch in the pit and covered electrical boxes until October 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-616).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 8, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for emergency Variance from Lakeview Center, filed October 7, 2010, and advertised in Vol. 36, No. 42, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for

Variance grants the Petitioner a variance from Rule 3.3.2 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for platform guards until August 1, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-618).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Baymont Inn, filed October 7, 2010, and advertised in Vol. 36, No. 42, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until December 31, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-619).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for The Final Order was in response to a Petition for emergency Variance from Beach Walker Condo, filed October 11, 2010, and advertised in Vol. 36, No. 43, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and restricted door openings until October 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-629).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 12, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

The Final Order was in response to a Petition for emergency Variance from 800 Beach Rd. Condo Assoc., filed October 13, 2010, and advertised in Vol. 36, No. 44, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.10.6 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for providing a means to prevent the starting of the elevator motor if the phase rotation is in the wrong direction until August 1, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-632).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 15, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for emergency Variance from Hope VI Senior Housing, filed October 19, 2010, and advertised in Vol. 36, No. 44, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.2.2.5 ASME A17.1a, 2005 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for a sump pump because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-639).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 15, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for emergency Variance from First Baptist Church,

filed October 21, 2010, and advertised in Vol. 36, No. 44, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until May 1, 2011, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-648).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 15, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for emergency Variance from 2200 Lucien Way, filed October 26, 2010, and advertised in Vol. 36, No. 44, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until July 15, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-651).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 3, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Willow Wood Mid-Rise Condo Assoc. 1. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-667).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 8, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Seaside Plaza Annex Garage. Petitioner seeks an emergency variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-671).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 8, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Bridgeton North, Inc. Petitioner seeks an emergency variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-672).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from The Greens at Pinebrook. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-673).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Sarasota Memorial Hospital. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.20.1, 2.20.9 and 2.24.2, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators to install an Otis Gen2 elevator system. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-676).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from St. Lucie Co. Courthouse. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.2.2.5, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for a sump pump which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-677).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Mariner's Light Condo Assoc. Petitioner seeks an emergency variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-678).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 12, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Wachovia Building. Petitioner seeks an emergency variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-680).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 12, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Holiday Inn Harbourside. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-681).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 12, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Scholtz Power Plant. Petitioner seeks a variance of the requirements of ASME A17.1, Section 5.7.10.4.4 and 5.7.19, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a switch on the cartop emergency exit which opens when the hatch opens which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-682).

---

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 12, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Big Bend Station. Petitioner seeks a variance of the requirements of ASME A17.1, Section 5.7.12.2, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that limits the load to 1000 lb. and the platform area to 13 sq. ft. which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-683).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 15, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Sea Haven Resort. Petitioner seeks an emergency variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-685).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 15, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from North Shore Normandy Assoc., Inc. Petitioner seeks a variance of the requirements of ASME A17.3, Section 2.7.4, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code that requires upgrading the elevators for restricted door openings which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-686).

---

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 15, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Putnam Hotel. Petitioner seeks a variance of the requirements of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-687).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from The Portland. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.20.4 and 2.24.2.1, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a minimum diameter of hoisting and counterweight ropes and metal sheaves and drums which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-689).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on November 17, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Trafalgar Court. Petitioner seeks an emergency variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-690).



A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 5, 2010, the DBPR, Division of Hotels and Restaurants, received a petition for an Emergency Variance for subsection 61C-4.010(6), Florida Administrative Code and Section 6-201.18, 2001 FDA Food Code, Subparagraph 6-101.11 (A)(1) & (3), 2001 FDA Food Code, Paragraph 6-201.11, 2001 FDA Food Code from Zoinks Kidstation, Tallahassee, FL. The above referenced F.A.C. addresses that studs, joist and rafters may not be exposed in areas subject to moisture and that ceilings must be smooth, nonabsorbent and easily cleanable in areas subject to moisture. They are requesting to operate with exposed studs, joists or rafters in the kitchen and utilize a ceiling that is not smooth and easily cleanable.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on November 5, 2010, the Board of Veterinary Medicine, received a petition for Diane Sudduth, seeking a variance or waiver of subsection 61G18-11.002(3), Florida Administrative Code, which requires that there are two examinations. The first examination will be the North American Veterinary Licensing Examination (NAVLE). The petitioner is also seeking a variance or waiver of subsection 61G18-11.002(6), F.A.C., which requires the North American Veterinary Licensing Examination (NAVLE) may be taken in another state or Canada and the scores may, upon submission of an application for licensure and the application fee, be transferred to Florida for purposes of satisfying the North American Veterinary Licensing Examination's (NAVLE) portion of the examination for licensure.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juanita Chastain, Executive Director, Board of Veterinary Medicine, 1940 North Monroe Street, Tallahassee, FL 32399-0783. Comments on this petition should be filed with the Board of Veterinary Medicine within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN THAT on November 2, 2010, the Board of Accountancy has issued an order.

The Order is regarding the Petition for Variance, filed on August 17, 2009, by Jill A. Bender. The Notice of Petition for Waiver or Variance was published in Vol. 35 No. 35, of the September 4, 2009, Florida Administrative Weekly. Petitioner sought a waiver or variance of paragraph 61H1-28.0052(1)(b), F.A.C., entitled "Number of Sittings, and Granting of Credit, Release of Grades and Completion of Examination, Transition

Rules" which requires candidates to pass all four test sections of the CPA Examination within a rolling eighteen-month period, which begins on the NASBA grade release for the first test section passed. The Board considered the instant Petition at a duly-noticed public meeting held on October 16, 2009, in Gainesville, Florida.

The Board's Order granted the petition finding that Petitioner established that the purpose of the underlying statute, Section 473.306, Florida Statutes, would be met by granting a variance from paragraph 61H1-28.0052(1)(b), F.A.C. The Board further found that Petitioner established that applying the requirements of the aforementioned Rule to her circumstances would violate principles of fairness and impose substantial hardship.

A copy of the Order may be obtained by contacting: Veloria Kelly, Division Director, Board of Accountancy, 240 N. W. 76th Dr., Suite A, Gainesville, Florida 32607.

NOTICE IS HEREBY GIVEN THAT on November 2, 2010, the Board of Accountancy has issued an order.

The Order is regarding the Petition for Variance, filed on September 11, 2009, by Tavera K. Johnson. The Notice of Petition for Waiver or Variance was published in Vol. 35, No. 39, of the October 2, 2009, Florida Administrative Weekly. Petitioner sought a waiver or variance of paragraph 61H1-28.0052(1)(b), F.A.C., entitled "Number of Sittings, and Granting of Credit, Release of Grades and Completion of Examination, Transition Rules" which requires candidates to pass all four test sections of the CPA Examination within a rolling eighteen-month period, which begins on the NASBA grade release for the first test section passed. The Board considered the instant Petition at a duly-noticed public meeting held on October 16, 2009, in Gainesville, Florida.

The Board's Order granted the petition finding that Petitioner established that the purpose of the underlying statute, Section 473.306, Florida Statutes, would be met by granting a variance from paragraph 61H1-28.0052(1)(b), F.A.C. The Board further found that Petitioner established that applying the requirements of the aforementioned rule to her circumstances would violate principles of fairness and impose substantial hardship.

A copy of the Order may be obtained by contacting: Veloria Kelly, Division Director, Board of Accountancy, 240 N. W. 76th Dr., Suite A, Gainesville, Florida 32607.

#### **DEPARTMENT OF ENVIRONMENTAL PROTECTION**

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

NOTICE IS HEREBY GIVEN THAT on November 2, 2010, the Florida Department of Environmental Protection has issued an order.

On October 1, 2010, Smurfit-Stone Container Corporation applied for a variance from the provisions of subsection 62-701.320(9), F.A.C., which requires that the time period for permits be no longer than five years from the date of issuance by the Department. Because Petitioner had not yet begun construction of the solid waste disposal facility, Petitioner alleged that requiring compliance would create a substantial hardship. Notice was published in the F.A.W. on October 22, 2010. The Order Granting Variance extends the permit expiration date for an additional five years, with conditions that the permit be modified before any construction is begun.

A copy of the Order may be obtained by contacting: Richard Tedder, Program Administrator, Department of Environmental Protection, Solid Waste Section, 2600 Blair Stone Road, Tallahassee, Florida 32399-2400, email: richard.tedder@dep.state.fl.us, (850)245-8735.

---

#### DEPARTMENT OF HEALTH

NOTICE IS HEREBY GIVEN THAT on November 4, 2010, the Board of Clinical Laboratory Personnel, received a petition for Elaine Van Horn. The petition does not state the rule from which the petitioner is requesting a variance or waiver.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Bruce Deterding, Executive Director, Board of Clinical Laboratory Personnel, 4052 Bald Cypress Way, Bin #C07, Tallahassee, Florida 32399-3257. Comments on the petition should be filed with the Board of Clinical Laboratory Personnel within 14 days of publication of this notice.

---

NOTICE IS HEREBY GIVEN THAT on November 8, 2010, the Board of Pharmacy has issued an order.

The Order is on the Petition for Variance or Waiver filed on August 31, 2010, by Alan S. Oberlender. Petitioner was seeking a variance or waiver of Rule 64B16-26.103, Florida Administrative Code, entitled "Continuing Education Credits; Renewal," which requires continuing education to be board approved prior to completion. The Notice of Petition published on September 24, 2010, in Vol. 36, No. 38, of the Florida Administrative Weekly.

The Board of Pharmacy considered the Petition at a duly-noticed public meeting held on October 13, 2010 in Tallahassee, Florida. The Board's Order granted the petition finding that Petitioner established that the purpose of the underlying statute, Section 465.009, Florida Statutes, would be met by granting a variance or waiver from Rule 64B16-26.103, F.A.C. The Board further finds that the Petitioner established that applying the requirements of the aforementioned rule to Petitioner's circumstances would violate principles of fairness and impose substantial hardship.

A copy of the Order may be obtained by contacting: Kelli Ferrell, RPh, Acting Executive Director, Board of Pharmacy, 4052 Bald Cypress Way, Bin #C04, Tallahassee, Florida 32399-3254.

---

NOTICE IS HEREBY GIVEN THAT on October 1, 2010, the Board of Physical Therapy Practice, received a petition for Michelle Harding, seeking a variance or waiver of Rule 64B17-3.003, F.A.C., with regard to her credential licensed in Florida.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Allen Hall, Executive Director, Board of Physical Therapy Practice/MQA, 4052 Bald Cypress Way, Bin #C05, Tallahassee, Florida 32399-3255.

---

NOTICE IS HEREBY GIVEN THAT on November 8, 2010, the Board of Psychology, received a petition for a variance filed by Yamaris Bobe Lamboy, Psy.D., from Rule 64B19-11.005, F.A.C., with regard to the requirement for 4,000 hours of supervised experience for licensure. Comments on this petition should be filed with the: Board of Psychology, 4052 Bald Cypress Way, Bin #C05, Tallahassee, Florida 32399-3055, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Allen Hall, Executive Director, Board of Psychology, at the above address, or telephone (850)245-4373.

---

NOTICE IS HEREBY GIVEN THAT on November 15, 2010, the Board of Psychology, received a petition for a waiver or variance filed by Charnette Munroe, Ph.D., from paragraph 64B19-11.005(1)(c), F.A.C., with regard to the requirement that the supervisor is either a licensed Florida psychologist in good standing, or a doctoral-level psychologist in good standing in another state providing for supervision for licensure in that state. Comments on this petition should be filed with the: Board of Psychology, 4052 Bald Cypress Way, Bin #C05, Tallahassee, Florida 32399-3055, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Allen Hall, Executive Director, Board of Psychology, at the above address, or telephone (850)245-4373.

---

NOTICE IS HEREBY GIVEN THAT on November 3, 2010, the Florida Department of Health, Division of Emergency Medical Operations, Bureau of Emergency Medical Services (EMS), received a petition for temporary variance of paragraphs 64J-1.0201(3)(a), (b), Florida Administrative Code, from Brevard Community College.

Nature of Rule: Sets forth the minimum qualifications for Program Directors at Florida-approved EMS Training Programs. To be eligible for approval as an EMS Training

Program, applicants must provide documentation that each instructor has met the standards for their position as listed in the school's Application for Approval of an Emergency Medical Services Training Program, DH Form 1698, December 2008.

The petitioner is requesting a temporary variance of the above-described rule for 6 months to hire a qualified instructor or allow a current member of the staff time to finish her Bachelor's degree and Level B coursework, as required in the Instructor Core Curriculum.

All comments regarding this petition must be received in writing by December 8, 2010.

A copy of the Petition for Variance or Waiver may be obtained by contacting: John Bixler, Chief, Bureau of Emergency Medical Services, 4052 Bald Cypress Way, Bin #C18, Tallahassee, Florida 32399-1738, (850)245-4055, Fax: (850)488-9408, email: john\_bixler@doh.state.fl.us.

---

#### DEPARTMENT OF CHILDREN AND FAMILY SERVICES

NOTICE IS HEREBY GIVEN THAT on November 2, 2010, the Department of Children and Families, received a petition for waiver of Rule 65C-15.017, Florida Administrative Code, from Devereux Florida and Stephanie Feliciano, assigned Case No.: 10-056W. Rule 65C-15.017, F.A.C., requires agency staff responsible for supervision shall have a master's degree in social work or a related area of study from an accredited college or university and at least two years of experience in human services or child welfare programs. A bachelor's degree in social work from an accredited college or university or related area of study and four years of experience in human services or child welfare programs may be substituted. A doctorate in social work or a related area of study may be substituted for one year of the required experience.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Children and Families, 1317 Winewood Blvd., Bldg. 2, Room 204, Tallahassee, FL 32999-0700.

---

NOTICE IS HEREBY GIVEN THAT on November 9, 2010, the Department of Children and Families, received a petition for waiver of subsection 65C-15.017(3), Florida Administrative Code, from Gulf Coast Community Care and Andrew Brehm, assigned Case No.: 10-058W. Subsection 65C-15.017(3), F.A.C., requires staff performing casework services shall have a bachelor's degree in social work or related area of study from an accredited college or university.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Children and Families, 1317 Winewood Blvd., Bldg. 2, Room 204, Tallahassee, FL 32399-0700.

---

## Section VI Notices of Meetings, Workshops and Public Hearings

#### DEPARTMENT OF STATE

The Florida **Department of State, Division of Library and Information Services**, announces a State Library Council Meeting via conference call. All persons are invited.

DATE AND TIME: Monday, December 13, 2010, 11:00 a.m. – 1:00 p.m. EST

PLACE: Archives Conference Room, Division of Library and Information Services, R.A. Gray Building, 500 South Bronough Street, Tallahassee, Florida 32399

GENERAL SUBJECT MATTER TO BE CONSIDERED: The Council will review and discuss programs and issues related to the Division of Library and Information Services. For additional information, contact: Judith Ring, Division Director, at (850)245-6600.

Any person requiring special accommodations or assistance due to a disability or physical impairment should contact the agency at least five days prior to the meeting by calling (850)245-6600 or TDD (850)922-4085.

---

The **Friends of Mission San Luis, Inc.** announces a public meeting to which all persons are invited.

DATE AND TIME: Sunday, December 12, 2010, 10:00 a.m. – conclusion

PLACE: Mission San Luis Conference Room, 2100 West Tennessee Street, Tallahassee, FL 32304

GENERAL SUBJECT MATTER TO BE CONSIDERED: The Board of Directors will meet to discuss the day's activities, 2011 events, fundraising, and other Friends business.

A copy of the agenda may be obtained by contacting: Jessica Shiver at (850)487-1666.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 48 hours before the workshop/meeting by contacting: Jessica Shiver at (850)487-1666. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

If any person decides to appeal any decision made by the Board with respect to any matter considered at this meeting or hearing, he/she will need to ensure that a verbatim record of the proceeding is made, which record includes the testimony and evidence from which the appeal is to be issued.

For more information, you may contact: Jessica Shiver at (850)487-1666 or email: jbshiver@dos.state.fl.us.

---