

(i) A liability limit of \$5 million is established for PLAY 4. When the play of a particular four digit number for a drawing reaches the Lottery’s PLAY 4 liability limit of \$5 million, no further ticket sales for any type of play that would involve that four digit number will be allowed for that drawing.

(2) PLAY 4 Drawings.

(a) PLAY 4 drawings are conducted twice daily.

(b) The equipment shall be configured so that one ball is drawn from each of four units of balls numbered zero through nine.

(c) Four balls will be selected in the drawing, one each into four separate display devices. The numbers shown on the four balls, after certification by the Draw Manager and the Accountant, shall be the official winning numbers for the drawing.

(d) The Florida Lottery shall not be responsible for incorrect circulation, publication or broadcast of official winning numbers.

(3) PLAY 4 Odds of Winning. The odds of winning in PLAY 4 are as follows:

- (a) Straight 1 in 10,000
- (b) Box 4-Way 1 in 2,500
- (c) Box 6-Way 1 in 1,666.67
- (d) Box 12-Way 1 in 833.33
- (e) Box 24-Way 1 in 416.67
- (f) Straight/ Box 4-Way 1 in 10,000 and 1 in 2,500
- (g) Straight/ Box 6-Way 1 in 10,000 and 1 in 1,666.67
- (h) Straight/ Box 12-Way 1 in 10,000 and 1 in 833.33
- (i) Straight/ Box 24-Way 1 in 10,000 and 1 in 416.67
- (j) Combo 4-Way 1 in 2,500
- (k) Combo 6-Way 1 in 1,666.67
- (l) Combo 12-Way 1 in 833.33
- (m) Combo 24-Way 1 in 416.67
- (n) Front Pair 1 in 100
- (o) Middle Pair 1 in 100
- (p) Back Pair 1 in 100.

(4) PLAY 4 Rules and Prohibitions.

(a) By purchasing a PLAY 4 ticket a player agrees to comply with and abide by all rules and regulations of the Florida Lottery.

(b) PLAY 4 prize payments shall be made in accordance with rules of the Florida Lottery governing payment of prizes. A copy of the current rule can be obtained from the Florida Lottery, Office of the General Counsel, 250 Marriott Drive, Tallahassee, Florida 32399-4011.

(c) Subject to a retailer’s hours of operation and on-line system availability, PLAY 4 lottery tickets are available for purchase daily between the hours of 6:00 a.m. and midnight, Eastern Time (ET).

(d) The scheduled time for the daily PLAY 4 drawing is approximately 1:30 p.m. ET for the midday draw and 7:57 p.m., ET for the evening draw. Ticket sales for a specific PLAY 4 drawing will close approximately ten (10) minutes prior to that drawing. Any ticket sold after the close of game will be printed with the next available PLAY 4 draw date and time unless the player specifies another PLAY 4 draw date and time within the selection parameters.

(e) Retailer cancellations of PLAY 4 tickets can only be performed by the retailer who sold the ticket, using the selling terminal’s optical mark reader, and within two (2) hours after printing, except that no PLAY 4 ticket shall be cancelled after close of game for the related drawing. The two (2)-hour ticket cancellation period may be reduced due to the selling retailer’s hours of business operation, the hours of on-line system availability, or the time of the related PLAY 4 close of game.

(f) It is the responsibility of the player to determine the accuracy of the selected panels of numbers, draw date(s), draw time(s) and play types on tickets. In the event that a ticket given to the player by the retailer contains selections that are not consistent with the player’s selections, it shall be the responsibility of the player to immediately advise the retailer of that fact. In such event and upon request of a player, the retailer shall make a good faith effort to cancel the ticket. A retailer is not required to cancel a ticket produced upon request of a player by the “quick pick” method of number selection.

(5) The effective date of this emergency rule is February 26, 2012.

Rulemaking Authority 24.105(2), 24.105(9)(a), (b), (c), (d), (e), (f), (h), 24.109(1), 24.115(1) FS. Law Implemented 24.105(2), 24.105(9)(a), (b), (c), (d), (e), (f), (h), 24.117(2), 24.124(1) FS. History—New 2-26-12, Replaces 53ER11-37.

THIS RULE TAKES EFFECT UPON BEING FILED WITH THE DEPARTMENT OF STATE UNLESS A LATER TIME AND DATE IS SPECIFIED IN THE RULE  
EFFECTIVE DATE: February 26, 2012

## Section V Petitions and Dispositions Regarding Rule Variance or Waiver

### DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on February 22, 2012, the Division issued an order. The Final Order was in response to a Petition for emergency Variance from Merchantile Bank Plaza, filed January 30, 2012, and advertised in Vol. 38, No. 6, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for

Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until November 1, 2014, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-031). A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on February 22, 2012, the Division issued an order. The Final Order was in response to a Petition for emergency Variance from Cypress Commons, filed January 30, 2012, and advertised in Vol. 38, No. 6, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until August 1, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-032).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on February 22, 2012 the Division issued an order. The Final Order was in response to a Petition for Variance from Renaissance at Riverside, filed November 23, 2011, and advertised in Vol. 37, No. 49, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 8.6.5.8 ASME A17.1, 2005 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a safety bulkhead on the bottom of the hydraulic jack until August 1, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-388).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on February 29, 2012, the Division issued an order. The Final Order was in response to a Petition for emergency Variance from Beach Pharmaceuticals, filed January 31, 2012, and advertised in Vol. 38, No. 6, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.18.5.1 and 2.20.1 ASME A17.1, 2005 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires the use of a 9.5 mm steel rope and requirement of a metallic sheave because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-033).

A copy of the Order or additional information may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on February 22, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Meadow Park Elementary. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.18.5.1 and 2.20.1, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires suspension be provided by steel wire ropes and that governor ropes be no less than 9.5mm which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-054).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on February 22, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Laver's "A". Petitioner seeks a variance of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this

notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-055).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on February 22, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Oceana Palms. Petitioner seeks an emergency variance of the requirements of ASME A17.1, Section 2.1.1.1.2, 2.1.1.3, 2.7.6, 2.20.1 and 2.20.9, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a machine room, steel ropes, wedge shackles to secure the steel ropes and grooved sheaves of a minimum pitch diameter which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-056, VW 2012-057, VW 2012-058 and VW 2012-059).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on February 22, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Days Inn & Suites Mainsail. Petitioner seeks an emergency variance of the requirements of ASME A17.3, Section 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators with firefighters' emergency operations and restricted door openings which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-060).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on February 23, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Holcim. Petitioner seeks an emergency variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative

Code, that requires upgrading the elevators with firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-061).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on February 24, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Ybor Business Center. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators with firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-068).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on February 24, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Ella at Encore. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.18.5.1, 2.20.4 and 2.24.2.1, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires the use of a 9.5 mm steel rope and requirement of a metallic sheave which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-069).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on February 24, 2012, the The Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for an Emergency Variance for Variance for paragraph 61C-1.004(1)(a), Florida Administrative Code and Paragraph 5-202.11(A), 2001 FDA Food Code from Salty's Seafood Rolls & Gumbo located in Destin, FL. The above referenced F.A.C. addresses the requirement that each establishment have an

approved plumbing system installed to transport potable water and collect wastewater. They are requesting to utilize holding tanks to provide potable water and to collect wastewater at the handwash and three-compartment sinks.

The Division of Hotels and Restaurants will accept comments concerning the Petition for 5 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

---

#### DEPARTMENT OF HEALTH

NOTICE IS HEREBY GIVEN that on November 18, 2011, the Board of Clinical Social Work, Marriage and Family Therapy and Mental Health Counseling, received a petition for Shirley St. Amour, seeking a variance or waiver of subsection 64B4-3.0085(4), F.A.C., which requires that experience obtained under the supervision of the new qualified supervisor will not count toward completion of the experience requirement until the registered intern has received board approval of their new qualified supervisor.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sue Foster, Executive Director, Board of Clinical Social Work, Marriage and Family Therapy and Mental Health Counseling, 4052 Bald Cypress Way, Bin #C08, Tallahassee, Florida 32399-3258, Comments on this petition should be filed with the Board within 14 days of publication of this notice.

---

NOTICE IS HEREBY GIVEN that on January 30, 2012, the Board of Medicine, received a petition for waiver filed by Aruna Dash, M.D., from Rule 64B8-4.009, F.A.C., with regard to the requirement for submission of documentation of medical education directly from Petitioner's medical school. Comments on this petition should be filed with: Board of Medicine, 4052 Bald Cypress Way, Bin #C03, Tallahassee, Florida 32399-3053, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Joy A. Tootle, Executive Director, Board of Medicine, at the above address, or telephone (850)245-4131.

---

NOTICE IS HEREBY GIVEN that on February 23, 2012, the Board of Medicine, received a petition for waiver or variance filed by David F. Sciortino, M.D., from Rule 64B8-4.010, F.A.C., with regard to the requirement for a copy of Petitioner's medical school diploma. Comments on this petition should be filed with: Board of Medicine, 4052 Bald Cypress Way, Bin #C03, Tallahassee, Florida 32399-3053, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Joy A. Tootle, Executive Director, Board of Medicine, at the above address, or telephone (850)245-4131.

---

NOTICE IS HEREBY GIVEN that on February 24, 2012, the Board of Osteopathic Medicine, received a petition for emergency variance filed by Joe W. Morgan, D.O., from paragraph 64B15-13.001(1)(a), F.A.C., with regard to the requirement for five of the hours of continuing medical education (CME) for licensure renewal. Comments on this petition should be filed with: Board of Osteopathic Medicine, 4052 Bald Cypress Way, Bin #C06, Tallahassee, Florida 32399-3056, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Anthony Jusevitch, Executive Director, Board of Osteopathic Medicine, at the above address, or telephone (850)245-4161.

---

NOTICE IS HEREBY GIVEN that on February 23, 2012, the Board of Osteopathic Medicine, received a petition for waiver filed by Taryn Silverstein, D.O., from paragraph 64B15-13.001(3)(b), F.A.C., with regard to the requirement for live/participatory continuing medical education (CME) for licensure renewal. Comments on this petition should be filed with: Board of Osteopathic Medicine, 4052 Bald Cypress Way, Bin #C06, Tallahassee, Florida 32399-3056, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Anthony Jusevitch, Executive Director, Board of Osteopathic Medicine, at the above address, or telephone (850)245-4161.

---

NOTICE IS HEREBY GIVEN that on February 27, 2012, the Department of Health, received a petition for Emergency Variance from paragraph 64E-16.007(6)(e), Florida Administrative Code, from Robert Ulery. This rule prescribes credentialing requirements for persons instructing body piercing courses. The Petitioner requests a variance from these rules to allow the Petitioner to provide formal training, which includes infection control as part of the curriculum, to body piercers and operators. Comments on this Petition should be filed with: Agency Clerk, Department of Health, Office of the General Counsel, 4052 Bald Cypress Way, Bin #A02, Tallahassee, Florida 32399-1703, within 5 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Penny Barwick, Bureau of Community Environmental Health, 4052 Bald Cypress Way, Bin #A08, Tallahassee, Florida 32399-1710, (850)245-4277.