

(c) Subject to a retailer's hours of operation and on-line system availability, POWERBALL lottery tickets are available for purchase daily between the hours of 6:00 a.m. and 12:00 midnight, Eastern Time (ET). Ticket sales for a specific POWERBALL drawing will close at 10:00 p.m., ET, on the night of the drawing. Any ticket sold after the close of game will be printed with the next POWERBALL draw date.

(d) POWERBALL tickets cannot be cancelled.

Rulemaking Authority 24.105(9)(a), (b), (c), (e), (f), (h), 24.109(1), 24.115(1) FS. Law Implemented, 24.105(9)(a), (b), (c), (e), (f), (h), 24.115(1), 24.116(1), 24.117(2), 24.124(1) FS. History—New 7-6-12, Replaces 53ER12-6.

THIS RULE TAKES EFFECT UPON BEING FILED WITH THE DEPARTMENT OF STATE UNLESS A LATER TIME AND DATE IS SPECIFIED IN THE RULE.

EFFECTIVE DATE: July 6, 2012

---

## Section V

### Petitions and Dispositions Regarding Rule Variance or Waiver

#### DEPARTMENT OF EDUCATION

NOTICE IS HEREBY GIVEN that on June 29, 2012, the Florida's Office of Early Learning, received a petition for Temporary Emergency Waiver of paragraph 6M-8.201(4)(a), F.A.C., which provides requirements for conducting parent orientation sessions for parents registering their children for the VPK program. The Petition was filed by the Early Learning Coalition of Orange County, P. O. Box 540387, Orlando, FL 32854. Notice was posted on July 1, 2012.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Todd Twilley, Florida's Office of Early Learning, 250 Marriott Drive, Tallahassee, FL 32399, email: [Todd.Twilley@oel.myflorida.com](mailto:Todd.Twilley@oel.myflorida.com).

---

#### PUBLIC SERVICE COMMISSION

NOTICE IS HEREBY GIVEN that on June 25, 2012, the Florida Public Service Commission, received a petition for the Florida Division of Chesapeake Utilities Corporation in Docket No.: 120178-GU, seeking waiver from paragraph 25-7.045(8)(a), Florida Administrative Code. The rule requires companies to file a depreciation study at five year intervals. Comments on the petition should be filed with the Office of Commission Clerk, Florida Public Service Commission, 2540 Shumard Oak Boulevard, Tallahassee, FL 32399-0850, within 14 days of publication of this notice. For additional information, please contact Caroline Klancke, Office of the General Counsel, at the above address or telephone (850)413-6220.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Office of Commission Clerk, (850)413-6220.

---

#### WATER MANAGEMENT DISTRICTS

NOTICE IS HEREBY GIVEN that on July 5, 2012, South Florida Water Management District (District) received a request for withdrawal of a Petition for Waiver from Centurylink regarding Application No. 12-0541-1M for utilization of Works or Lands of the District known as the CR 951 Canal; Section 14/15, Township 50 South, Range 26 East, Collier County. The District originally received the petition for waiver from Centurylink on May 18, 2012, and Notice of receipt of the petition was published in the Florida Administrative Weekly, Vol. 38, No. 22, on June 1, 2012. No public comment was received.

A copy of the withdrawal request may be obtained from: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406-4680, (561)682-6268 or e-mail: [jurussel@sfwmd.gov](mailto:jurussel@sfwmd.gov).

---

NOTICE IS HEREBY GIVEN that on June 28, 2012, the South Florida Water Management District ("District"), received a petition for waiver from Florida Department of Transportation, Application No.: 12-0628-4, for utilization of Works or Lands of the District known as C-1W Canal, for the proposed placement of a guardrail directly adjacent to the bridge; Section 12, Township 55 South, Range 38 East, Miami-Dade County. This petition seeks relief from subsections 40E-6.011(4) and (6), Florida Administrative Code, which governs the placement of permanent and/or semi-permanent above-ground structures within 40 feet of the top of canal bank and within the District's 100 foot long designated equipment staging areas within Works or Lands of the District.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juli Russell, (561)682-6268 or email: [jurussel@sfwmd.gov](mailto:jurussel@sfwmd.gov). The District will accept comments concerning the petition received by end of business on the 14th day at the South Florida Water Management District, 3301 Gun Club Road, MSC #1414, West Palm Beach, FL 33406, Attn: Juli Russell, Office of Counsel.

---

NOTICE IS HEREBY GIVEN that on June 28, 2012, the South Florida Water Management District (District), received a petition for waiver from Toras Chaim Development Corporation for a Right of Way Occupancy Permit, Application No. 12-0628-3, for utilization of Works or land of the District known as the C-9 Canal to allow an existing concrete Walkway, sprinkler pump, portion of a basketball court and a portion of a concrete pad with dumpster and a fence enclosure at the top of bank to remain within the north canal right of way lying in Section 5, Township 52 South, Range 42 East, Miami-Dade County. The petition seeks relief from

paragraph 40E-6.221(2)(j), Florida Administrative Code, which governs the placement of permanent and/or semi-permanent above-ground encroachments within 40 feet of the top of the canal bank within Works or Land of the District.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juli Russell, (561)682-6268 or email: jurussel@sfwmd.gov. The District will accept comments concerning the petition for 14 days from the date of publication notice. To be considered, comments must be received by the end of business on the 14th day at the South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406, Attention: Juli Russell, Office of Counsel.

---

#### DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on July 10, 2012, the Division issued an order. The Final Order was in response to a Petition for an emergency Variance from Internal Operations Center I, filed June 15, 2012, and advertised in Vol. 38, No. 26, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until March 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-195).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on July 10, 2012, the Division issued an order. The Final Order was in response to a Petition for an emergency Variance from UF 357 Clinical and Translational research, filed June 15, 2012, and advertised in Vol. 38, No. 26, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.20.4, and 2.24.2.1 ASME A17.1b, 2009 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators from the use of a 9.5mm steel rope and requirement of a metallic sheave because the Petitioner has demonstrated that the purpose of the statute

underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-194).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on July 10, 2012, the Division issued an order. The Final Order was in response to a Petition for a Variance from Century Plaza, LTD, filed June 8, 2012, and advertised in Vol. 38, No. 25, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until June 8, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-189).

A copy of the Order or additional information may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on June 29, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Isles Club I Condominium Association, Inc. Petitioner seeks an emergency variance of the requirements of an unspecified Section of A17.1, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators unspecified rule which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-208).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013

---

NOTICE IS HEREBY GIVEN that on June 29, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for FW Medical Office. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.20.4, 2.18. as adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires steel ropes of a minimum diameter of 9.5

mm which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-207).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on July 2, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Lakewood Park. Petitioner seeks an emergency variance of the requirements of ASME A17.1, Section 5.2.1.12), as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators with hoistway door locking devices and electric contacts and hoistway access switches which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-210).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on July 2, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for 933 Office Building. Petitioner seeks an emergency variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators with firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-209).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on July 2, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Nemours Children's Hospital. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.20.4, 2.18.5 and 8.11.2.1.3(cc)(1) & (3) as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires

steel ropes of a minimum diameter of 9.5 mm which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-211).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on July 2, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Hyatt Place. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.20.4, 2.18.5 and 8.11.2.1.3(cc)(1) & (3) as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires steel ropes of a minimum diameter of 9.5 mm which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-212).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on July 9, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Longwood Office Park. Petitioner seeks an emergency variance of the requirements of ASME A17.1, Section 8.11.3.1, 3.4., 2.2 and Florida Building Code section 3002.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators with emergency signs, periodic inspection requirements, pits, and equipment projecting above the car top, which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-218).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on July 6, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for PLACE. Petitioner seeks an emergency variance of the requirements of ASME A17.1b, Section 8.7.2.1.5, as

adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators control of smoke and hot gases operations which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-215).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on July 6, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Regency West Apartments, A Condominium. Petitioner seeks an emergency variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators with firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-216).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on July 6, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for The Home Association. Petitioner seeks a variance of the requirements of ASME A17.3, Section 1.2, 2.2.4, 2.3.1, 2.7.3, 3.4.1, 3.4.2, 3.4.4, 3.9.1, 3.9.2, 3.10.3 and ASME A17.1b, Section 8.6.1.6.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators application of code, ventilation, access to pits, access to hoistway, car enclosures, car doors and gates, emergency exit, normal terminal stopping devices, final terminal stopping devices, top of car operating device, and controllers, wiring, and wiring diagrams operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-217).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on July 2, 2012, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for an Emergency Variance for paragraph 61C-1.004(1)(a), Florida Administrative Code and Paragraph 5-202.11(A), 2001 FDA Food Code, from Better Lunch located in Celebration, FL. The above referenced F.A.C. addresses the requirement that each establishment have an approved plumbing system installed to transport potable water and collect wastewater. They are requesting to utilize holding tanks to provide potable water and to collect wastewater at the handwash and three-compartment sinks.

The Division of Hotels and Restaurants will accept comments concerning the Petition for 5 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, FL 32399-1011, Lydia.Gonzalez@dbpr.state.fl.us.

---

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on July 3, 2012, the Division issued an order. The Final Order was in response to a Petition for a Variance from Channelside Apartments, filed May 24, 2012, and advertised in Vol. 38, No. 24, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.18.5.1, and 2.20.1, ASME A17.1, 2009b edition, as adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators to allow the installation of Schindler 3300 elevator system with 6mm governor ropes and non-circular elastomeric coated steel suspension members because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-164).

A copy of the Order or additional information may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

The Department of Business and Professional Regulation, Drugs, Devices and Cosmetics Program, hereby gives notice that the department has disposed of the petition for variance and waiver filed by LifeSouth Community Blood Centers, Inc., on March 28, 2012.

The Department of Business and Professional Regulations, Drugs, Devices and Cosmetics Program received a notice of withdrawal of the petition for variance and waiver from LifeSouth Blood Centers, Inc., June 19, 2012.

The original Notice of Petition was published in Vol. 38, No. 15 of the April 13, 2012, issue of the Florida Administrative Weekly.

A copy of the Order or additional information may be obtained by contacting: The Drugs, Devices and Cosmetics Program, 1940 N. Monroe Street, Suite 26A, Tallahassee, Florida 32399-1047, by phone: (850)717-1800 or by the web-site: [http://interredesignalpha/dbpr/ddc/ddc\\_division\\_notices.html](http://interredesignalpha/dbpr/ddc/ddc_division_notices.html).

NOTICE IS HEREBY GIVEN that on July 5, 2012, the Board of Accountancy received an emergency petition for Mariah Johnson, seeking a variance or waiver of paragraph 61H1-28.0052(1)(b), Florida Administrative Code, that requires candidates to pass all four test sections of the CPA Examination within a rolling eighteen-month period, which begins on the NASBA grade release date for the first test section(s) passed.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Veloria Kelly, Division Director, Board of Accountancy, 240 NW 76th Dr., Suite A, Gainesville, Florida 32607. Comments on this petition should be filed with the Board of Accountancy within 14 days of publication of this notice.

#### **DEPARTMENT OF ENVIRONMENTAL PROTECTION**

The Department of Environmental Protection, Bureau of Beaches and Coastal Systems, hereby gives notice that it issued an order on June 14, 2012 granting a variance request by Amgad and Nermeen Girgis. The variance petition was received March 16, 2012. Notice of receipt of this petition was published in the Florida Administrative Weekly on March 30, 2012. The petition requested a variance from the conditions under subsection 62B-33.005(8), F.A.C., which requires major structures to be sited a sufficient distance landward of the beach and frontal dune. The variance petition is associated with a permit application for construction of a single-family dwelling, swimming pool, and accompanying structures on property located at 4121 South Ocean Boulevard, Highland Beach, FL. No public comment was received. The Order, file number PB-1041 V, granted the Petition for a variance from subsection 62B-33.005(8), F.A.C., because the Petitioners, Amgad and Nermeen Girgis, demonstrated that a strict application of the rule would result in substantial hardship to Petitioners or would affect Petitioners differently than other similarly situated applicants. Further, the Petitioners demonstrated that it fulfilled the requirements of the underlying statute by other means.

A copy of the Order or additional information may be obtained by contacting: Kamie Carney, Department of Environmental Protection, MS #300, 3900 Commonwealth Blvd., Tallahassee, Florida 32399, (850)488-7708, [kamie.carney@dep.state.fl.us](mailto:kamie.carney@dep.state.fl.us).

#### **DEPARTMENT OF HEALTH**

NOTICE IS HEREBY GIVEN that on July 2, 2012, the Board of Dentistry, received a petition for a waiver or variance filed by Javier Lopez, Esquire, on behalf of Stephanie Gonzalez, seeking a waiver or variance of the restrictions imposed by subsection 64B5-2.021(1) F.A.C., with regards to the composition of remedial training required to take the dental licensing examination after the third failure of the examination. Comments on this petition should be filed with the: Board of Dentistry, 4052 Bald Cypress Way, Bin #C08, Tallahassee, Florida 32399-3258, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sue Foster, Executive Director, at the above address or telephone (850)245-4474.

NOTICE IS HEREBY GIVEN that on June 29, 2012, the Board of Dentistry, received a petition for a waiver or variance filed by Chasity H. O'Steen, Esquire, on behalf of Victoria Gutierrez, seeking a waiver or variance of the restrictions imposed by subsection 64B5-2.0135(1) F.A.C., that would prohibit the Board from accepting her clinical examination grades from June 2000.

Comments on this petition should be filed with the Board of Dentistry, 4052 Bald Cypress Way, Bin #C08, Tallahassee, Florida 32399-3258, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sue Foster, Executive Director, at the above address or telephone (850)245-4474.

NOTICE IS HEREBY GIVEN that on July 5, 2012, the Board of Medicine, received a petition for waiver or variance filed by Mohammad H. Gharavi M.D., from Rule 64B8-9.0131, F.A.C., with regard to the requirements for practice in a pain management clinic. Comments on this petition should be filed with the: Board of Medicine, 4052 Bald Cypress Way, Bin #C03, Tallahassee, Florida 32399-3053, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Joy A. Tootle, Executive Director, Board of Medicine, at the above address or telephone (850)245-4131.

NOTICE IS HEREBY GIVEN that on July 2, 2012, the Board of Medicine, received a petition for waiver or variance filed on behalf of Joseph J. Karimpil, M.D., from Rule 64B8-4.009, F.A.C., with regard to the requirement for submission of

documentation of medical education directly from Petitioner’s medical school. Comments on this petition should be filed with the Board of Medicine, 4052 Bald Cypress Way, Bin #C03, Tallahassee, Florida 32399-3053, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Joy A. Tootle, Executive Director, Board of Medicine, at the above address or telephone: (850)245-4131.

NOTICE IS HEREBY GIVEN that on July 2, 2012, the Board of Physical Therapy Practice, received a petition for variance or waiver of Rule 64B17-3.001, F.A.C., filed by Preeti Jha, which requires for foreign graduates to have received a determination that the credentials are equivalent to education required for licensure as a physical therapist in the United States as determined by the Foreign Credentialing Commission on Physical Therapy.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Allen Hall, Executive Director, Board of Physical Therapy Practice, 4052 Bald Cypress Way, Bin #C05, Tallahassee, Florida 32399-3255. Comments on this petition should be filed with the Board of Physical Therapy Practice at the above address within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN that on July 2, 2012, the Department of Health, Bureau of Radiation Control, received a petition for the Pinellas County Sheriff’s Office. The petitioner is seeking a variance from subparagraph 64E-5.502(1)(a)6., F.A.C., which prohibits individuals from being exposed to radiation from an x-ray machine for training, demonstration or other purposes unless there are also medical requirements and a proper prescription has been provided.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Philip Thoma, Environmental Health Program Consultant, Bureau of Radiation Control, Radiation Machine Program, 705 Wells Road, Orange Park, Florida 32073, (904)278-5730. Comments on this petition should be filed with the Bureau of Radiation Control within 14 days of this notice.

## Section VI

### Notices of Meetings, Workshops and Public Hearings

#### DEPARTMENT OF LEGAL AFFAIRS

The **Florida Elections Commission** announces a public meeting to which all persons are invited.

DATE AND TIME: August 14, 2012, 9:00 a.m.

PLACE: Senate Office Building, 404 South Monroe Street, Room S401, Tallahassee, FL 32399-6526

GENERAL SUBJECT MATTER TO BE CONSIDERED: Agency matters. Review and adjudication of cases relating to alleged violations of Chapters 104 and 106, Florida Statutes, and to the late filing of campaign treasurer’s reports. Rules Review. Portions of this meeting are confidential and closed to the public.

A copy of the agenda may be obtained by contacting: Agency Clerk, (850)922-4539, ext. 102, by e-mail: [FEC@myfloridalegal.com](mailto:FEC@myfloridalegal.com), by mail: 107 W. Gaines Street, Suite 224, Collins Building, Tallahassee, FL 32399-1050, and or by viewing the Commission’s website: [www.fec.state.fl.us](http://www.fec.state.fl.us).

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 5 days before the workshop/meeting by contacting: Agency Clerk, Donna Malphurs, (850)922-4539, ext. 102 or [FEC@myfloridalegal.com](mailto:FEC@myfloridalegal.com). If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice). If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

If any person decides to appeal any decision made by the Board with respect to any matter considered at this meeting or hearing, he/she will need to ensure that a verbatim record of the proceeding is made, which record includes the testimony and evidence from which the appeal is to be issued.

For more information, you may contact: the Agency Clerk, Donna Malphurs, phone: (850)922-4539, ext. 102, email: [FEC@myfloridalegal.com](mailto:FEC@myfloridalegal.com).

#### DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES

The **Board of Professional Surveyors and Mappers** announces a public meeting to which all persons are invited.

DATES AND TIMES: August 7, 2012, 1:00 p.m., Probable Cause Panel (Although this meeting is open to the public, portions may be closed consistent with law); August 8, 2012, 8:30 a.m., Committee Meetings and General Session, if time allows; August 9, 2012, 8:30 a.m., General Session

PLACE: Mission San Luis, Mission Room, 1st Floor, 2100 W. Tennessee Street, Tallahassee, FL 32304

GENERAL SUBJECT MATTER TO BE CONSIDERED: Committee meetings and General Business Meeting.

A copy of the agenda may be obtained by contacting: John Roberts, Executive Director, Board of Professional Surveyors and Mappers, 2005 Apalachee Parkway, Tallahassee, Florida 32399-6500, (850)410-3833.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 48 hours before the workshop/meeting by