

(j)(H) Participate as a crew member on an EMS vehicle for a minimum of 10 hours per year and complete a minimum of 10 hours per year of continuing medical education related to prehospital care or teaching or a combination of both.

(k)(M) If he is a medical director of a training program:

1. through 8. No change.

Specific Authority 381.0011, 395.405, 401.265, 401.272, 401.35, 499.05 FS. Law Implemented 401.23, 401.24, 401.25, 401.26, 401.265, 401.27, 401.281, 401.2915, 401.30, 401.34, 401.35, 401.41, 401.411, 499.005 FS. History--New 8-7-89, Amended 6-6-90, 12-10-92, 3-19-95, 1-26-97, Formerly 10D-66.0505, Amended 8-4-98, 1-3-99, 2-20-00, 4-15-01,_____.

64E-2.018 Trauma Registry.

(1) through (3) No change.

~~(4) Any SATC, SAPTRC, hospital or trauma agency which desires to provide trauma registry data in any manner other than prescribed in this section may submit a request to provide the data by an alternative method. Any request shall be in accordance with the intent of sections 64E-2.015 and .018, F.A.C.~~

Specific Authority 395.405, 401.35 FS. Law Implemented 395.3025(4)(f), 395.401, 395.4015, 395.402, 395.4025, 395.404, 395.4045, 395.405, 401.30, 401.35 FS. History--New 8-3-88, Amended 12-10-92, 11-30-93, Formerly 10D-66.013, Amended 7-14-99,_____.

64E-2.021 Trauma Agency Implementation and Operation Requirements.

(1) through (3) No change.

~~(4) The department shall withdraw trauma agency approval at any time if the trauma agency fails to effectively meet the needs of the persons served by the trauma agency or if the department determines that implementation is inconsistent with the department approved trauma agency plan, chapters 395 and 401, F.S. or rules of the department.~~

Specific Authority 395.405, 401.35 FS. Law Implemented 395.401, 395.4015, 395.402, 395.4025, 395.405, 401.35 FS. History--New 12-10-92, Formerly 10D-66.1065, Amended 8-4-98,_____.

NAME OF PERSON ORIGINATING PROPOSED RULE: Pam Lesley, Senior Management Analyst

NAME OF SUPERVISOR OR PERSON WHO APPROVED THE PROPOSED RULE: Charles Bement, Chief

DATE PROPOSED RULE APPROVED BY AGENCY HEAD: August 29, 2001

DATE NOTICE OF PROPOSED RULE DEVELOPMENT PUBLISHED IN FAW: July 6, 2001

P.O. G10454

Section III Notices of Changes, Corrections and Withdrawals

DEPARTMENT OF INSURANCE

Division of State Fire Marshal

RULE CHAPTER NO.: RULE CHAPTER TITLE:

4A-60 The Florida Fire Prevention Code

RULE NO.: RULE TITLE:

4A-60.005 Publications added to NFPA 1 and NFPA 101

SECOND NOTICE OF CHANGE

Notice is hereby given that the following changes have been made to Rule 4A-60.005, Florida Administrative Code, accordance with subparagraph 120.54(3)(d)1., F.S., published in Vol. 27, No. 6, February 9, 2001, edition of the Florida Administrative Weekly.

4A-60.005 Publications Added to NFPA 1 and NFPA 101.

(1) No change.

(2) The following publications are hereby adopted and incorporated by reference herein and added to NFPA 1, 2000 edition, and NFPA 101, 2000 edition, respectively, and shall take effect on the effective date of this rule:

NFPA 10, 1998 edition Standard for Portable Fire Extinguishers
NFPA 57, 1999 edition Liquefied Natural Gas (LNG) Vehicular Fuel Systems Code

No change.

NFPA 58, 1998 1999 edition Liquefied Petroleum Gas Code

NFPA 59, 1998 edition Standard for the Storage, and Handling of Liquefied Petroleum Gases at Utility Gas Plants

Standard Fire Prevention Code, Chapter 22, 1997 edition

No change.

Such portions of "The United States Secretary of the Interior's Standards for Rehabilitation and Guidelines for Rehabilitating Historic Buildings," which pertain to meeting firesafety requirements without destroying the historical aspects of the building

SFPE Engineering Guide to Performance-Based Fire Protection Analysis and Design of Buildings, Society of Fire Protection Engineers, Bethesda, Maryland ~~2000~~ 1998 edition

The portions of ANSI A14.3-1984, Safety Code for Fixed Ladders, which pertain to fire escape ladders and which may be obtained at American National Standards Institute, 11 West 42nd Street, New York, NY 10036

Chapter 4, Accessible Routes, ICC/ANSI A117.1-1998, which may be obtained at American National Standard for Accessible and Usable Buildings and Facilities, American National Standards Institute, 11 West 42nd Street, New York, NY 10036

The portions of ANSI A1264.1-1995~~1989~~, Safety Requirements for Workplace Floor and Wall Openings, Stairs and Railing Systems, which pertain to fire escape ladders and which may be obtained at American National Standards Institute, 11 West 42nd Street, New York, NY 10036

ANSI/UL 2079, 1998 edition, Test of Fire Resistance of Building Joint Systems, which may be obtained at Underwriters Laboratories Inc., 333 Pfingsten Rd., Northbrook, IL 60062

The portions of ASME/ANSI A17.1-1993, Safety Code for Elevators and Escalators, including Addenda A17.1a-1994 and A17.1b-1995, and also including Interpretation No. 17, published in 1993, Interpretation No.18, published is 1994, and Interpretation No. 19, published in 1995, which pertain to firesafety, and which may be obtained at American Society of Mechanical Engineers, Three Park Avenue, New York, NY 10016-5990

The portions of ASME/ANSI A17.3-1993, Safety Code for Existing Elevators and Escalators, including Addenda A17.3a-1994 and A17.3b-1995, which pertain to firesafety and which may be obtained at American Society of Mechanical Engineers, Three Park Avenue, New York, NY 10016-5990

ASTM D 2898,~~94~~, (Reapproved 1999), Test Method for Accelerated Weathering of Fire Retardant-Treated Wood for Fire Testing, which may be obtained at American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959

ASTM E 136-~~1999~~1982, Standard Test Method for Behavior of Materials in a Vertical Tube Furnace at 750°C, which may be obtained at American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959

ASTM E 1537, 1999 edition, Standard Test Method for Fire Testing of ~~Real-Seat~~ Upholstered Furniture ~~Items~~, which may be obtained at American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959

ASTM E 1590-~~01~~1994, Standard Test Method for Fire Testing of ~~Real-Seat~~ Mattresses, American Society for Testing and Materials, which may be obtained at 100 Barr Harbor Drive, West Conshohocken, PA. 19428-2959

ASTM E 1591-~~00~~1994, Standard Guide for Obtaining Data for Deterministic Fire Models, which may be obtained at American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959

ASTM F 851-1987 (Reapproved 1991) ~~1983~~, Standard Test Method for Self-Rising Seat Mechanisms, which may be obtained at American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA. 19428-2959, but only to the extent referenced in Subdivision 12.2.5.5.1 and 12.2.5.5.2 of NFPA 101, 2000 edition

~~ASTM G 155, Practice for Operating Light/Exposure Apparatus (Zenon-Arc Type) With and Without Water for Exposure of Non-Metallic Materials, which may be obtained at American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959~~

Remainder of subsection (2) No change.

(3) through (5) No change.

Specific Authority 633.01, 633.0215, 633.025 FS. Law Implemented 633.01, 633.0215, 633.025 FS. History--New _____.

DEPARTMENT OF CORRECTIONS

RULE NO.: 33-602.205
 RULE TITLE: Inmate Telephone Use

NOTICE OF PUBLIC HEARING

Notice is hereby given that a public hearing on the above referenced proposed Rule, as noticed in the Florida Administrative Weekly, Vol. 27, No. 34, August 24, 2001, will be held at 9:00 a.m., on Wednesday, September 19, 2001, at the Department of Corrections Central Office located at 2601 Blair Stone Road, Tallahassee, Florida 32399.

WATER MANAGEMENT DISTRICTS

Southwest Florida Water Management District

RULE NO.: 40D-1.659
 RULE TITLE: Forms and Instructions

NOTICE OF CHANGE

Notice is hereby given that the following change has been made to Form No. 04.10R-022 (07/01) incorporated by reference in the proposed rule 40D-1.659 in accordance with subparagraph 120.54(3)(d)1., F.S. published in Vol. 27, No. 33, August 17, 2001, issue of the Florida Administrative Weekly:

In Section 2 of the form, the first sentence should read: Transfer of this ~~the construction~~ permit is subject to all terms and conditions contained in the permit, the provisions of Chapter 373, Part IV, Florida Statutes (F.S.), and Rules 40D-1.6105 and 40D-4.351, Florida Administrative Code (F.A.C.).

The purpose of this change is to make the form appropriate to use when transferring any of the Environmental Resource Permits issued by the District.

AGENCY FOR HEALTH CARE ADMINISTRATION

Health Care Cost Containment Board

RULE NOS.:	RULE TITLES:
59E-5.101	Definitions
59E-5.102	Florida Hospital Uniform Reporting System
59E-5.103	Reporting Requirements
59E-5.201	Prior Year Report Requirements
59E-5.205	Notice of Violation or Deemed Not Filed and Response
59E-5.605	Public Medical Assistance Trust Fund Assessments

NOTICE OF PUBLIC HEARING

Notice is hereby given that a public hearing on the above referenced proposed Rules, as noticed in the Florida Administrative Weekly, Vol. 27, No. 32, August 10, 2001, will be held at 10:00 a.m., on October 9, 2001, at the Agency for Health Care Administration, Conference Room A, Building 3, 2727 Mahan Drive, Tallahassee, Florida 32308.

PURPOSE: This hearing is being held to afford all interested persons the opportunity to present testimony and evidence, and to express their views concerning the adoption of amendments to the proposed rules.

A copy of the agenda may be obtained by contacting: Christopher J. Augsburg, Supervisor of Financial Analysis, 2727 Mahan Drive, Mail Stop #28, Tallahassee, FL 32308 or by calling Douglas E. Pierce, (850)488-8672.

Any person requiring special accommodation at this hearing, because of a disability of physical impairment, should contact Douglas E. Pierce, (850)922-7858 or by e-mail: pierced@fdhc.state.fl.us, at least seven (7) days prior to the hearing.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

Building Code Administrators and Inspectors Board

RULE NO.:	RULE TITLE:
61G19-6.012	Provisional Certificates

NOTICE OF ADDITIONAL PUBLIC HEARING

The Building Code Administrators and Inspectors Board hereby gives notice of an additional public hearing on the above-referenced rule to be held on October 4, 2001, at 9:00 a.m., at the Sheraton Suites Tampa, 4400 West Cypress Street, Tampa, FL 33607. The rules were originally published in Vol. 27, No. 26, of the June 29, 2001, Florida Administrative Weekly.

THE PERSON TO BE CONTACTED REGARDING THE PROPOSED RULE IS: Anthony Spivey, Executive Director, Building Code Administrators and Inspectors, Northwood Centre, 1940 N. Monroe Street, Tallahassee, Florida 32399-0750

Any person requiring a special accommodation at this hearing because of a disability or physical impairment should contact the Board's Executive Director at least five calendar days prior to the hearing. If you are hearing or speech impaired, please contact the Board office using the Florida Dual Party Relay System which can be reached at 1(800)955-8770 (Voice) and 1(800)955-8771 (TDD).

**Section IV
Emergency Rules**

DEPARTMENT OF THE LOTTERY

RULE TITLE:	RULE NO.:
Instant Game Number 399, LUCKY HORSESHOE	53ER01-59

SUMMARY OF THE RULE: This emergency rule describes Instant Game Number 399, "LUCKY HORSESHOE," for which the Department of the Lottery will start selling tickets on a date to be determined by the Secretary of the Department. The rule sets forth the specifics of the game, determination of prizewinners and the number and size of prizes in the game.

THE PERSON TO BE CONTACTED REGARDING THE EMERGENCY RULE IS: Diane D. Schmidt, Legal Analyst, Department of the Lottery, Capitol Complex, Tallahassee, Florida 32399-4011

THE FULL TEXT OF THE EMERGENCY RULE IS:

53ER01-59 Instant Game Number 399, LUCKY HORSESHOE.

(1) Name of Game. Instant Game Number 399, "LUCKY HORSESHOE."

(2) Price. LUCKY HORSESHOE tickets sell for \$1.00 per ticket.

(3) LUCKY HORSESHOE lottery tickets shall have a series of numbers in Machine Readable Code (or bar code) on the back of the ticket, along with a Void If Removed Number (VIRN) under the latex area on the ticket. To be a valid winning LUCKY HORSESHOE lottery ticket, a combination of essential elements sufficient to validate the ticket must be present as set forth in Rule 53ER92-63(1)(a), Florida Administrative Code. In the event a dispute arises as to the validity of any LUCKY HORSESHOE lottery ticket, or as to the prize amount, the VIRN number under the latex shall prevail over the bar code.

(4) The prize symbols and prize symbol captions are as follows:

INSERT SYMBOLS