

this case, when the affidavit is processed, a copy must be forwarded within one (1) workday to the conditional release service provider.

(2) Post-commitment probation:

(a) New law violations: New law violations may generate the need to initiate the process for a violation of probation. If the department decides to file an affidavit with the court on seek a violation of probation, the department will follow the procedures established under Chapter 985, F.S.

(b) Technical violations: Technical violations may generate the need to inform the court of for a violation of probation. Each circuit must develop a written progressive response system to guide decision making when choosing what action to take for technical violations of post-commitment probation. The JPO and JPO supervisor will consult this document when making a decision about the appropriate level of response for an apparent violation. If the department decides to file an affidavit with the court on seek a violation of probation, the department will follow the procedures established under Chapter 985, F.S.

(c) Absconders: If a youth absconds from supervision, the JPO is responsible for conducting a diligent search and documenting this search in the field notebook. If the JPO has reasonable cause to believe that the youth has absconded from supervision, the JPO will, within one (1) working day, file an Affidavit for Order to Take Into Custody with the court.

Specific Authority 985.46, 985.435, 985.64 FS. Law Implemented 985.14, 985.435, 985.46 FS. History–New _____.

63D-7.009 Termination of Services.

(1) In general, a youth’s length of stay on any form of post-release status will depend upon the youth’s presenting needs and risk and on the progress made on achieving the objectives of the YES Plan. The minimum length of stay is ninety (90) calendar days. ~~If after one hundred eighty (180) calendar days the youth needs additional supervision, the court may be petitioned to place the youth onto post-commitment probation to fulfill the continued obligations of conditional release.~~

(2) Upon completion of all sanctions, performance goals, and the determination that supervision is no longer required, the JPO must submit a Progress Report to the court requesting termination, which must include all court ordered sanctions completed by the youth.

(3) The Progress Report will then be used as a termination summary that must include the status of all court ordered sanctions completed by the youth. Documentation of completed sanctions including community service hours and restitution must be forwarded to the court. The JPO shall review the termination summary and obtain supervisor approval prior to submitting a letter and the Progress Report to the court within three (3) working days of receipt of the

summary. The conditional release staff, youth, and the youth’s parent(s)/guardian(s) must also be sent ~~should receive~~ a copy of this letter.

(4) through (7) No change.

Specific Authority 985.46, 985.435, 985.64 FS. Law Implemented 985.14, 985.435, 985.46 FS. History–New _____.

Section IV Emergency Rules

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled “Official Notices.”

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled “Official Notices.”

Section V Petitions and Dispositions Regarding Rule Variance or Waiver

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled “Official Notices.”

WATER MANAGEMENT DISTRICTS

NOTICE IS HEREBY GIVEN THAT on May 4, 2007, the St. Johns River Water Management District, received a petition for variance from The Haven at Riviera, LLC, pursuant to Section 120.542, Florida Statutes. Petitioner is seeking a variance from subparagraph 40C-41.063(1)(c)1., F.A.C., and Section 11.1.3 of the Applicant’s Handbook: Management and Storage of Surface Waters (February 1, 2005) (A.H.), for Environmental Resource Permit (ERP) Application 4-009-106873-1. The permit applicant is proposing to construct a wet detention surface water management system that will serve a 336-unit multi-family residential development and Riviera Drive and at times will discharge to Canals C-72 and C-73 of the Melbourne-Tillman Water Control District canal system in Brevard County. Subparagraph 40C-41.063(1)(c)1., F.A.C.,

and Section 11.1.3, A.H., prohibit the construction, operation, and maintenance of a surface water management system in the Upper St. Johns River Hydrologic Basin that results in an increase in the amount of water being diverted from the Basin to coastal receiving waters. These rules are intended to protect the water resources of the state by limiting discharges of fresh water to estuarine waters and curtailing interbasin diversion. Comments on this petition should be filed with: Robert Nawrocki, District Clerk, St. Johns River Water Management District, 4049 Reid Street, Palatka, Florida 32177-2529, within 14 days of publication of this notice. The petition has been assigned F.O.R. Number 2007-43.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Timothy A. Smith, Senior Assistant General Counsel, Office of General Counsel, St. Johns River Water Management District, 4049 Reid Street, Palatka, Florida 32177, or by telephone at (386)312-2347.

NOTICE IS HEREBY GIVEN THAT on September 28, 2007, the St. Johns River Water Management District, received a petition for variance from Brevard County School Board, pursuant to Section 120.542, Florida Statutes. Petitioner is seeking a variance from subparagraph 40C-41.063(1)(c)1., F.A.C., and Section 11.1.3 of the Applicant's Handbook: Management and Storage of Surface Waters (February 1, 2005) (A.H.), for Environmental Resource Permit (ERP) Application 4-009-111957-1. The permit applicant is proposing to construct a surface water management system and a mass grading plan, with stormwater treatment by swales and wet detention for a 65.99-acre project known as Brevard County School CCC, in Brevard County. The proposed system will discharge into the Melbourne-Tillman Water Control District canal system, whose waters flow to coastal waters. Rules 40C-41.063(1)(c)1., F.A.C., and Section 11.1.3, A.H., prohibit the construction, operation, and maintenance of a surface water management system in the Upper St. Johns River Hydrologic Basin that results in an increase in the amount of water being diverted from the Basin to coastal receiving waters. These rules are intended to protect the water resources of the state by limiting discharges of fresh water to estuarine waters and curtailing interbasin diversion.

Comments on this petition should be filed with: Robert Nawrocki, District Clerk, St. Johns River Water Management District, 4049 Reid Street, Palatka, Florida 32177-2529, within 14 days of publication of this notice. The petition has been assigned F.O.R. Number 2007-64.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Timothy A. Smith, Senior Assistant General Counsel, Office of General Counsel, St. Johns River Water Management District, 4049 Reid Street, Palatka, Florida 32177, or by telephone at (386)312-2347.

NOTICE IS HEREBY GIVEN THAT on September 26, 2007, the St. Johns River Water Management District, received a petition for variance from the United States Air Force, pursuant to Section 120.542, Florida Statutes. Petitioner is seeking a variance from subparagraph 40C-41.063(1)(c)1., F.A.C., and Section 11.1.3 of the Applicant's Handbook: Management and Storage of Surface Waters (February 1, 2005) (A.H.), for Environmental Resource Permit (ERP) Application 4-009-108357-1. The permit applicant is proposing to construct a wet detention surface water management system, which will discharge at times through a ditch into the Melbourne-Tillman Water Control District canal system. The system will capture and treat stormwater runoff from stabilized dirt roadways and a vegetated parade ground and exercise area, all as part of the project known as Improve Military Training Site – Malabar Annex, in Brevard County. Subparagraph 40C-41.063(1)(c)1., F.A.C., and Section 11.1.3, A.H., prohibit the construction, operation, and maintenance of a surface water management system in the Upper St. Johns River Hydrologic Basin that results in an increase in the amount of water being diverted from the Basin to coastal receiving waters. These rules are intended to protect the water resources of the state by limiting discharges of fresh water to estuarine waters and curtailing interbasin diversion. Comments on this petition should be filed with Robert Nawrocki, District Clerk, St. Johns River Water Management District, 4049 Reid Street, Palatka, Florida 32177-2529, within 14 days of publication of this notice. The petition has been assigned F.O.R. Number 2007-67.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Timothy A. Smith, Senior Assistant General Counsel, at the Office of General Counsel, St. Johns River Water Management District, 4049 Reid Street, Palatka, Florida 32177, or by telephone at (386)312-2347.

AGENCY FOR HEALTH CARE ADMINISTRATION

NOTICE IS HEREBY GIVEN THAT on September 17, 2007, the Agency for Health Care Administration, received a petition for variance from subparagraph 59A-24.006(1)(a)2., Florida Administrative Code, from Doctors Laboratory, Inc.

The Petition seeks a permanent variance regarding the requirements of subparagraph 59A-24.006(1)(a)2., Florida Administrative Code, for Richard E. Struempfer as to the qualifications of a Director for a forensic urine drug laboratory as licensed by the Agency for Health Care Administration for the Florida Drug Free Workplace Program.

Please refer all comments to: Amie C. Ragano, Esquire, Assistant General Counsel, Agency for Health Care Administration, 525 Mirror Lake Drive, Suite 330, St. Petersburg, Florida 33701. The Agency for Health Care Administration will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Richard J. Shoop, Esquire, Agency Clerk, Agency for Health Care Administration, 2727 Mahan Drive, Mail Stop #3, Tallahassee, Florida 32308.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

NOTICE IS HEREBY GIVEN THAT on August 7, 2007, the Division of Hotels and Restaurants received a Petition for a Routine Variance for subsection 61C-4.010(7), Florida Administrative Code from Jennifer's Cafeteria located in North Miami Beach. The above referenced F.A.C. states ...each public food service establishment shall maintain a minimum of one public bathroom for each sex, properly designated..... The proposed establishment has one bathroom facility for patrons and they are requesting a variance to have a seating capacity of twenty-seven (27).

This variance request was approved September 11, 2007, and is contingent upon the Petitioner ensuring the public bathroom is functional, has hot and cold running water at all times, provided with soap and an approved method to dry hands, and kept in a clean and sanitary manner. Seating shall not exceed (27) which includes inside and outside seating. Any violation of the variance is the equivalent of a violation of the Rule and may result in a rescission of the variance, and subject the Petitioner to disciplinary sanctions as enumerated in Section 509.261, Florida Statutes.

To obtain a copy of the approved variance you may contact David.Fountain@dbpr.state.fl.us.

NOTICE IS HEREBY GIVEN THAT on August 13, 2007, the Division of Hotels and Restaurants received a Petition for a Routine Variance for subsections 61C-4.0101(1) and 61C-4.010(6), Florida Administrative Code, from El Tejadito located in Orlando. The above referenced F.A.C. addresses food supplies, food protection, and physical facilities-except as specifically provided in this rule, public food service establishments shall be subject to the provisions of chapter three and chapter six of the FDA Food Code. They are requesting to do open air food service on a Mobile Food Dispensing Vehicle.

This variance request was approved September 11, 2007, and is contingent upon the Petitioner's use of open-air steam table properly covered and air curtain operating properly according to manufacturer's specifications and Section 6-202-15(D)(2), 2001 FDA Food Code, as to expel possible contaminants and vermin. Approval is also contingent upon Petitioner conducting all re-heating for hot holding at approved commissaries to the proper temperature per Section 3-403.11, 2001 FDA Food Code; and potentially hazardous food is held at proper temperatures according to Section 3-501.16, 2001 FDA Food Code.

The Petitioner shall strictly adhere to subsection 61C-4.0161(2)(c), Florida Administrative Code, and report to the commissary at least once daily when operating. All warewashing is to be conducted at the commissary and strict adherence to employee health guidelines as specified in the Section 2-201, 2001 FDA Food Code, are to be followed. Petitioner shall also use a potable water tank and utilize a wastewater holding tank that is at least 15% larger than the potable water holding tank; and sloped to a drain that is 1 inch in inner diameter or greater, equipped with a shut-off valve. Petitioner must receive potable water from an approved source with written documentation provided and sanitize the fresh water and wastewater tanks at least once every 24 hours.

Copies of the variance and operating procedures are to be present on the MFDV at all times of operation and shall be adhered to as approved by the Division. This variance is not transferable under any conditions. All provisos must be complied prior to final approval and licensing. Any violation of the variance is the equivalent of a violation of the Rule and may result in a rescission of the variance, and subject the Petitioner to disciplinary sanctions as enumerated in Section 509.261, Florida Statutes.

To obtain a copy of the approved variance you may contact David.Fountain@dbpr.state.fl.us.

NOTICE IS HEREBY GIVEN THAT on August 22, 2007, the Division of Hotels and Restaurants received a Petition for an Emergency Variance for subsection 61C-4.010(7), Florida Administrative Code, from Café Papillon located in Sanford. The above referenced F.A.C. states that all bathrooms shall be of easy and convenient access to both patrons and employees...They are requesting a variance to share bathroom facilities with an adjacent establishment; both establishments have the same ownership and manger.

This variance request was approved September 11, 2007, and is contingent upon the Petitioner ensuring the bathroom located in the adjacent establishment, Days Gone By, is functional, has running water at all times, provided with soap and an approved method to dry hands, kept in a clean and sanitary manner, and available during all hours of operation. The Petitioner shall also ensure directional signage is installed within and/or outside the establishment clearly stating the location of the bathrooms. Petitioner will have no more than seven (7) seats in the establishment which includes inside and outside seating. All provisos shall be met prior to licensing. Any violation of the variance is the equivalent of a violation of the Rule and may result in a rescission of the variance, and subject the Petitioner to disciplinary sanctions as enumerated in Sec. 509.261, Florida Statutes.

To obtain a copy of the approved variance you may contact David.Fountain@dbpr.state.fl.us.

NOTICE IS HEREBY GIVEN THAT on August 24, 2007, the Division of Hotels and Restaurants received a Petition for an Emergency Variance for subsections 61C-4.0101(1) and 61C-4.010(6), Florida Administrative Code, from Luis and Elena Lunch Truck located in Orlando. The above referenced F.A.C. addresses food supplies, food protection, and physical facilities-except as specifically provided in this rule, public food service establishments shall be subject to the provisions of chapter three and chapter six of the FDA Food Code. They are requesting to do open air food service on a Mobile Food Dispensing Vehicle.

This variance request was approved September 20, 2007, and is contingent upon the Petitioner's use of open-air steam table properly covered and air curtain operating properly according to manufacturer's specifications and Section 6-202-15(D)(2), 2001 FDA Food Code, as to expel possible contaminants and vermin. Approval is also contingent upon Petitioner conducting all re-heating for hot holding at approved commissaries to the proper temperature per Section 3-403.11, 2001 FDA Food Code; and potentially hazardous food is held at proper temperatures according to Section 3-501.16, 2001 FDA Food Code.

The Petitioner shall strictly adhere to subsection 61C-4.0161(2)(c), Florida Administrative Code, and report to the commissary at least once daily when operating. All warewashing is to be conducted at the commissary and strict adherence to employee health guidelines as specified in the Section 2-201, 2001 FDA Food Code, are to be followed. Petitioner shall also use a potable water tank and utilize a wastewater holding tank that is at least 15% larger than the potable water holding tank; and sloped to a drain that is 1 inch in inner diameter or greater, equipped with a shut-off valve. Petitioner must receive potable water from an approved source with written documentation provided and sanitize the fresh water and wastewater tanks at least once every 24 hours.

Copies of the variance and operating procedures are to be present on the MFDV at all times of operation and shall be adhered to as approved by the Division. This variance is not transferable under any conditions. All provisos must be complied prior to final approval and licensing. Any violation of the variance is the equivalent of a violation of the Rule and may result in a rescission of the variance, and subject the Petitioner to disciplinary sanctions as enumerated in Section 509.261, Florida Statutes.

To obtain a copy of the approved variance you may contact David.Fountain@dbpr.state.fl.us.

NOTICE IS HEREBY GIVEN THAT on September 17, 2007, the Division of Hotels and Restaurants received a Petition for an Emergency Variance for subsection 61C-4.010(7), Florida Administrative Code, from Roberto Parrilla Restaurant located in Orlando. The above referenced F.A.C. states that all bathrooms shall be of easy and convenient access to both

patrons and employees...They are requesting a variance to not have bathroom facilities in their facility, but use centrally located bathroom facilities.

A copy of the Petition may be obtained by contacting David.Fountain@dbpr.state.fl.us. The Division of Hotels and Restaurants will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN THAT on September 17, 2007, the Board of Accountancy, received a petition for Stephen Peritz, seeking a variance or waiver of paragraph 61H1-33.003(1)(b), F.A.C., which requires that a licensee submit an additional 8 hours of Accounting and Auditing subjects for not meeting the deadline for obtaining the required continuing education hours by June 30th of the licensee's reestablishment period. The Petitioner is also seeking a variance or waiver of subsection 61H1-31.001(10), Florida Administrative Code, which requires that a licensee pay a \$50.00 delinquency fee for submitting a CPE reporting form after July 15th of the licensee's reestablishment period.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Voloria Kelly, Division Director, Board of Accountancy, 240 N. W. 76th Dr., Suite A, Gainesville, Florida 32607, or by telephone at (352)333-2505. Comments on this petition should be filed with the Board of Accountancy within 14 days of publication of this notice.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

NOTICE IS HEREBY GIVEN THAT on September 19, 2007, the Florida Department of Environmental Protection, received a petition for a temporary waiver under Section 120.542, Florida Statutes, from the requirement that underground piping installed after June 30, 1992, have secondary containment under subparagraph 62-761.500(8)(e)1., Florida Administrative Code, from Florida Citrus Center, Inc. for their facility in Oxford, Florida (DEP Facility Number 60/8516858). Petitioner requests to operate failed double-walled piping until September 30, 2008, and instead perform pressure tests every 30 days to demonstrate the piping system is tight. The petition has been assigned OGC # 07-1706.

A copy of the Petition for Variance or Waiver may be obtained by contacting: John Svec, Florida Department of Environmental Protection, 2600 Blair Stone Road, MS 4525, Tallahassee, Florida 32399-2400, telephone (850)245-8845, e-mail: john.svec@dep.state.fl.us

NOTICE IS HEREBY GIVEN THAT on September 20, 2007, the Department of Environmental Protection has issued an order.

The order is for Publix Super Markets, Inc. variance petition (OGC File No. 07-0764), received on April 30, 2007. The petition requested a variance from the prohibition of construction of an underground storage tank within a 500 foot radial distance of a public water supply well under subsection 62-521.200(7) and paragraph 62-521.400(1)(I), F.A.C. Specifically, the variance requested that an underground storage tank for fuel for an emergency generator be allowed to be constructed at the Publix Super Market located in Sandestin, within 500 feet of a public water supply well owned and operated by the South Walton Utility Company, Inc. Notice of receipt of this petition was published in the F.A.W., on June 1, 2007. No public comment was received. The final order granted a variance to allow an underground storage tank to be constructed within 500 feet of public water supply well because the petitioner demonstrated a substantial hardship, and that the purposes of the underlying statutes would be met with the conditions imposed by the Department.

A copy of the Order may be obtained by contacting: Donnie McClaugherty, Department of Environmental Protection, Ground Water Regulatory Section, MS 3580, 2600 Blair Stone Road, Tallahassee, Florida 32399-2400, telephone (850)245-8645.

NOTICE IS HEREBY GIVEN THAT on September 24, 2007, the Department of Environmental Protection has issued an order.

The order is for the Florida Keys Aqueduct Authority (FKAA) variance petition (OGC File No. 07-0824), received on May 15, 2007. The petition requested a variance from the prohibition of construction of a Class I UIC well within a 500 foot radial distance of a public water supply well under subsection 62-521.200(7) and paragraph 62-521.400(1)(f), F.A.C. Specifically, the variance requested that a Class I injection well be allowed to be constructed within 500 feet of FKAA public water supply wells located at the FKAA J. Robert Dean Water Treatment Plant. Notice of receipt of this petition was published in the F.A.W., on June 29, 2007. No public comment was received. The final order granted a variance to allow Class I injection well IW-1 to be constructed within 500 feet of public water supply wells because the petitioner demonstrated a substantial hardship, and that the purposes of the underlying statutes would be met with the conditions imposed by the Department.

A copy of the Order may be obtained by contacting: Cathy McCarty, Department of Environmental Protection, Underground Injection Control Program, MS 3530, 2600 Blair Stone Road, Tallahassee, Florida 32399-2400, telephone (850)245-8654.

DEPARTMENT OF HEALTH

NOTICE IS HEREBY GIVEN THAT on August 20, 2007, the Board of Pharmacy, received a petition for Mease Hospital, Inc. d/b/a Mease Hospital, Dunedin, seeking a variance or waiver of subsection 64B16-28.113(1), Florida Administrative Code, which requires that a Board of Pharmacy permit shall be issued only to a single entity at a single location under the control of the permit holder.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Rebecca Poston, Executive Director, Board of Pharmacy, 4052 Bald Cypress Way, Bin #C04, Tallahassee, Florida 32399-3254, or by telephone at (850)245-4292. Comments on this petition should be filed with the Board of Pharmacy within 14 days of publication of this notice.

FLORIDA HOUSING FINANCE CORPORATION

NOTICE IS HEREBY GIVEN THAT on September 23, 2007, the Florida Housing Finance Corporation, received a petition for Waiver of subsection 67-21.003(14), paragraph 67-21.003(1)(a), subsection 67-48.004(14) and paragraph 67-48.004(1)(a) and Parts II.A.2.A.(1) and (2) of the Universal Application Instructions, Florida Administrative Code, from Carlisle Group VI, Ltd. ("Petition"). The Petition is seeking a waiver of a prohibition on changes in the identity of an applicant's developer and an applicant's ownership structure.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m. (Eastern Standard Time), on the 14th day after publication of this notice at: Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN THAT on September 24, 2007, the Florida Housing Finance Corporation, received a petition for Waiver of paragraph 67-48.004(14)(b) and Part III.D.1.f of the 2005 Universal Cycle Application Instructions, Florida Administrative Code from Postmaster Associates, Ltd. ("Petition"). The Petition is seeking a waiver of to add Pinnacle Housing Group as the Co-Developer and to allow the use of non-skid ceramic floor tile in lieu of the Berber-type carpet.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m. (Eastern Standard Time), on the 14th day after publication of this notice at: Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN THAT on September 24, 2007, the Florida Housing Finance Corporation, received a petition for Waiver of subsection 67-48.010(4) or (5), Florida Administrative Code, from Salt Creek Apartments, Ltd. ("Petition"). The Petition is seeking a waiver which provides the order of priority of payments from Development Case Flow for the project.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m. (Eastern Standard Time), on the 14th day after publication of this notice at: Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN THAT on September 25, 2007, the Florida Housing Finance Corporation, received a petition for Waiver and/or Variance of subsections 67-48.002(30) and (32), 67-48.010(5) and 67-48.0072(10), Florida Administrative Code, from 350 NW LLC ("Petition"). The Petition is seeking a waiver or variance to allow for the establishment of a Supplemental Operating Reserve for the deposit of all Development Cash Flow; and a waiver of minimum combined debt service coverage requirements.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m. (Eastern Standard Time), on the 14th day after publication of this notice at: Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN THAT on September 25, 2007, the Florida Housing Finance Corporation, received a petition for Waiver of paragraph 67-48.004(14)(e), Florida

Administrative Code, from BHG-79th St., LLC ("Petition"). The Petition is seeking a waiver of a change in the development site.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m. (Eastern Standard Time), on the 14th day after publication of this notice at Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN THAT on September 25, 2007, the Florida Housing Finance Corporation, received a petition for Variance of Rules 67-38.002 and 67-38.007, Florida Administrative Code, from Frenchtown Community Development Corporation ("Petition"). The Petition is seeking a variance of the minimum set-aside requirement regarding income and the execution and recordation of the LURA.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m., Eastern Standard Time, on the 14th day after publication of this notice at Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN THAT on September 25, 2007, the Florida Housing Finance Corporation, received a petition for Waiver of subsection 67-48.004(14) and paragraph 67-48.004(1)(a); subsection 67-48.002(83) and Section 10 of the 2006 QAP; Parts II.A.2.A.(1) of the Universal Application Instructions, Florida Administrative Code, from Palafox Landing, Ltd. ("Petition"). The Petition is seeking a waiver of a prohibition on changes in the identity of an applicant's developer and an applicant's ownership structure and the requirement that the application wait until the last calendar quarter to return a housing credit allocation.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m. (Eastern

Standard Time), on the 14th day after publication of this notice at Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN THAT on September 25, 2007, the Florida Housing Finance Corporation, received a petition for Waiver of paragraph 67-48.004(14)(e), Florida Administrative Code, from Sea Grape II, Ltd., (“Petition”). The Petition is seeking a waiver of a change in the development site.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m. (Eastern Standard Time), on the 14th day after publication of this notice at Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN THAT on September 25, 2007, the Florida Housing Finance Corporation, received a petition for Waiver of paragraph 67-48.004(14)(e), Florida Administrative Code, from Villa Patricia Phase II, LLC (“Petition”). The Petition is seeking a waiver of a change in the development site.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m. (Eastern Standard Time), on the 14th day after publication of this notice at: Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN THAT on September 25, 2007, the Florida Housing Finance Corporation, received a petition for Waiver of paragraph 67ER06-27(14)(e), from Villa Patricia Phase III, LLC (“Petition”). The Petition is seeking a waiver of a change in the development site.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sherry Green, Public Records Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m. (Eastern

Standard Time), on the 14th day after publication of this notice at Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

Section VI Notices of Meetings, Workshops and Public Hearings

DEPARTMENT OF STATE

NOTICE OF CANCELLATION – The **Department of State, Division of Historical Resources** announces a public meeting to which all persons are invited.

DATE AND TIME: October 10, 2007, 10:00 a.m.

PLACE: R. A. Gray Bldg., 500 S. Bronough St., Tallahassee, FL 32399

GENERAL SUBJECT MATTER TO BE CONSIDERED: The state historical marker review for October 10, 2007 at 10:00 a.m. has been cancelled.

For more information, you may contact Catherine Clatk at (850)245-6354.

DEPARTMENT OF LEGAL AFFAIRS

The **Florida Commission on the Status of Women** announces a telephone conference call to which all persons are invited.

DATE AND TIME: October 9, 2007, 10:00 a.m.

PLACE: Please call (850)414-3300 for instructions on participation

GENERAL SUBJECT MATTER TO BE CONSIDERED: Legislative Committee.

DATE AND TIME: October 9, 2007, 11:00 a.m.

PLACE: Please call (850)414-3300 for instructions on participation

GENERAL SUBJECT MATTER TO BE CONSIDERED: Awards and Recognition Task Force.

DATE AND TIME: October 10, 2007, 10:00 a.m.

PLACE: Please call (850)414-3300 for instructions on participation

GENERAL SUBJECT MATTER TO BE CONSIDERED: Annual Report Committee.

DATE AND TIME: October 11, 2007, 9:00 a.m.

PLACE: Please call (850)414-3300 for instructions on participation

GENERAL SUBJECT MATTER TO BE CONSIDERED: Finance and Budget Committee.

DATE AND TIME: October 17, 2007, 3:00 p.m.

PLACE: Please call (850)414-3300 for instructions on participation

GENERAL SUBJECT MATTER TO BE CONSIDERED: Women’s Hall of Fame Committee.