

Rulemaking Authority 445.004(5)(c) FS. Law Implemented 445.004, 445.024(1)(b), 445.024(1)(c) FS. History—New 10-20-09.

THIS RULE TAKES EFFECT UPON BEING FILED WITH THE DEPARTMENT OF STATE UNLESS A LATER TIME AND DATE IS SPECIFIED IN THE RULE.

EFFECTIVE DATE: October 20, 2009

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

Section V

Petitions and Dispositions Regarding Rule Variance or Waiver

DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES

NOTICE IS HEREBY GIVEN THAT on September 17, 2009, the Department of Agriculture and Consumer Services, received a petition for Variance or Waiver from Michael Morrow on behalf of The Windsor at Bay Colony Condominium Association. The Petition requests a permanent variance or waiver from Rule 5F-11.002, F.A.C., which adopts the standards of the National Fire Protection Association for gas appliances and gas piping as published in NFPA No. 54, American National Standard National Fuel Gas Code (2006). The specific section of NFPA 54 for which the variance would apply is Section 7.9.2.2, NFPA 54, National Fuel Gas Code (2006).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lisa M. Bassett, Chief, Bureau of LP Gas Inspection, 3125 Conner Boulevard, Suite N, Tallahassee, Florida 32399-1650 or by calling Lisa M. Bassett at (850)921-8001.

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

WATER MANAGEMENT DISTRICTS

NOTICE IS HEREBY GIVEN THAT on October 13, 2009, the Suwannee River Water Management District has issued an order.

This Order (2009-0013) denies variance under Section 120.542, F.S., to Hamilton County Board of County Commissioners for a Works of the District boat ramp (ERP07-0006M). A petition for variance was received on April 6, 2009. Notice of receipt of petition requesting variance was published in the F.A.W., Vol. 35, No. 14, April 10, 2009. No public comment was received. This Order denies variance of SRWMD's criteria for paragraph 40B-4.3030(12)(b), F.A.C., as to the 75-foot setback requirements within Township 2 North, Range 12 East, Section 1, Hamilton County. SRWMD denied the petition because the petitioner did not demonstrate that the underlying statute will be or has been achieved by other means.

A copy of the Order may be obtained by contacting: Robin Lamm, Business Resource Specialist, Suwannee River Water Management District, 9225 CR 49, Live Oak, FL 32060, (386)362-1001 or 1(800)226-1066 in Florida only.

NOTICE IS HEREBY GIVEN THAT on October 8, 2009, the South Florida Water Management District (District), received a petition for waiver from Miami-Dade County, Office of Public Transportation Management, Application No. 09-0708-2M, Permit (MOD) Number 9884 for utilization of Works or Lands of the District known as the C-103 Canal to allow 2 existing culvert connections within the C-103 Canal in conjunction with the Busway Extension to Florida City to remain. Location: C-103 Canal, Section 5, Township 57S, Range 39E, Miami-Dade County. The petition seeks relief from paragraph 40E-6.221(2)(j), Florida Administrative Code, which governs the maximum invert elevation of culvert connections, requiring the crown elevation be a minimum of 1/2 foot below the design water surface or optimum water surface whichever is lower within Works and Lands of the District.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juli Russell at (561)682-6268 or e-mail: jurussel@sfwmd.gov. The District will accept comments concerning the petition for 14 days from the date of publication of this notice. To be considered, comments must be received by the end of business on the 14th day at: South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406, Attn: Juli Russell, Office of Counsel.

NOTICE IS HEREBY GIVEN THAT on October 8, 2009, the South Florida Water Management District (District), received a petition for waiver from Miami-Dade County, Office of Public Transportation Management, Application No. 09-0708-3M, Permit (MOD) Number 9885 for utilization of Works or Lands of the District known as the C-103N Canal to allow 4 existing culvert connections within the C-103N Canal in conjunction with the Busway Extension to Florida City to remain. Location: C-103N Canal, Section 33, Township 56S, Range 39E, Miami-Dade County. The petition seeks relief from paragraph 40E-6.221(2)(j), Florida Administrative Code,

which governs the maximum invert elevation of culvert connections, requiring the crown elevation be a minimum of 1/2 foot below the design water surface or optimum water surface whichever is lower within Works and Lands of the District.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juli Russell at (561)682-6268 or e-mail: jurussel@sfwmd.gov. The District will accept comments concerning the petition for 14 days from the date of publication of this notice. To be considered, comments must be received by the end of business on the 14th day at the South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406, Attn: Juli Russell, Office of Counsel.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the South Florida Water Management District (District) Governing Board has issued an order.

SFWMD Order No. 2009-262-DAO-ROW was issued to the Florida Department of Transportation (Application No. 09-0806-2M). The petition for waiver was received by the SFWMD on September 8, 2009. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 35, No. 37, on September 18, 2009. No public comment was received. This Order provides a waiver of the District's criteria to allow the installation of one multi-post street sign within the C-11 Canal right of way, Section 26, Township 50 South, Range 40 East, Broward County. Specifically, the Order grants a waiver from subsections 40E-6.011(4) and (6), Florida Administrative Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District, incorporated by reference in subsection 40E-6.091(1), Florida Administrative Code, which governs the placement of permanent and/or semi-permanent above-ground facilities within 40 feet of the top of the canal bank within Works or Lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the District's current ability to perform necessary construction, alteration, operation, and routine maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent the Florida Department of Transportation from a suffering a substantial hardship.

A copy of the Order may be obtained by contacting: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406-4680, (561)682-6268 or by email: jurussel@sfwmd.gov.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the South Florida Water Management District (District) Governing Board has issued an order.

SFWMD Order No. 2009-263-DAO-ROW was issued to Mariela Sanchez (Application No. 07-0817-1). The petition for waiver was received by the SFWMD on September 14, 2007. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 33, No. 39, on September 28, 2007. No public comment was received. An amended petition for waiver was received by the SFWMD on March 12, 2009. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 35, No. 12, on March 27, 2009. No public comment was received. This Order provides a waiver of the District's criteria to allow the installation of a cross fence with two 16' vehicular gates located within the west right of way of the Faka Union Canal on the east side of 3884 16th Avenue, Southeast, Section 17, Township 49 South, Range 28 East, Collier County. Specifically, the Order grants a waiver from subsections 40E-6.011(4) and (6), Florida Administrative Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District, incorporated by reference in subsection 40E-6.091(1), Florida Administrative Code, which governs the placement of permanent and/or semi-permanent above-ground facilities within 40 feet of the top of the canal bank within Works or Lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the District's current ability to perform necessary construction, alteration, operation, and routine maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent Mariela Sanchez from a suffering a substantial hardship.

A copy of the Order may be obtained by contacting: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406-4680, (561)682-6268 or by email: jurussel@sfwmd.gov.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

NOTICE IS HEREBY GIVEN THAT on August 27, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Lee Rigby, Vertical Assessment Associated on behalf of USF Marshal Center, Tampa, FL, to not comply with Rule 2.18.5.1, ASME A17., 2005 edition to allow installation 6.35mm steel ropes that provide the same or greater factor of safety at the above project (VW 2009-181).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 27, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has

received an order. That order granted a variance to Lee Rigby, Vertical Assessment Associated on behalf of Hotel Indigo, Sarasota, FL, to not comply with Rule 2.7.4.1, ASME A17., 2005 edition to allow installation 8mm steel ropes at the above project (VW 2009-185).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 5, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order is denied as the petitioner has not met its burden to meet the intent of the code within a reasonable period of time, as submitted by Jane Calhoon, Calhoon Property Management, Raymond James Office Park and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-210 and 292).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Richard Higgins, President, Villa Del Verde Condominium Association, Boca Raton, FL, to provide a pit ladder (VW 2009-225 and 275).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 14, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to William Snyder, The Towers At Westshore, Tampa, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until October 5, 2012 (VW 2009-276).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 17, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Lee Rigby of Vertical Assessment Associated on behalf of Freedom Pointe Brookdale Senior Living of Lady Lake to not comply with Rule 2.7.4.1, ASME A17., 2005 edition to allow a minimum clearance of 80 inches in the machine room at the above project (VW 2009-305).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 14, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Beverly Rondeau, The Admiralty of Vanderbilt Beach, Naples, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until March 31, 2011 (VW 2009-342 and 490).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Pam Magda, Cragg Building, Orlando, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until October 12, 2012 (VW 2009-347).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Pam Magda, Laurel Building, Orlando, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until October 12, 2012 (VW 2009-348).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Pam Magda, St. Paul Building, Orlando, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until October 12, 2012 (VW 2009-349).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Pam

Magda, Palmetto Building, Orlando, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until October 12, 2012 (VW 2009-350).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Pam Magda, Lexington Building, Orlando, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until October 12, 2012 (VW 2009-351).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Pam Magda, Langley Building, Orlando, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until October 12, 2012 (VW 2009-352).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Pam Magda, Independence Building, Orlando, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until October 12, 2012 (VW 2009-353).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Pam Magda, Hollister Building, Orlando, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until October 12, 2012 (VW 2009-354).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Pam Magda, Hollister Building, Orlando, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until October 12, 2012 (VW 2009-354).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Pam Magda, Forrestal Building, Orlando, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until October 12, 2012 (VW 2009-355).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Pam Magda, Essex Building, Orlando, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until October 12, 2012 (VW 2009-356).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Pam Magda, Enterprise Building, Orlando, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until October 12, 2012 (VW 2009-357).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Pam Magda, Chandler Building, Orlando, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until October 12, 2012 (VW 2009-358).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Pam Magda, Carr Building, Orlando, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until October 12, 2012 (VW 2009-359).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Pam Magda, Bennington Building, Orlando, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until October 12, 2012 (VW 2009-360).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Pam Magda, Tedder Building, Orlando, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until October 12, 2012 (VW 2009-361).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Pam Magda, Amherst Building, Orlando, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until October 12, 2012 (VW 2009-362).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Lee Rigby of Vertical Assessment Associated on behalf of Church of

Scientology, West Coast Building of Clearwater to not comply with Rules 2.1.5, 2.2.4, 2.3.3, 2.7.4, 3.3.2, 3.9, 3.10.4(e), 3.11.1 and 3.12.2, ASME A17.3, 1996 edition until August 31, 2015 (VW 2009-469).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Catherine M. Davidson, Siemens Energy, Orlando, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until January 30, 2010 (VW 2009-477).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Tom Floyd, LifeStream Behavioral Center, Leesburg, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until November 1, 2009 (VW 2009-479).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Jim Gentry, Lake Ella Manor, Tallahassee, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until January 1, 2010 (VW 2009-481).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for That order granted a variance to Randy Unwin, Bahia del Mar III, St. Petersburg, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until July 31, 2012 (VW 2009-485).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Randy Unwin, Sand Pebble Point III Condominium Association, Inc., Port Richey, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until July 31, 2012 (VW 2009-486).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Bill Prout, Beach House, Indian Shores, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until October 1, 2012 (VW 2009-488).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Pat Scott, Howard Johnson, Orlando, FL, to not comply with Rule 3.3.4, ASME A17.3, 1996 edition to not provide top of car emergency hatches on two elevators (VW 2009-489).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to James Schenck, Dowling House, Live Oak, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until March 1, 2010 (VW 2009-498).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to James Schenck, Carter House, Live Oak, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until March 1, 2010 (VW 2009-499).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Tate Fuller, Boca Teeca Condo #1, Inc., Boca Raton, FL, to not comply with Rule 8.6.5.8, ASME A17.1, 2004 edition with 2005 Addenda until January 1, 2010 (VW 2009-507).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Michael Dean, The Atrium at Clearwater, Clearwater, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until August 31, 2012 (VW 2009-509).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Sheila Sostarich, Bellair Condominium, Daytona Beach, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until September 30, 2010 (VW 2009-518).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Carol Bryant, Century Plaza, Orlando, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until September 23, 2012 (VW 2009-520).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Carol

Bryant, Century Plaza, Orlando, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until September 23, 2012 (VW 2009-521).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Carol Bryant, Century Plaza, Orlando, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until September 23, 2012 (VW 2009-522).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Larry Nelson, Buccaneer Condo, Satellite Beach, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until October 31, 2010 (VW 2009-523).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Carol Bryant, Century Plaza, Orlando, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until September 23, 2012 (VW 2009-524).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Robert Settles, Ft. Walton Beach Medical Center, Ft. Walton Beach, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until August 1, 2013 (VW 2009-525).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Ann Burt, BBW, Inc., Ormond Beach, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until October 13, 2012 (VW 2009-532 and 473).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Linda Leopard, Dalton Place Condominium Association, Inc., Highland Beach, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until January 1, 2010 (VW 2009-535).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Eddie G. Brooks, Central FL Regional Hospital, Sanford, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until January 1, 2011 (VW 2009-552).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Eddie G. Brooks, Central FL Regional Hospital, Sanford, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until January 1, 2011 (VW 2009-553).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Eddie G. Brooks, Central FL Regional Hospital, Sanford, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until January 1, 2011 (VW 2009-554).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Eddie G. Brooks, Central FL Regional Hospital, Sanford, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until January 1, 2011 (VW 2009-555).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Eddie G. Brooks, Central FL Regional Hospital, Sanford, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until January 1, 2011 (VW 2009-556).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Eddie G. Brooks, Central FL Regional Hospital, Sanford, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until January 1, 2011 (VW 2009-557).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Lee Rigby, Vertical Assessment Associated on behalf of Fairview Isles, Ft. Myers Beach, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until December 1, 2010 (VW 2009-558).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 7, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section

of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Hickory Building, West Melbourne, FL, and location of the Serial Number 37253, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Marco Lerra (VW 2009-596).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 7, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a variance from A17.1, Sections 2.18.5, 2.20.4 and 8.11.2.1.3(cc)1&3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Navy Federal Credit Union, Bldg. 4, Pensacola, FL, requests the variance for an extension of time to instal 6 Units and for economic/financial hardship. The petition was received from Heath Phillips, KONE, Inc. (VW 2009-597).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 7, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, 5728 Major Center Blvd., Orlando, FL, and location of the Serial Numbers 35337, 35338 and 35339, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Lee Rigby, Vertical Assessment Associates (VW 2009-598).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 7, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Sections 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Flagler Center II, West Palm Beach, FL, and location of the Serial Numbers 33607 and 33610, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Richard S. Johnson, Jr., Co-Managing Partner (VW 2009-599).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 7, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Sections 3.11.3 and 3.10.4(u), as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Panama Club, Marco Island, FL, and location of the Serial Number 37684, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Lee Rigby, Vertical Assessment Associates (VW 2009-600).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 8, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Mercantile Bank Plaza, Winter Park, FL, and location of the Serial Numbers 7949, 7950 and 7752, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Keleigh A. Brouwer, Property Manager (VW 2009-601).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Section 3.11.3 (or an unspecified Section of A17.3), as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Duval County Unified Courthouse, Jacksonville, FL, and location of the Serial Numbers 2939 and 2942, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Lee Rigby, Vertical Assessment Associates (VW 2009-602).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a permanent variance from A17.3, Section 3.10.3 and A17.1, Sections 8.6.1.4, 8.6.1.6.3 and 2.16.5, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Greater Plant City Chamber of Commerce of Plant City, and location of the Serial Number 2871. The petition was received from Marion M. Smith, President (VW 2009-603).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Sections 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, The Capri, Singer Island Condominium Association, Inc., Singer Island, FL, and location of the Serial Numbers 33886 and 33885, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Kathy Jacobs, Manager (VW 2009-604).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Sections 2.7.4 and 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, River Plaza of Jupiter, and location of the Serial Number 37006, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Jeff A. Wilson (VW 2009-605).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3 and A17.1, Sections 211.3-211.8 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Whispering Sands Condominium Association, Inc., Sarasota, FL, and location of the Serial Number 20049-52, requests the variance for an

extension of time to complete repairs and for economic/financial hardship. The petition was received from Richard Jones, General Manager (VW 2009-606).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Sections 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Southeastern Elevator Consulting LLC, Apollo Beach, FL, and location of the Serial Numbers 23688, 23689, and 23690, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Tray Edmonds (VW 2009-607).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Treasure Coast Medical Center, Port St. Lucie, FL, and location of the Serial Numbers 34127, 34128 and 34129, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Lee Rigby, Vertical Assessment Associates (VW 2009-608).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Sections 3.11.3, 2.7.4 and 3.10.4(u), as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Florentine Gardens, Marco Island, FL, and location of the Serial Numbers 30030 and 30031, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Lee Rigby, Vertical Assessment Associates (VW 2009-609).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3 and A17.1, Sections 110.10(b), 2.2.3, 2.3.1, 3.3.2, 3.9.1 and 3.10.4(t), as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Seville Condominium II, Inc., Clearwater, FL, and location of the Serial Numbers 10128 and 10129, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from William Snyder, FL Certified Elevator Inspections, Inc. (VW 2009-610).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 8, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Sand Lake IV Building of Orlando, and location of the Serial Numbers 39083, 39084, 39085 and 39086, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Rachel Sardenga, Associate Director (VW 2009-612).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 12, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, MSLPC South Congress Holdings, Inc., Delray Beach, FL, and location of the Serial Numbers 33807-09, 33817, 37921-23, 37947, 51884-87, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from David Haysmer, Manager (VW 2009-613).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 12, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Municipal Parking Garage, West Palm Beach, FL, and location of the Serial Numbers 26450 and 28790, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Daniel Giust (VW 2009-614).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 12, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Episcopal-Catholic Apartments, Winter Haven, FL, and location of the Serial Numbers 21481 and 21482, requests the variance for an extension of time to complete repairs and for economic/ financial hardship. The petition was received from Haley Alam, Manager (VW 2009-615).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 12, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Regions Bank Building, Winter Park, FL, and location of the Serial Number 35502, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Jim Veigle, Owner (VW 2009-616).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 12, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received

a petition for an emergency temporary variance from A17.3, Section 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Flagler Center II, West Palm Beach, FL, and location of the Serial Numbers 33607-10, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Richard S. Johnson, Jr., Co-Manager (VW 2009-617).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 12, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Riverside Presbyterian Church Day School, Jacksonville, FL, and location of the Serial Number 24796, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Mark DeWitt (VW 2009-618).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 13, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Section 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, SK Fairgreen LLC, Orlando, FL, and location of the Serial Number 44663, requests the variance for an extension of time to complete repairs and for economic/ financial hardship. The petition was received from Mona Adams, Manager (VW 2009-619).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 13, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.1, Sections 2.18.5, 2.20.4 and 8.11.2.1.3(cc)1&3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Navy Federal Credit Union, Pensacola, FL, requests the variance for

an extension of time to complete repairs and for economic/financial hardship. The petition was received from Heath Phillips, Agent (VW 2009-620).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 13, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Rocky Point Centre, Tampa, FL, and location of the Serial Numbers 36176-79, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Suzi Dixon, Director of Property Management (VW 2009-621).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 13, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Westshore Center, Tampa, FL, and location of the Serial Numbers 35303-09, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Suzi Dixon, Director of Property Management (VW 2009-622).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 13, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Sections 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, HCC – Learning Center Resource Center, Tampa, FL, and location of the Serial Number 24757, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Ben Marshall, Manager (VW 2009-623).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 14, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Sections 3.11.3, and 2.7.4, and A17.1, Sections 101.3c, 210.4 and 1001.2(a)(18), as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Tahitian Towers, Inc., Indian Rocks Beach, FL, and location of the Serial Numbers 21961 and 21962, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Joe Tawil, President (VW 2009-624).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 24, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3 and A17.1, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, South Seas East Condominiums, Inc. of Marco Island, and location of the Serial Numbers 26739, 26740, 26741, 26742, 26743 and 26744, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Avery Breeding, (VW 2009-628).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 24, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Synovus Bank, St. Petersburg, FL, and location of the Serial Number 11039, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Lorraine Armstrong, Manager (VW 2009-629).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Sections 3.11.3, 3.11.3, and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Early Learning Coalition of Flagler and Volusia of Daytona Beach, and location of the Serial Number 5410, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Mark Stich, Agent (VW 2009-630).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Spring Lake Towers, Winter Haven, FL, and location of the Serial Number 9062, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Robert J. Sabiston, President (VW 2009-631).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Wachovia Bank Building, Pensacola, FL, and location of the Serial Number 6110, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Robin Maquiera (VW 2009-632).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Armenia Professional Center,

Clearwater, FL, and location of the Serial Number 11487, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Kay Vega, Property Manager (VW 2009-633).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, The Mansion at Tuckahoe, Stuart, FL, and location of the Serial Number 96747, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Bert L. Bender, Architect (VW 2009-634).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, City Center, St. Petersburg, FL, and location of the Serial Numbers 34431, 34432-37, 35674-75, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from John H. Murray, Vice President (VW 2009-635).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Hillcrest Building of Orlando, and location of the Serial Number 21043, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Michael Valore, Manager (VW 2009-636).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Bridgeton North Condominium, St. Petersburg, FL, and location of the Serial Numbers 12205 and 12447, requests the variance for an extension of time to complete repairs and for economic/ financial hardship. The petition was received from Joint Administrative Procedures Committee (VW 2009-637).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Castillian Condominium, Longboat Key, FL, and location of the Serial Numbers 4525 and 4545, requests the variance for an extension of time to complete repairs and for economic/ financial hardship. The petition was received from Melissa Johnson, CAM (VW 2009-638).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Sections 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, The Tennis Club of Palm Beach, West Palm Beach, FL, and location of the Serial Numbers 29874, 23172, 23171, 23173 and 29749, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Arlene Gross, Manager (VW 2009-639).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for an Emergency Variance for Section 509.221(1)(b), Florida Statutes, paragraph 61C-1.004(2)(a), subsections 61C-4.010(6), (7), Florida Administrative Code, and Section 6-402.11, 2001 FDA Food Code from 7th Floor Concierge Lounge, Coral Springs, FL. The above referenced F.A.C. addresses the requirement that at least one accessible bathroom be provided for use by customers and employees. They are requesting to utilize the public bathrooms located on a different level (1st floor) of the lodging.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on October 12, 2009, the Board of Accountancy, received a petition for Carmen A. Lopez, seeking a variance or waiver of paragraph 61H1-28.0052(1)(b), Florida Administrative Code, that requires candidates to pass all four test sections of the CPA Examination within a rolling eighteen-month period, which begins on the NASBA grade release date for the first test section(s) passed.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Voloria Kelly, Division Director, Board of Accountancy, 240 N. W. 76th Dr., Suite A, Gainesville, Florida 32607. Comments on this petition should be filed with the Board of Accountancy within 14 days of publication of this notice.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

**Section VI
Notices of Meetings, Workshops and Public Hearings**

The following state governmental agencies, boards and commissions announce a public meeting to which all persons are invited:

- State Board of Administration
- Division of Bond Finance
- Financial Services Commission:
- Office of Insurance Regulation
- Office of Financial Regulation
- Agency for Enterprise Information Technology