

(\$50 x 4) + (\$100 x 8)	\$1,000	40,000.00	156
\$200 x 5	\$1,000	40,000.00	156
\$500 x 2	\$1,000	40,000.00	156
\$1,000	\$1,000	40,000.00	156
\$5,000	\$5,000	208,000.00	30
\$1,000 x 10	\$10,000	416,000.00	15
\$10,000	\$10,000	416,000.00	15
\$10,000 x 5	\$50,000	624,000.00	10
\$50,000	\$50,000	624,000.00	10
\$200,000	\$200,000	1,248,000.00	5

(10) The estimated overall odds of winning some prize in Instant Game Number 1046 are 1 in 4.34. Prizes, including the top prizes, are subject to availability at the time of ticket purchase. Prizes may be unavailable due to prior sale or other causes occurring in the normal course of business including, but not limited to, ticket damage, defect, theft, or loss.

(11) For reorders of Instant Game Number 1046, the estimated odds of winning, value, and number of prizes shall be proportionate to the number of tickets reordered.

(12) Payment of prizes for SHERLOCK HOLMES lottery tickets shall be made in accordance with the rule of the Florida Lottery governing payment of prizes.

A copy of the current rule can be obtained from the Florida Lottery, Office of the General Counsel, 250 Marriott Drive, Tallahassee, Florida 32399-4011.

Rulemaking Authority 24.105(9)(a), (b), (c), 24.109(1), 24.115(1) FS. Law Implemented 24.105(9)(a), (b), (c), 24.115(1) FS. History—New 11-25-09.

THIS RULE TAKES EFFECT UPON BEING FILED WITH THE DEPARTMENT OF STATE UNLESS A LATER TIME AND DATE IS SPECIFIED IN THE RULE.

EFFECTIVE DATE: November 25, 2009

DEPARTMENT OF THE LOTTERY

RULE NO.: 53ER09-68
 RULE TITLE: Extension of Entry Date for and Postponement of Grand Prize Drawings for the Florida Gator FAN Experience Second Chance Promotion. the Ultimate Canes® Experience Second Chance Promotion and the VIP Football FAN Experience Second Chance Promotion

SUMMARY: The Department of the Lottery will extend the voucher entry date for and postpone the grand prize drawings of the Florida Gator FAN Experience Second Chance Promotion, the Ultimate Canes® Experience Second Chance Promotion and the VIP Football FAN Experience Second Chance Promotion.

THE PERSON TO BE CONTACTED REGARDING THE EMERGENCY RULE IS: Faith L. Schneider, Legal Analyst, Department of the Lottery, 250 Marriott Drive, Tallahassee, Florida 32399-4011

THE FULL TEXT OF THE EMERGENCY RULE IS:

53ER09-68 Extension of Entry Date for and Postponement of Grand Prize Drawings for the Florida Gator FAN Experience Second Chance Promotion. the Ultimate Canes® Experience Second Chance Promotion and the VIP Football FAN Experience Second Chance Promotion.

The voucher entry deadline for the grand prize drawings in the Florida Gator FAN Experience Second Chance Promotion, the Ultimate Canes® Experience Second Chance Promotion and the VIP Football FAN Experience Second Chance Promotion is extended to midnight on December 1, 2009. The grand prize drawing in each promotion will be held on December 2, 2009.

Rulemaking Authority 24.105(9), 24.109(1) FS. Law Implemented 24.105(9), 24.115(1) FS. History—New 11-30-09.

THIS RULE TAKES EFFECT UPON BEING FILED WITH THE DEPARTMENT OF STATE UNLESS A LATER TIME AND DATE IS SPECIFIED IN THE RULE.

EFFECTIVE DATE: November 30, 2009

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

**Section V
 Petitions and Dispositions Regarding Rule
 Variance or Waiver**

DEPARTMENT OF HIGHWAY SAFETY AND MOTOR VEHICLES

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Highway Safety and Motor Vehicles, received a petition for Emergency Variance on October 15, 2009, from Christine Holmes on behalf of the David Lawrence Mental Health Center, Inc., 2806 South Horseshoe Dr., Naples, Florida 34104. Pursuant to Section 120.542, Florida Statutes, the Petitioner is seeking a variance from or a waiver of paragraph 15A-10.022(4)(b), Florida Administrative Code, to extend for an additional six months, or until June 1, 2010 the recognition of Ms. Holmes to perform the functions of a clinical supervisor. This rule limits the period of such recognition to six months.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Judson M. Chapman, Senior Assistant General Counsel, Department of Highway Safety and Motor Vehicles, 2900 Apalachee Parkway, A-432 MS-02, Tallahassee, Florida 32399-0504. The Department will accept comments concerning the Petition for 5 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m. on December 18, 2009.

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

DEPARTMENT OF THE LOTTERY

NOTICE IS HEREBY GIVEN THAT on November 13, 2009, the Department of the Lottery has issued an order.

The order is in response to a petition for a rule waiver filed on August 9, 2009, by Louis Tolentino, Jr. The Petition was published in Vol. 35, No. 35, F.A.W., on September 4, 2009.

Petitioner sought a waiver of Rule 53ER08-89, Florida Administrative Code, with respect to certain requirements for payment of prizes on tickets. The Department determined that Petitioner has demonstrated that the purpose of the underlying statute has been achieved by other means and that application of the rule would create a substantial hardship. Therefore, the petition was GRANTED, subject to conditions that are stated in the Final Order.

A copy of the Order may be obtained by contacting: Office of the General Counsel, Florida Department of the Lottery, 250 Marriott Drive, Tallahassee, Florida 32399-4011, or by calling (850) 487-7777.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

NOTICE IS HEREBY GIVEN THAT on December 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Lucinda L. Shaffer, Sunset Captiva Bayside Condo, Captiva, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until October 31, 2010 (VW 2009-232).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on December 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety

has received an order. That order granted a variance to Pierre Thiemann, Port Belleair 3, Belleaire Beach, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until December 1, 2011 (VW 2009-286).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on December 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Rick Chapman, Anheuser Bush, Jacksonville, FL, to not comply with Rules 3.11.3, 3.11.1 and 2.7.4, ASME A17.3, 1996 edition until June 1, 2010 (VW 2009-327).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 25, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order is denied as the petitioner has not met its burden to meet the intent of the code within a reasonable period of time, as submitted by Shawn Linton, Florida Institute of CPAs and, as specified in Section 120.542, Florida Statutes, titled Petition for Variance and Waiver (VW 2009-445).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on December 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to B. A. Bobanic, University Community Medical Center, Inc., Tampa, FL, to not comply with Rules 3.11.3, 3.3.2 and 2.7.4, ASME A17.3, 1996 edition until December 1, 2010 (VW 2009-345 and 516).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on December 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to William Snyder, Lido Surf & Sand Condominium, Sarasota, FL, to not comply with Rules 3.11.3, 3.3.2 and 2.7.4, ASME A17.3, 1996 edition until June 1, 2012 (VW 2009-452).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on December 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to William Snyder, The Mirasol Apartments, Tampa, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition (VW 2009-450). A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on December 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Kimberly Rosemergy, The Forum Apartments, Boca Raton, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until April 1, 2010 (VW 2009-468). A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on December 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Karen S. Padgett, Maitland Green I, Maitland, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until September 30, 2010 (VW 2009-504). A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on December 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Thomas W. Cook, Ironwood Fifteenth Condominium Association, Inc., Bradenton, FL, to not comply with Rules 3.11.3, 3.10.4(t) and 2.7.4, ASME A17.3, 1996 edition until May 1, 2010 (VW 2009-519 and 580). A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on December 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Carole S. Bowdenm Ironwood Seventh Condominium Association,

Inc.m Bradenton, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until April 30, 2012 (VW 2009-541).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on December 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Carole S. Bowden, Ironwood Fourteenth Condominium Association, Inc., Bradenton, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until April 30, 2012 (VW 2009-564).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on December 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Carole S. Bowden, Ironwood Ninth Condominium Association, Inc., Bradenton, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until April 30, 2012 (VW 2009-565).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on December 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Jane Bentley, Central Manor Apartments, Daytona Beach, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until March 15, 2010 (VW 2009-570).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on December 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Howard Brody, Lake Howard Heights, Winter Haven, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until October 31, 2012 (VW 2009-576).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on December 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Robert Mastrippolito, Islander Club, Longboat Condominium Association, Longboat Key, FL, to not comply with Rules 3.10.4(t) and 2.7.4, ASME A17.3, 1996 edition until December 1, 2011 (VW 2009-584).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on December 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Cheri Johnson, Fairway Bay Association, Longboat Key, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until December 31, 2011 (VW 2009-586).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on December 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Larry Woodard, Ocean Trail Condominium Association No. 1, Inc., Jupiter, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until November 30, 2010 (VW 2009-594).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on December 1, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Anita Danna, Otter Key Condominium, St. Petersburg, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until July 31, 2010 (VW 2009-652).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 20, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. The request for variance is withdrawn by the Petitioner, Steve Zook, The Beachcomber Condominiums, as specified in Section 120.542, Florida Statutes, titled Petition for Variance and Waiver (VW 2009-703).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order is denied as the petitioner has not met its burden to meet the intent of the code within a reasonable period of time, as submitted by William Wedral, Pelican Walk Condominium and, as specified in Section 120.542, Florida Statutes, titled Petition for Variance and Waiver (VW 2009-540).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order is denied as the petitioner has not met its burden to meet the intent of the code within a reasonable period of time, as submitted by Lee Rigby, The Enclave Hotel & Suites and, as specified in Section 120.542, Florida Statutes, titled Petition for Variance and Waiver (VW 2009-560).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order is denied as the petitioner has not met its burden to meet the intent of the code within a reasonable period of time, as submitted by Mark Stich, Orlando World Center Marriott, Inc. and, as specified in Section 120.542, Florida Statutes, titled Petition for Variance and Waiver (VW 2009-562).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order is denied as the petitioner has not met its burden to meet the intent of the code within a reasonable period of time, as submitted by Larry LoCascio, Monroe Park Tower and, as specified in Section 120.542, Florida Statutes, titled Petition for Variance and Waiver (VW 2009-724).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order is denied as the petitioner has not met its burden to meet the intent of the code within a reasonable period of time, as submitted by Soli Bratanatawira, Comfort Inn Universal Studio and, as specified in Section 120.542, Florida Statutes, titled Petition for Variance and Waiver (VW 2009-727).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order is denied as the petitioner has not met its burden to meet the intent of the code within a reasonable period of time, as submitted by Soli Bratanatawira of Comfort Inn Universal Studio and, as specified in Section 120.542, Florida Statutes, titled Petition for Variance and Waiver (VW 2009-728).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order is denied as the petitioner has not met its burden to meet the intent of the code within a reasonable period of time, as submitted by Soli Bratanatawira of Comfort Inn Universal Studio and, as specified in Section 120.542, Florida Statutes, titled Petition for Variance and Waiver (VW 2009-729).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 30, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order is denied as the petitioner has not met its burden to meet the intent of the code within a reasonable period of time, as submitted by Soli Bratanatawira, Comfort Inn Universal Studio and, as specified in Section 120.542, Florida Statutes, titled Petition for Variance and Waiver (VW 2009-730).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 13, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from Section 399.035(1)(b), F.S. The petitioner, Marriott Oceana Palms, Riviera Beach, FL, and location of the Serial Number 96728-30, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Jennifer Livingston, Project Manager (VW 2009-735).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Sections 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Boca Raton Plaza Hotel & Suites, Boca Raton, FL, and location of the Serial Numbers 14795-96, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from John Wagner, Owner (VW 2009-737).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance to extend the annual inspection due date to December 31, 2009. The petitioner, Windermere Business Center Condo Assoc., Inc., Orlando, FL, and location of the Serial Number 94979-81, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Michael Young, Vice-President (VW 2009-738).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2

Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Vista De Oro Condo, St. Petersburg, FL, and location of the Serial Number 30247-48, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Madelyn Wood, Property Manager (VW 2009-739).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a permanent variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Bermuda High South, Delray Beach, FL, and location of the Serial Numbers 4755, 4969, 8328, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Steven C. Lebrun, Secretary (VW 2009-740).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Bahia Del Mar II, St. Petersburg, FL, and location of the Serial Numbers 30265, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Paul Mullen, Property Manager (VW 2009-741).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Bahia Del Mar II, St. Petersburg, FL, and location of the Serial Number 30266, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Paul Mullen, Property Manager (VW 2009-742).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from ANSI/NFPA 70 Section 620-71 and A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, 2790 N. Federal Hwy., Boca Raton, FL, and location of the Serial Number 33772, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Barry S. Stark, Managing Member (VW 2009-743).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Casa de Marco, Marco Island, FL, and location of the Serial Number 31580, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Jeffrey Will, Managing Agent (VW 2009-744).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Raymond Office Plaza of West Palm Beach, and location of the Serial Number 33139-40, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Judy Preefer, Agent (VW 2009-745).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3, 3.11.1, 3.10.4(t), 3.3.2 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Sun Towers, Sun City Center, FL, and location of the Serial Numbers 24950-51, 25166 and 36315, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from William Snyder, Agent (VW 2009-746).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3, 3.9.1, 3.3.2 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Townview Condo Assoc., St. Petersburg, FL, and location of the Serial Numbers 32626-28, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from William Snyder, Agent (VW 2009-747).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 17, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from A18.1, Section 2.7.1, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Bishop Moore HS Memorial Stadium, Orlando, FL, and location of the Serial Number 61933, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from James Farrow, Agent (VW 2009-748).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 17, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph

61C-5.001(1)(a), F.A.C. The petitioner, Treasure Coast Medical Center, Port St. Lucie, FL, and location of the Serial Numbers 34127-29, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Lee Rigby, Agent (VW 2009-749).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 18, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Key Plaza Apartments, St. Petersburg, FL and location of the Serial Numbers 18294-95, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Aral Abuhan, Manager (VW 2009-750).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 25, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from A17.3, Sections 3.11.3 and 3.3.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, FAMU Coleman Library, Tallahassee, FL, and location of the Serial Numbers 11013, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Lee Rigby, Agent (VW 2009-751).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 10, 2009, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The Department received a Petition on October 19, 2009 for a Routine Variance for subsection 61C-4.010(5), Florida Administrative Code and Paragraph 4-301.12(A), 2001 FDA Food Code from Bay Spirit II, Tampa, FL. The above referenced F.A.C. addresses the requirement that each establishment have facilities for washing, rinsing and

sanitizing dishes and utensils. They are requesting to utilize the dishwashing facilities located within another licensed establishment.

The variance request was published in Vol. 35, No. 45, 11/13/09 contingent upon the Petitioner ensuring the three-compartment sink located within Caribbean Cantina is maintained in a clean and sanitary manner, provided with hot and cold running water under pressure, and available during all hours of operation. If the owner of the Caribbean Cantina changes, an updated signed agreement for use of the three-compartment sink is required immediately. Any violation of the variance is the equivalent of a violation of the Rule and may result in a rescission of the variance and subject the Petitioner to disciplinary sanctions as enumerated in Section 509.261, Florida Statutes.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on November 24, 2009, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for an Emergency Variance for subparagraph 61C-1.002(5)(a)2., Florida Administrative Code, from Florida Fast Food Network, Winter Park, FL. The above referenced F.A.C. addresses the requirement that a mobile food dispensing vehicle be self-propelled or otherwise movable. They are requesting to mount the mobile food dispensing vehicle on casters rather than an axle.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on November 10, 2009, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The Department received a Petition on October 20, 2009 for a Routine Variance for Subparagraph 3-305.11(A)(2), 2001 FDA Food Code, Paragraph 3-305.14, 2001 FDA Food Code, Paragraph 6-202.15, 2001 FDA Food Code, Paragraph 6-202.16, 2001 FDA Food Code, subsections 61C-4.010(1), (6), Florida Administrative Code, from Mariachi's Grill Inc., Bushnell, FL. The above referenced F.A.C. addresses the requirement for proper handling and dispensing of food. They are requesting to dispense bulk potentially hazardous foods other than frankfurters from an open air mobile food dispensing vehicle.

The variance request was published in Vol. 35, No. 45, 11/13/09 contingent upon the Petitioner ensuring that each pan within the steam table is properly covered with an individual

lid, the steam table is enclosed within a cabinet with tight-fitting doors and protected by an air curtain installed and operated according to manufacturer's specifications that protects against flying vermin or other environmental contaminants; all steam table foods must be properly reheated for hot holding at approved commissaries per the parameters of the currently adopted FDA Food Code, and held hot at the proper minimum temperature per the parameters of the currently adopted FDA Food Code; and steam table food is to be dispensed by the operator with no customer self-service. The Petitioner shall also strictly adhere to the operating procedures and copies of the variance and operating procedures are to be present on the MFDV during all periods of operation. Any violation of the variance is the equivalent of a violation of the Rule and may result in a rescission of the variance and subject the Petitioner to disciplinary sanctions as enumerated in Section 509.261, Florida Statutes.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@DBPR.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on November 19, 2009, the Board of Architecture and Interior Design, received a petition for Danielle Wolf, seeking a variance or waiver of subsection 61G1-22.002(1), F.A.C., which requires that applicants for licensure obtain the diversified interior design experience required by Section 481.209(2), F.S., with a registered interior designer (any state) or registered architect (any state) performing interior design services, unlicensed interior designer (outside of Florida) who has passed the NCIDQ (National Council for Interior Design Qualification) or the AID (American Institute of Designers) examination, or unlicensed interior designer (outside of Florida) who would have met the six-year experience grandfather requirement of Section 21, Chapter 88-383, Laws of Florida. Petitioner also seeks a variance or waiver of subsection 61G1-22.002(4), Florida Administrative Code, which requires that an applicant's experience record shall be based upon written statements as to employment from the employer or supervisors of the applicant that set forth the quality and character of the applicant's duties and responsibilities.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Anthony Spivey, Executive Director, Board of Architecture and Interior Design, 1940 North Monroe Street, Tallahassee, FL 32399-0783. Comments on this petition should be filed with the Board of Architecture and Interior Design within 14 days of publication of this notice.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

DEPARTMENT OF HEALTH

NOTICE IS HEREBY GIVEN THAT on November 18, 2009, the Board of Clinical Social Work, Marriage and Family Therapy and Mental Health Counseling, received a petition for Tracy Bane, LCSW on behalf of Denyce Roberts, MSW, seeking a variance or waiver of Rule 64B4-2.002, F.A.C., with regard to the requirement of face-to-face contact between an intern and supervisor.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sue Foster, Executive Director, Board of Clinical Social Work, Marriage and Family Therapy and Mental Health Counseling, 4052 Bald Cypress Way, Bin #C08, Tallahassee, Florida 32399-3258. Comments on this petition should be filed with: Board of Clinical Social Work, Marriage and Family Therapy and Mental Health Counseling within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN THAT on November 13, 2009, the Department of Health, received a petition for Variance from sub-subparagraph 64E-11.006(5)(b)7.f., Florida Administrative Code (F.A.C.), from Advent Parrish Day School (Episcopal Church of the Advent), 815 Piedmont Dr., Tallahassee, Florida 32312. This rule section states, "Final rinse temperatures in this subsection apply to temperatures at the rinse manifold."

Comments on this petition should be filed with: Sam Power, Agency Clerk, Department of Health, Office of General Counsel, 4052 Bald Cypress Way, BIN #A02, Tallahassee, Florida 32399-1703, within 14 days of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Ric Mathis, Bureau of Community Environmental Health, 4052 Bald Cypress Way, BIN #A08, Tallahassee, Florida 32399-1710, (850)245-4277.

NOTICE IS HEREBY GIVEN THAT on November 23, 2009, the Department of Health, Bureau of Community Environmental Health, received a petition for Temporary Variance of Teri L. Donaldson on behalf of Stericycle, Inc. has been granted. The Petition for Temporary Variance and an amended Petition for Temporary Variance was received by the Department on August 27, 2009 and September 2, 2009, respectively. Notice of the Petitions was published by the Department of Health in the Florida Administrative Weekly, Vol. 35, No. 37. The Petitioner sought a temporary variance from subsection 64E-16.005(1) and paragraph 64E-16.005(1)(b), F.A.C. The basis of the approval is financial

hardship to Petitioner for compliance with the requirement set forth in subsection 64E-16.005(1) and paragraph 64E-16.005(1)(b), F.A.C., requiring labeling of sharps containers. Petitioner has offered an alternative method that the department has determined meets the intent of subsection 64E-16.005(1) and paragraph 64E-16.005(1)(b), F.A.C. and the underlying requirements of the statute.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Gina Vallone-Hood, Bureau of Community Environmental Health, 4052 Bald Cypress Way, Bin #A08, Tallahassee, Florida 32399, Gina_Vallone@doh.state.fl.us, (850)245-4273.

DEPARTMENT OF CHILDREN AND FAMILY SERVICES

NOTICE IS HEREBY GIVEN THAT on November 18, 2009, the Department of Children and Families, received a petition for waiver of subsection 65C-15.017(2), Florida Administrative Code, from Sherree Rich, assigned Case No. 09-039W. Subsection 65C-15.017(2), F.A.C. require staff of a licensed child-placing agency responsible for supervising casework services shall have a master's or bachelor's degree in social work or a related area of study from accredited college or university.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Children and Families, 1317 Winewood Blvd., Bldg. 2, Room 204, Tallahassee, FL 32399-0700.

BROWARD COUNTY PERMITTING, LICENSING AND CONSUMER PROTECTION

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Broward County Elevator Section, received a petition for an Emergency Temporary Variance until October 1, 2013, pursuant to ASME A17.3, Section 1.3, in order to have adequate time to raise funds and to have the work performed necessary to bring elevators into compliance with ASME A17.3, Rule 3.11.3, pertaining to Fire Control operations, as the 30 days allowed under Chapter 399, F.S., is an inadequate period of time to accomplish the work involved. Petitioner: Lee Rigby, President, Vertical Assessment Associates, on behalf of Corporate Park At Inverrary, LLC.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Richard S. Walter, Elevator Section Supervisor, Broward County, Permitting, Licensing & Consumer Protection Division, 1 North University Drive, Plantation, Florida 33324.

NOTICE IS HEREBY GIVEN THAT on October 28, 2009, the Broward County Elevator Section, received a petition for a Temporary Variance until October 1, 2013, in order to have adequate time to raise funds, request bids and have the work

performed necessary to bring elevators into compliance with ASME A17.3, Rule 3.11.3, pertaining to Fire Control operations from Irving Kahn, General Manager for Somerset Phases 4 & 5 LLC.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Richard S. Walter, Elevator Section Supervisor, Broward County, Permitting, Licensing & Consumer Protection Division, 1 North University Drive, Plantation, Florida 33324.

Section VI Notices of Meetings, Workshops and Public Hearings

DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES

The **Pesticide Review Council** announces a public meeting to which all persons are invited.

DATE AND TIME: January 13, 2010, 9:00 a.m.

PLACE: Austin Cary Memorial Forest, Conference Building, 10625 Northeast Waldo Road, Gainesville, Florida 32609, (352)846-0850

GENERAL SUBJECT MATTER TO BE CONSIDERED: Regular meeting of the council during which there will be a review of pertinent pesticide issues impacting on human health and the environment.

A copy of the agenda may be obtained by contacting: Bureau of Pesticides, 3125 Conner Boulevard, Building 6, Mail L-29, Tallahassee, Florida 32399-1650, (850)487-0532.

The **Pesticide Registration Evaluation Committee** announces a public meeting to which all persons are invited.

DATE AND TIME: January 7, 2010, 9:00 a.m.

PLACE: Florida Department of Agriculture and Consumer Services, Bureau of Pesticides Conference Room, 3125 Conner Boulevard, Building 6, Room 606, Tallahassee, Florida 32399, (850)487-2130

GENERAL SUBJECT MATTER TO BE CONSIDERED: The Committee discusses and makes recommendations on pesticide registration issues impacting human health and safety and the environment.

A copy of the agenda may be obtained by contacting: Pesticide Registration Section at (850)487-2130 or from the PREC Web Site: <http://www.flaes.org/pesticide/pesticideregistration.html>.

For more information, you may contact: Mr. Charlie L. Clark, Administrator, Pesticide Registration Section, 3125 Conner Boulevard, Building 6, Room 601, Tallahassee, Florida 32399-1650, (850)487-2130.

DEPARTMENT OF EDUCATION

The **Division of Blind Services, Direct Support Organization** announces a telephone conference call to which all persons are invited.

DATE AND TIME: December 17, 2009, 1:30 p.m. – 4:00 p.m.

PLACE: Conference Call: 1(877)347-0176, Passcode: 720674#. Blind Services Foundation, 4700 Millenia Boulevard, Suite 175, Orlando, Florida 32839, (850)345-9122

GENERAL SUBJECT MATTER TO BE CONSIDERED: Board Meeting.

A copy of the agenda may be obtained by contacting: Craig Kiser, 4700 Millenia Boulevard, Suite 175, Orlando, Florida 32839, (850)345-9122.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 3 days before the workshop/meeting by contacting: Craig Kiser at (850)345-9122. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

PUBLIC SERVICE COMMISSION

The Florida **Public Service Commission** announces a public meeting to which all persons are invited.

DATE AND TIME: Wednesday, January 13, 2010, 6:00 p.m.

PLACE: Eustis Community Center, 601 North Shore Drive, Eustis, Florida 32726

GENERAL SUBJECT MATTER TO BE CONSIDERED: DOCKET NO. 090346-WU – Application for staff-assisted rate case in Lake County by Brendenwood Water System, Inc. The purpose of this customer meeting is to give customers and other interested persons an opportunity to offer comments regarding the quality of service the utility provides, the proposed rate increase, and to ask questions and comment on other issues. One or more of the Commissioners of the Florida Public Service Commission may attend and participate in this meeting.

EMERGENCY CANCELLATION OF CUSTOMER MEETING: If a named storm or other disaster requires cancellation of the meeting, Commission staff will attempt to give timely, direct notice to parties. Notice of cancellation of the meeting will also be provided on the Commission's website