

(10) The estimated overall odds of winning some prize in Instant Game Number 5000 are 1 in 4.66. Prizes, including the top prizes, are subject to availability at the time of ticket purchase. Prizes may be unavailable due to prior sale or other causes occurring in the normal course of business including, but not limited to, ticket damage, defect, theft, or loss.

(11) For reorders of Instant Game Number 5000, the estimated odds of winning, value, and number of prizes shall be proportionate to the number of tickets reordered.

(12) Payment of prizes for TROPICAL RICHES lottery tickets shall be made in accordance with the rule of the Florida Lottery governing payment of prizes.

A copy of the current rule can be obtained from the Florida Lottery, Office of the General Counsel, 250 Marriott Drive, Tallahassee, Florida 32399-4011.

Rulemaking Authority 24.105(9)(a), (b), (c), 24.109(1), 24.115(1) FS. Law Implemented 24.105(9)(a), (b), (c), 24.115(1) FS. History—New 10-23-09.

THIS RULE TAKES EFFECT UPON BEING FILED WITH THE DEPARTMENT OF STATE UNLESS A LATER TIME AND DATE IS SPECIFIED IN THE RULE.

EFFECTIVE DATE: October 23, 2009

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled “Official Notices.”

Section V
Petitions and Dispositions Regarding Rule
Variance or Waiver

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled “Official Notices.”

WATER MANAGEMENT DISTRICTS

NOTICE IS HEREBY GIVEN THAT on September 10, 2009, the St. Johns River Water Management District, received a petition for variance from Calvary Chapel of Melbourne, Inc., pursuant to Section 120.542, Florida Statutes. Petitioner is seeking a variance from subparagraph 40C-41.063(1)(c)1., F.A.C., and Section 11.1.3 of the Applicant’s Handbook: Management and Storage of Surface Waters (February 1, 2005) (A.H.), for Environmental Resource Permit (ERP) Application 4-009-34530-6. The permit applicant is proposing to construct

an education building as an addition to Calvary Chapel of Melbourne, an existing church in the City of West Melbourne, Brevard County, as well as expanding the existing surface water management system, including wet detention ponds that discharge into the Melbourne-Tillman Water Control District canal system, for a surface water management system known as Calvary Chapel Educational Building Addition, in Brevard County. Subparagraph 40C-41.063(1)(c)1., F.A.C., and Section 11.1.3, A.H., prohibit the construction, operation, and maintenance of a surface water management system in the Upper St. Johns River Hydrologic Basin that results in an increase in the amount of water being diverted from the Basin to coastal receiving waters. These rules are intended to protect the water resources of the state by limiting discharges of fresh water to estuarine waters and curtailing interbasin diversion. Comments on this petition should be filed with: Sandra Bertram, Acting District Clerk, St. Johns River Water Management District, 4049 Reid Street, Palatka, Florida 32177-2529, within 14 days of publication of this notice. The petition has been assigned F.O.R. Number 2008-123.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Gail Hankinson, Assistant General Counsel, Office of General Counsel, St. Johns River Water Management District, 4049 Reid Street, Palatka, FL 32177, (386)329-4391.

NOTICE IS HEREBY GIVEN THAT on October 14, 2009, South Florida Water Management District (District) received a request for withdrawal of a Petition for Waiver from Florida Department of Transportation regarding Application No.: 03-0930-3M for utilization of Works or Lands of the District known as the North New River Canal, Broward County. The District originally received the petition for waiver from Miami-Dade on October 7, 2003, and Notice of receipt of the petition was published in the Florida Administrative Weekly, Vol. 29, No. 43, on October 24, 2003. No public comment was received.

A copy of the withdrawal request may be obtained from: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406-4680, (561)682-6268 or e-mail: jurussel@sfwmd.gov.

NOTICE IS HEREBY GIVEN THAT on March 6, 2008, South Florida Water Management District (District) received a request for withdrawal of a Petition for Waiver from Florida Department of Transportation regarding Application No.: 06-1010-1M for utilization of Works or Lands of the District known as the C-111 Canal, Section 16 and 17, Township 59 South, Range 39 East, Miami-Dade County. The District originally received the petition for waiver from Florida Department of Transportation on October 10, 2006, and Notice of receipt of the petition was published in the Florida Administrative Weekly, Vol. 32, No. 44, on November 3, 2006. No public comment was received.

A copy of the withdrawal request may be obtained from: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406-4680, (561)682-6268 or e-mail: jurussel@sfwmd.gov.

NOTICE IS HEREBY GIVEN THAT on December 18, 2007, South Florida Water Management District (District) received a request for withdrawal of a Petition for Waiver from Gulfstream Natural Gas System regarding Application No.: 06-1204-3 for utilization of Works or Lands of the District known as the L-65 Canal, Sections 22, 26, 35 and 14, Township 39 and 40 South, Range 37 East, Martin County. The District originally received the petition for waiver from Miami-Dade on December 4, 2006, and Notice of receipt of the petition was published in the Florida Administrative Weekly, Vol. 32, No. 51, on December 22, 2006. No public comment was received.

A copy of the withdrawal request may be obtained from: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406-4680, (561)682-6268 or e-mail: jurussel@sfwmd.gov.

NOTICE IS HEREBY GIVEN THAT on December 18, 2007, South Florida Water Management District (District) received a request for withdrawal of a Petition for Waiver from Gulfstream Natural Gas System regarding Application No.: 06-1204-4 for utilization of Works or Lands of the District known as the L-8 Canal, Sections multiple, Township 41 South, Range 37, 38, 39 and 40 East, Palm Beach County. The District originally received the petition for waiver from Miami-Dade on December 4, 2006, and Notice of receipt of the petition was published in the Florida Administrative Weekly, Vol. 32, No. 51, on December 22, 2006. No public comment was received.

A copy of the withdrawal request may be obtained from: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406-4680, (561)682-6268 or e-mail: jurussel@sfwmd.gov.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

NOTICE IS HEREBY GIVEN THAT on October 21, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order is denied as the petitioner has failed to meet it's burden by not providing the information requested by the Division, as submitted by Penny Blair, Summerhouse and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-028).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order is denied as the petitioner has failed to meet it's burden by not providing the information requested by the Division, as submitted by Reese Williamson, Spanish Galleon Condominiums and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-034).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order is denied as the petitioner has failed to meet it's burden by not providing the information requested by the Division, as submitted by Willis Bircy, Villa Dora Condominium and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-042).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order is denied as the petitioner has failed to meet it's burden by not providing the information requested by the Division, as submitted by Pamela J. Hummell, The Surgical Group and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-043).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order is denied as the petitioner has failed to meet it's burden by not providing the information requested by the Division, as submitted by David Kirk, Venice Costa Brava Condominium and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-044).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order is denied as the petitioner has failed to meet it's burden by not providing the information requested by the Division, as submitted by Eric Poulin and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-169).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order is denied as the petitioner has failed to meet it's burden by not providing the information requested by the Division, as submitted by David Spencer, Baypoint Yacht and Racquet Club and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-183).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order is denied as the petitioner has failed to meet it's burden by not providing the information requested by the Division, as submitted by Richard Mierzwa, Point Brittany Condominiums and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-184).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order is denied as the petitioner has not met it's burden as the features required under the new rules will not be installed within a reasonable time period and no means of meeting the intent of the code have been put forth, as submitted by John Wagner, Boca Raton Plaza Hotel & Suites, Boca Raton, FL and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-190).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Shirley Marsche, Barefoot Pelican, Vanderbilt Beach, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until October 14, 2012 (VW 2009-262).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Gary Tresnowsky, Lake Clarke Gardens Condominium, Inc., Lake Worth, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until April 30, 2011 (VW 2009-303).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Keith Rogers, City of Tampa, Tampa, FL to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until July 24, 2010 (VW 2009-323).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Stephen M. Nevels, District Court of Appeal, Tallahassee, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until September 1, 2010 (VW 2009-388).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Suzi Ford,

Liberty Plaza, Jacksonville, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until January 1, 2010 (VW 2009-543).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Suzi Ford, The Art Institute, Jacksonville, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until January 1, 2010 (VW 2009-544).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Suzi Ford, Butler Plaza I, Jacksonville, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until January 1, 2010 (VW 2009-545).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Suzi Ford, Butler Plaza II, Jacksonville, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until January 1, 2010 (VW 2009-546 and 295).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Suzi Ford, Centurion Plaza, Jacksonville, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until January 1, 2010 (VW 2009-547).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Suzi Ford, Bank of America Bldg., Jacksonville, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until January 1, 2010 (VW 2009-548).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Suzi Ford, PPS Worldmed Shared Services, Jacksonville, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until January 1, 2010 (VW 2009-549).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Suzi Ford, Enterprise Park, Jacksonville, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until January 1, 2010 (VW 2009-550).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Suzi Ford, Liberty Center, Jacksonville, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until January 1, 2010 (VW 2009-551).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 14, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.1, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Walgreens, Milton, FL, and location of the Serial Number 97472, requests the variance for an extension of

time to complete repairs and for economic/financial hardship. The petition was received from Patricia J. Serley, General Manager (VW 2009-625).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 14, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Cove Harbor I Condominium Association, Inc., Panama City, FL, and location of the Serial Number 32140, requests the variance for an extension of time to complete repairs and for economic/ financial hardship. The petition was received from Wayne Turk, President (VW 2009-626).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Sections 3.11.3 and 3.3.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Florida A&M University, Coleman Library, Tallahassee, FL, and location of the Serial Number 11013, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Lee Rigby, Agent (VW 2009-627).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 14, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Clearwater Key-South Bay Condominium Association, Clearwater, FL, and location of the Serial Numbers 32952 and 32953, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Jill Ellis, Property Manager (VW 2009-643).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Sections 2.7.4 and 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Florida Hospital, Orlando, FL, and location of the Serial Numbers 33568-74, 33578, 1667, 8358, 5594, 5560, 34325-30, 6018-19, 22581-84, 24705, 39369, 35047, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Lee Rigby, Agent (VW 2009-644).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 19, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Bethesda Memorial Hospital, Boynton Beach, FL, and location of the Serial Numbers 30184 and 30185, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Susan A. Moak, CHSP (VW 2009-645).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 19, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Sections 3.11.3 and 2.7.4, and A17.1, Section 1.5, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Bethesda Memorial Hospital, Boynton Beach, FL, and location of the Serial Numbers 3773, 9090-91, 91218, 26254, 5805, 85802-03 and 31391, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Susan A. Moak, CHSP (VW 2009-646).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 19, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3 and A17.1, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Park Shore Tower Condominium Association, Naples, FL, and location of the Serial Numbers 35470 and 35745, requests the variance for an extension of time to complete repairs and for economic/ financial hardship. The petition was received from Jim Caldwell, Manager (VW 2009-647).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 19, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Days Inn Tropical Sea's Hotel, Daytona Beach Shores, FL, and location of the Serial Number 37010, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from John Townsell, Vice President (VW 2009-648).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 19, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Bram Towers, Sanford, FL, and location of the Serial Number 14918, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Rebecca Riffle, Manager (VW 2009-649).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 19, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received

a petition for a temporary variance from A17.3, Sections 2.7.4 and 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Ocean at the Bluffs South, Jupiter, FL, and location of the Serial Numbers 37272-78, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Mark Hasson (VW 2009-650).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 19, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Sections 2.7.4 and 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, TransFlorida Centre, Inc., Boca Raton, FL, and location of the Serial Numbers 37845-46, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Paul Levine, Property Manager (VW 2009-651).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 19, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from A17.3, Section 2.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Otter Key Condominium, Inc., St. Petersburg, FL, and location of the Serial Number 37009 and 37093, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Anita Danna, Managing Agent (VW 2009-652).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Comeau Building of West Palm Beach, and location of the Serial Numbers 512 and 513, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Veronica Franco, Manager (VW 2009-655).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Palma Del Mar Condo Association #2, St. Petersburg, FL, and location of the Serial Numbers 26999 and 27000, requests the variance for an extension of time to complete repairs and for economic/ financial hardship. The petition was received from Lydia L. Moscato, Manager (VW 2009-656).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Savannah Condo Association, Inc., South Pasadena, FL, and location of the Serial Numbers 31289 and 31290, requests the variance for an extension of time to complete repairs and for economic/ financial hardship. The petition was received from Lydia L. Moscato, Manager (VW 2009-657).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Santa Maria Condo Association, Inc., South Pasadena, FL, and location of the Serial Number 31286, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Lydia L. Moscato, Manager (VW 2009-658).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 20, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Village of Winterset, Winter Park, FL, and location of the Serial Numbers 9114 and 9115, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from James E. Elder, President (VW 2009-659).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 20, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Venice Sands Condominium Association, Venice, FL, and location of the Serial Numbers 8939 and 8940, requests the variance for an extension of time to complete repairs and for economic/ financial hardship. The petition was received from Vincent R. Campbell, Manager (VW 2009-660).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 20, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Commodore Bldg. at Bay Island, South Pasadena, FL, and location of the Serial Numbers 26413 and 26414, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Tray Edmonds, Agent (VW 2009-661).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 20, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Saratoga Bldg. at Bay Island, South Pasadena, FL,

and location of the Serial Number 20286, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Tray Edmonds, Agent (VW 2009-662).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 20, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Presidential Bldg. at Bay Island, South Pasadena, FL, and location of the Serial Numbers 26637 and 26638, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Tray Edmonds, Agent (VW 2009-663).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 20, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Lexington Bldg. at Bay Island, South Pasadena, FL, and location of the Serial Number 20675, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Tray Edmonds, Agent (VW 2009-664).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 20, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Heritage Bldg. at Bay Island, South Pasadena, FL, and location of the Serial Number 20285, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Tray Edmonds, Agent (VW 2009-665).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 20, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, West Forsyth Financial Associates, Jacksonville, FL, and location of the Serial Number 22514, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Celeste G. MacDonald, General Manager (VW 2009-666).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 20, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, West Forsyth Financial Associates, Jacksonville, FL, and location of the Serial Numbers 20592-99, requests the variance for an extension of time to complete repairs and for economic/ financial hardship. The petition was received from Celeste G. MacDonald, General Manager (VW 2009-667).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 20, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Lakeside Hills Estates, Lakeland, FL, and location of the Serial Number 10253, requests the variance for an extension of time to complete repairs and for economic/ financial hardship. The petition was received from Tray Edmonds, Agent (VW 2009-668).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 14, 2009, the Board of Accountancy, received a petition for Phiroze N. Desai, seeking a variance or waiver of paragraph 61H1-27.001(5)(a), Florida Administrative Code, which lists the requirements for an applicant for licensure who holds a degree from an accredited college. Petitioner also seeks a variance or waiver of paragraph 61H1-27.002(2), F.A.C., which requires that an applicant for licensure have at least a baccalaureate degree, or is equivalent, from an accredited college or university with a major in accounting, or its equivalent, plus at least 30 semester hours or 45 quarter hours, or the equivalent, from an accredited college or university.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Veloria Kelly, Division Director, Board of Accountancy, 240 N. W. 76th Dr., Suite A, Gainesville, Florida 32607. Comments on this petition should be filed with the Board of Accountancy within 14 days of publication of this notice.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

NOTICE IS HEREBY GIVEN THAT on October 9, 2009, the Department of Environmental Protection has issued an order.

Sowell Management LLC operating at the Panama City/Bay County Airport on October 9, 2009 withdrew its petition for variance of the requirements of subsection 62-761.510(5), Table UST = E, Florida Administrative Code, to allow a one year extension of the upgrade deadline to allow the operation of the existing tanks without secondary containment. Petition was received on July 9, 2009 and was assigned OGC Case #09-3157. The notice of receipt of the petition was published in the July 24, 2009, Florida Administrative Weekly. On July 23, 2009, the Department requested additional information but did not receive any additional information. No comments were received and no order was issued.

A copy of the Order may be obtained by contacting: John Svec, Florida Department of Environmental Protection, 2600 Blair Stone Road, MS #4525, Tallahassee, Florida 32399-2400, (850)245-8845, e-mail: john.svec@dep.state.fl.us, for a copy of anything in this file.

NOTICE IS HEREBY GIVEN THAT on October 21, 2009, the Florida Department of Environmental Protection, Bureau of Beaches and Coastal Systems, has issued an order.

The Bureau received the petition for variance on October 30, 2008 and an amended petition for variance on May 18, 2009. Notice of receipt of the petition was published in the F.A.W. on

May 29, 2009. The petitioner requested a variance from the definitions in subsections 62B-33.002(18), 62B-33.002(44), and 62B-33.002(64) and the requirements of subparagraphs 62B-33.0051(1)(a)1., 62B-0051(1)(a)2., and 62B-33.0051(1)(a)3., F.A.C., to build a coastal armoring structure. The property is located at 3870 Coastal Highway, St. Augustine, Florida. No public comment was received.

The Order, file number SJ-1034 AR V, denied the variance petition because the petitioner failed to demonstrate that a strict application of the rule would result in substantial hardship to petitioner or would affect petitioner differently than other similarly situated applicants and because petitioner did not successfully fulfill the requirements of the underlying statute by other means.

A copy of the Order may be obtained by contacting: Rosaline Beckham, 3900 Commonwealth Blvd., MS #300, Tallahassee, Florida 32299, (850)488-7815 or by e-mail: rosaline.beckham@dep.state.fl.us.

DEPARTMENT OF HEALTH

NOTICE IS HEREBY GIVEN THAT on October 19, 2009, the Department of Health, received a petition for variance from Richard H. Bachelder, representing Advanced Drainage Systems/Hancor. Specifically, the petitioner seeks a variance from subsection 64E-6.009(7), Florida Administrative Code, which requires requests for alternative system component and design approval to include empirical data showing results of innovative system testing in the State of Florida.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Health, Office of the General Counsel, 4052 Bald Cypress Way, Bin #A02, Tallahassee, Florida 32399-1703.

NOTICE IS HEREBY GIVEN THAT on October 20, 2009, the Department of Health, Division of Environmental Health, Bureau of Radiation Control, pursuant to Section 120.542, F.S., has issued an order.

The Order grants a variance from subsection 64E-5.650(2), F.A.C., for William C. Dixon, IV, M.D. The petition for a variance was received by the Department on August 25, 2009. Notice of receipt of the petition was published in the Florida Administrative Weekly on September 4, 2009. Subsection 64E-5.650(2), F.A.C., requires physicians seeking authorization to become an authorized user of radioactive materials on human beings for diagnostic purposes to obtain and document both, two hundred hours of instruction in basic radionuclide handling techniques applicable to the use of prepared radiopharmaceuticals, generators and reagent kits and, 500 hours of work experience and 500 hours of clinical experience, each under the supervision of an authorized user at a medical institution. William C. Dixon, IV, M.D., has demonstrated that granting the variance would meet the

underlying purpose of Florida's radiation laws currently being promulgated to be compatible with federal laws which exist to ensure the safety of radiation workers, patients and the general public, and to ensure appropriate training and experience of an authorized user.

A copy of the Order may be obtained by contacting: Paul E. Vause, Bureau of Radiation Control, Bin #C21, 4052 Bald Cypress Way, Tallahassee, FL 32399-1741, (850)245-4545 or Paul_Vause@doh.state.fl.us.

FLORIDA HOUSING FINANCE CORPORATION

NOTICE IS HEREBY GIVEN THAT on October 22, 2009, the Florida Housing Finance Corporation, received a petition for Waiver/Variance for subsection 67-48.010(8), F.A.C., from Cape Morris Cove Partners, LLLP. The petition is seeking a waiver to require the annual payment SAIL loan interest without it being able to defer such payment of interest based on the amount of available Development Cash Flow.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Della Harrell, Corporation Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. The Petition has also been posted on Florida Housing's website: www.floridahousing.org. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m. (Eastern Standard Time), on the 14th day after publication of this notice at: Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN THAT on October 22, 2009, the Florida Housing Finance Corporation, received a petition for Waiver/Variance for subsection 67-48.010(8), F.A.C., from Cape Morris Cove II Partners, LLLP. The petition is seeking a waiver to require the annual payment SAIL loan interest without it being able to defer such payment of interest based on the amount of available Development Cash Flow.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Della Harrell, Corporation Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. The Petition has also been posted on Florida Housing's website: www.floridahousing.org. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m. (Eastern Standard Time), on the 14th day after publication of this notice at: Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN THAT on October 22, 2009, the Florida Housing Finance Corporation, received a petition for Waiver/Variance for subsection 67-48.010(8) from, F.A.C., Fairview Cove, LLLP. The petition is seeking a waiver to require the annual payment SAIL loan interest without it being able to defer such payment of interest based on the amount of available Development Cash Flow.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Della Harrell, Corporation Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. The Petition has also been posted on Florida Housing's website: www.floridahousing.org. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m. (Eastern Standard Time), on the 14th day after publication of this notice at: Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN THAT on October 22, 2009, the Florida Housing Finance Corporation, received a petition for Waiver/Variance for subsection 67-48.010(8) from, F.A.C., Malabar Cove, LLLP. The petition is seeking a waiver to require the annual payment SAIL loan interest without it being able to defer such payment of interest based on the amount of available Development Cash Flow.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Della Harrell, Corporation Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. The Petition has also been posted on Florida Housing's website: www.floridahousing.org. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m. (Eastern Standard Time), on the 14th day after publication of this notice at Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN THAT on October 22, 2009, the Florida Housing Finance Corporation, received a petition for Waiver/Variance for subsection 67-48.010(8), F.A.C., from Oviedo Town Centre Development Group, LLLP. The petition is seeking a waiver to require the annual payment SAIL loan interest without it being able to defer such payment of interest based on the amount of available Development Cash Flow.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Della Harrell, Corporation Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. The Petition has also been posted on Florida Housing's website: www.floridahousing.org.

floridahousing.org. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m. (Eastern Standard Time), on the 14th day after publication of this notice at Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN THAT on October 22, 2009, the Florida Housing Finance Corporation, received a petition for Waiver/Variance for subsection 67-48.010(8), F.A.C., from Oviedo Town Centre II Partners, LLLP. The petition is seeking a waiver to require the annual payment SAIL loan interest without it being able to defer such payment of interest based on the amount of available Development Cash Flow.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Della Harrell, Corporation Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. The Petition has also been posted on Florida Housing's website: www.floridahousing.org. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m. (Eastern Standard Time), on the 14th day after publication of this notice at Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN THAT on October 22, 2009, the Florida Housing Finance Corporation, received a petition for Waiver/Variance for subsection 67-48.010(8), F.A.C., from Oviedo Town Centre III, LLLP. The petition is seeking a waiver to require the annual payment SAIL loan interest without it being able to defer such payment of interest based on the amount of available Development Cash Flow.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Della Harrell, Corporation Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. The Petition has also been posted on Florida Housing's website: WWW.floridahousing.org. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m. (Eastern Standard Time), on the 14th day after publication of this notice at Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN THAT on October 22, 2009, the Florida Housing Finance Corporation, received a petition for Waiver/Variance for subsection 67-48.010(8), F.A.C., from Rolling Acres Club, LLLP. The petition is seeking a waiver to

require the annual payment SAIL loan interest without it being able to defer such payment of interest based on the amount of available Development Cash Flow.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Della Harrell, Corporation Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. The Petition has also been posted on Florida Housing's website: www.floridahousing.org. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m. (Eastern Standard Time), on the 14th day after publication of this notice at Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN THAT on October 22, 2009, the Florida Housing Finance Corporation, received a petition for Waiver/Variance for subsection 67-48.010(8), F.A.C., from Rolling Acres Club II, LLLP. The petition is seeking a waiver to require the annual payment SAIL loan interest without it being able to defer such payment of interest based on the amount of available Development Cash Flow.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Della Harrell, Corporation Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. The Petition has also been posted on Florida Housing's website: www.floridahousing.org. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m. (Eastern Standard Time), on the 14th day after publication of this notice at Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

Section VI

Notices of Meetings, Workshops and Public Hearings

DEPARTMENT OF STATE

The **Department of State, Division of Library and Information Services** announces the Florida Library Network Council Meeting.

DATE AND TIME: Thursday, November 19, 2009, 2:00 p.m.

PLACE: The meeting will be held via telephone conferencing.

GENERAL SUBJECT MATTER TO BE CONSIDERED: To discuss the final draft report from the Joint Library Planning Committee, Florida Department of Education, relating to Section 81 Proviso, 2009 General Appropriations Act.