

NOTICE OF CONTINUATION

Notice is hereby given that the above rule, as noticed in Vol. 36, No. 2, January 15, 2010 Florida Administrative Weekly has been continued from February 17, 2010 to September 1, 2010.

**FISH AND WILDLIFE CONSERVATION COMMISSION**

**Freshwater Fish and Wildlife**

RULE NOS.:	RULE TITLES:
68A-27.0011	Killing Endangered Species
68A-27.0012	Procedures for Listing, Delisting and Reclassifying Endangered, Threatened and Species of Special Concern
68A-27.002	Provision for Harassment of Endangered, Threatened and Species of Special Concern on Airport Property
68A-27.0021	Designation of Candidate Species; Prohibitions; Permits
68A-27.003	Designation of Endangered Species; Prohibitions; Permits
68A-27.004	Designation of Threatened Species; Prohibitions; Permits
68A-27.005	Designation of Species of Special Concern; Prohibitions; Permits
68A-27.006	Reward Program

NOTICE OF CONTINUATION

Notice is hereby given that the above rule, as noticed in Vol. 36, No. 2, January 15, 2010 Florida Administrative Weekly has been continued from February 17, 2010 to September 1, 2010.

**Section IV  
Emergency Rules**

**BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND**

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

**DEPARTMENT OF ENVIRONMENTAL PROTECTION**

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

**Section V**

**Petitions and Dispositions Regarding Rule Variance or Waiver**

**DEPARTMENT OF LAW ENFORCEMENT**

NOTICE IS HEREBY GIVEN THAT on March 29, 2010, the Criminal Justice Standards and Training Commission has issued an order.

A petition for permanent waiver of paragraph 11B-27.00213(4)(b), F.A.C., was received from Angelo Rainey on February 12, 2010. Petitioner requested a waiver of the rule requiring him to wait four years after quitting one temporary employment authorization (TEA) before beginning another TEA. Notice of the petition was published in the Florida Administrative Weekly, Vol. 36, No. 8, on February 26, 2010. The telephonic hearing on the petition was held March 29, 2010. Petitioner was employed on a Temporary Employment Authorization (TEA) by the Department of Corrections (DC) on January 11, 2008 and was assigned to DC, Region 2 in Jacksonville, Florida. Petitioner lived in Miami, Florida, and was serving in the Florida Army National Guard in Miami, Florida. Petitioner had frequent conflicts between his employment in Jacksonville and his commitment to the National Guard. Petitioner states that his Department of Corrections supervisor told him that his first responsibility was to his TEA employment with DC. Petitioner provided evidence that his commanding officers in the National Guard attempted to resolve the issue with DC. Petitioner was coded Absent Without Leave (AWOL) as a result of missed National Guard drills. Petitioner resigned his TEA with DC in order to resolve the AWOL issue with the National Guard. Petitioner now wishes to return to employment as a correctional officer on a TEA. Paragraph 11B-27.00213(4)(b), F.A.C., requires individuals who have not completed a TEA to have a four-year break in service from the last date worked prior to beginning another TEA. Section 943.131(1)(a), F.S., requires those employed on a TEA to complete basic recruit training within 18 months of commencing basic recruit training, and to pass the State Officer Certification Examination within 180 days of completing basic recruit training. Section 943.131(1)(b), F.S., makes it impossible for a person to be employed on at TEA for more than 30 months, or to change employers while on a TEA. The Commission found that the application of the rule to Petitioner's situation would violate the principles of fairness because it would affect him in a manner different from the way that it affects other similarly situated persons who are subject to the rule. The Criminal Justice Standards and Training Commission granted the Petitioner a permanent waiver of paragraph 11B-27.00213(4)(b), F.A.C., in its order issued March 29, 2010. The order grants Petitioner a waiver of that

portion of the rule requiring those who have failed to complete a temporary employment authorization to wait four years before beginning a new temporary employment authorization. A copy of the Order may be obtained by contacting: Grace A. Jaye, Assistant General Counsel, Florida Department of Law Enforcement, P. O. Box 1489, Tallahassee, Florida 32327, (850)410-7676.

---

**BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND**

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

---

**DEPARTMENT OF MANAGEMENT SERVICES**

NOTICE IS HEREBY GIVEN THAT on April 6, 2010, the Agency for Workforce Innovation, received a petition for Temporary Waiver of paragraph 60BB-8.201(4)(a), F.A.C., which provides requirements for conducting parent orientation sessions for parents registering their children for the VPK program. The Petition was filed by the Early Learning Coalition of Southwest Florida, 5256 Summerlin Commons Way, #201, Fort Myers, FL 33907.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Stephanie Savestanan, Agency for Workforce Innovation, Office of Early Learning, 107 East Madison Street, MSC #140, Tallahassee, Florida 32399.

---

NOTICE IS HEREBY GIVEN THAT on March 18, 2010, the Agency for Workforce Innovation, received a petition for Temporary Waiver of paragraph 60BB-8.201(4)(a), F.A.C., which provides requirements for conducting parent orientation sessions for parents registering their children for the VPK program. The Petition was filed by the Early Learning Coalition of Escambia County, 3636D North "L" St., Suite A, Pensacola, FL 32505.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Stephanie Savestanan, Agency for Workforce Innovation, Office of Early Learning, 107 East Madison Street, MSC #140, Tallahassee, Florida 32399.

---

**DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION**

NOTICE IS HEREBY GIVEN THAT on March 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order denied a variance to Tom R. Foster, Boca Inlet Apartment Assoc., Inc., Boca Raton, FL, as the petitioner has not met its burden by not providing all required information to the Division, as specified in Section

120.542, Florida Statutes, titled Petition for Variances and Waivers. The request for variance was published in the October 23, 2009 edition of the F.A.W., Vol. 35, No. 42 (VW 2009-508).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order denied a variance to David Ricereto, Ironwood Eight, Sarasota, FL, as the petitioner has not met its burden by not providing all required information to the Division, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers. The request for variance was published in the October 23, 2009 edition of the F.A.W., Vol. 35, No. 42 (VW 2009-527).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Arlene Gross, The Tennis Club of Palm Beach, West Palm Beach, FL, to not comply with, Rule 3.11.3 (firefighter service), ASME A17.3, 1996 edition until January 1, 2015. The Department's decision was made to relieve the Petitioner's hardship due to the cost and complexity of this upgrade. The request for variance was published in the October 30, 2009 edition of the F.A.W., Vol. 35, No. 43 (VW 2009-639).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order denied a variance to Kathy Benham, Christian Retreat, Bradenton, FL, to not comply with, Rule 2.7.4 and 3.11.1a2 (door restrictors and two-way communication), ASME A17.3, 1996 edition as the petitioner has not met its burden by not providing all required information to the Division, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers. The request for variance was published in the November 25, 2009 edition of the F.A.W., Vol. 35, No. 47 (VW 2009-695).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Charles E. Pogue, South Seas Island Resort, Captiva, FL, to not comply with, Rule 3.11.3 (firefighter service), ASME A17.3, 1996 edition until December 1, 2012. The Department's decision was made to relieve the Petitioner's hardship due to the cost and complexity of this upgrade. The request for variance was published in the December 18, 2009 edition of the F.A.W., Vol. 35, No. 50 (VW 2009-752).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Kathleen A. Gassmann, Miramar Condo, Jensen Beach, FL, to not comply with, Rule 3.11.3 (firefighter service), ASME A17.3, 1996 edition until December 1, 2012. The Department's decision was made to relieve the Petitioner's hardship due to the cost and complexity of this upgrade. The request for variance was published in the December 18, 2009 edition of the F.A.W., Vol. 35, No. 50 (VW 2009-757).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Bob Kresnik, Imperial Cove, Clearwater, FL, to not comply with, Rules 3.11.3, 2.7.4, 3.10.4u and 3.3.2 (firefighter service, door restrictors, emergency stop switch and platform guards), ASME A17.3, 1996 edition until February 1, 2013. The Department's decision was made to relieve the Petitioner's hardship due to the cost and complexity of this upgrade. The request for variance was published in the January 15, 2010 edition of the F.A.W., Vol. 36, No. 2 (VW 2009-791).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order denied a variance to Robert Benjamin, Sandalfoot South Condo Assoc. Phase 3, Boca Raton, FL, from the necessity of eliminating the "toggle switch, as the petitioner has not met its burden by not providing all required information to the Division, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers. The request for variance was published in the January 22, 2010 edition of the F.A.W., Vol. 36, No. 3 (VW 2009-828).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Bryce J. Philpot, Colonial Square Bldg., Lakeland, FL, to not comply with, Rules 3.11.3 and 2.7.4 (firefighter service and door restrictors), ASME A17.3, 1996 edition until April 1, 2011. The Department's decision was made to relieve the Petitioner's hardship due to the cost and complexity of this upgrade. The request for variance was published in the February 5, 2010 edition of the F.A.W., Vol. 36, No. 5 (VW 2010-022).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Lee Rigby, Casa Del Mar E & F, St. Petersburg, FL, to not comply with, Rules 3.11.3, 3.10.4u and 3.11.1a2 (firefighter service, emergency stop switch and two-way communication), ASME A17.3, 1996 edition until February 15, 2013. The Department's decision was made to relieve the Petitioner's hardship due to the cost and complexity of this upgrade. The request for variance was published in the March 19, 2010 edition of the F.A.W., Vol. 36, No. 11 (VW 2010-093).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Lee Rigby,

Community Legal Services of Med-Florida, Daytona Beach, FL, to not comply with, Rule 3.11.3 (firefighter service), ASME A17.3, 1996 edition. The Department's decision was made because the travel distance only exceeds the minimum 25 feet by 18 inches. The request for variance was published in the March 19, 2010 edition of the F.A.W., Vol. 36, No. 11 (VW 2010-097).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Charles R. Hilleboe, Isle of Clearwater, Clearwater, FL, to not comply with, Rule 3.11.3 (firefighter service), ASME A17.3, 1996 edition until July 31, 2014. The Department's decision was made to relieve the Petitioner's hardship due to the cost and complexity of this upgrade. The request for variance was published in the March 19, 2010 edition of the F.A.W., Vol. 36, No. 11 (VW 2010-104).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Lee Rigby, Parc Soleil, Orlando, FL, to not comply with, Rule 2.2.2.5 (sump pump), ASME A17.1a, 2004 edition. The Department's decision was made because the unit was planned, permitted and installed with the understanding that a pump was not required. The request for variance was published in the March 19, 2010 edition of the F.A.W., Vol. 36, No. 11 (VW 2010-105).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Lee Rigby, Silver Sands Bldg. B, St. Pete Beach, FL, to not comply with, Rule 3.11.3 (firefighter service), ASME A17.3, 1996 edition until February 15, 2013. The Department's decision was made to relieve the Petitioner's hardship due to the cost and complexity of this upgrade. The request for variance was published in the March 19, 2010 edition of the F.A.W., Vol. 36, No. 11 (VW 2010-106).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Robert Belgau, Indian River Place Condo, Ft. Pierce, FL, to not comply with Rule 3.3.2 (platform guards), ASME A17.3, 1996 edition and with Rule 8.6.5.8 (safety bulkhead), ASME A17.1, 2004 edition until May 26, 2010. The Department's decision was made to relieve the Petitioner's hardship due to the time required to complete this upgrade. The request for variance was published in the March 26, 2010 edition of the F.A.W., Vol. 36, No. 12 (VW 2010-113).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order denied a variance to Vicky Kingsbury, Forestbrook IV Condo Assoc., Largo, FL, to not comply with, Rule 3.11.3 (firefighter service), ASME A17.3, 1996 edition as the petitioner has not met its burden to meet the intent of the code within a reasonable period of time, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers. The request for variance was published in the March 26, 2010 edition of the F.A.W., Vol. 36, No. 12 (VW 2010-114).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Lee Rigby, Compass Rose Restaurant, Valparaiso, FL, to not comply with Rule 5.2.1.4.3 (top car clearance), ASME A17.1a, 2004 edition. The Department's decision was made due to the fact that the elevator is being built in an existing building. The request for variance was published in the March 26, 2010 edition of the F.A.W., Vol. 36, No. 12 (VW 2010-117).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Lee Rigby, Tidewater Condo, Ponce Inlet, FL, to not comply with Rule 3.11.3 (firefighter service), ASME A17.3, 1996 edition until March 1, 2013. The Department's decision was made to relieve the Petitioner's hardship due to the cost and complexity of this upgrade. The request for variance was published in the March 26, 2010 edition of the F.A.W., Vol. 36, No. 12 (VW 2010-125).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Soli Bratanatawira, Comfort Inn Universal Studios, Orlando, FL, to not comply with Rule 3.11.3 (firefighter service), ASME A17.3, 1996 edition until November 5, 2012. The Department's decision was made to relieve the Petitioner's hardship due to the cost and complexity of this upgrade. The request for variance was published in the March 26, 2010 edition of the F.A.W., Vol. 36, No. 12 (VW 2010-126).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Robert W. Kuehn, SunTrust Bldg., Daytona Beach, FL, to not comply with Rule 3.11.3 (firefighter service), ASME A17.3, 1996 edition until March 31, 2012. The Department's decision was made to relieve the Petitioner's hardship due to the cost and complexity of this upgrade. The request for variance was published in the March 26, 2010 edition of the F.A.W., Vol. 36, No. 12 (VW 2010-128).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Greg Grunder, International Palms Resort, Orlando, FL, to not comply with Rule 3.11.3 (firefighter service), ASME A17.3, 1996 edition until February 25, 2012. The Department's decision was made to relieve the Petitioner's hardship due to

the cost and complexity of this upgrade. The request for variance was published in the March 26, 2010 edition of the F.A.W., Vol. 36, No. 12 (VW 2010-129).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Grady D. Padgett, Memorial Hospital, Jacksonville, FL, to not comply with Rule 2.7.4 (door restrictors), ASME A17.3, 1996 edition until April 1, 2011. The Department's decision was made to relieve the Petitioner's hardship due to the cost and complexity of this upgrade. The request for variance was published in the March 26, 2010 edition of the F.A.W., Vol. 36, No. 12 (VW 2010-132).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on April 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That the order denied a variance to Joanne Calub, Alhambra Club Condos, Orlando, FL, to not comply with, Rule 3.11.1(a)(2) (two-way communication), ASME A17.3, 1996 edition as the petitioner has not met its burden as speaking through the doors does not meet the intent of the code, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers. The request for variance was published in the April 2, 2010 edition of the F.A.W., Vol. 36, No. 13 (VW 2010-144).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 5, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from firefighter's service and door restrictors, A17.3, Section 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Castel Del Mare, Sarasota, FL, and location of the Serial Numbers 22638-40, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Walter Mamak (VW 2010-149).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 8, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from limitation of load, speed and travel, A18.1, Section 2.7.1, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Devonshire Properties, Tampa, FL, and location of the Serial Number 88103, requests the variance because the lift was originally installed in June 2005. The petition was received from James Farrow (VW 2010-150).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 8, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from firefighter's service, car emergency signaling devices and door restrictors, A17.3, Section 3.11.3, 3.11.1 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, The Paramount Hotel Group, and location of undisclosed serial number(s), requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Michael H. Childs (VW 2010-151).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 8, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from firefighter's service, door restrictors and platform guards, A17.3, Sections 3.11.3, 2.7.4 and 3.3.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Crystal Tree, North Palm Beach, FL, and location of the Serial Number 32019-20, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Lee Rigby, agent (VW 2010-152).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 8, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency variance from firefighter's service, A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Island Club 1 & 2, Marco Island, FL, and location of the Serial Number 26920 and 26927, requests the variance because travel only exceeds the minimum travel distance by 18 inches. The petition was received from Lee Rigby, agent (VW 2010-153).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from firefighter's service, A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Shipwatch Two of Largo, and location of the Serial Number 34654-55, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Ernest Hepler (VW 2010-154).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from firefighter's service, A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Beacon Reef Condominium, Islamorada, FL, and location of the Serial Number 30894-95, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Mary Williams (VW 2010-155).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from door restrictors and reopening devices, A17.3, Section 2.7.4 and 2.8.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Century

Village South Hampton, West Palm Beach, FL, and location of the Serial Number 20460-61, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Carroll O. Crawford (VW 2010-156).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from firefighter's service, A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Riverside Condo Assoc., Daytona Beach, FL, and location of the Serial Number 16718-19 and 11121, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Shirley K. Covert (VW 2010-157).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Waters Edge Condo Assoc., Cocoa Beach, FL, and location of the Serial Number 28565-66, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Robert L. Beals, Esq. (VW 2010-158).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 11, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from firefighter's service, door restrictors and platform guards, A17.3, Section 3.11.3, 2.7.4 and 3.3.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Security Square, Winter Haven, FL, and location of the Serial Number 25130, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Matthew R. Clark (VW 2010-159).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 11, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from firefighter's service, two-way communication and door restrictors, A17.3, Section 3.11.3, 3.11.1(a)(2) and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Coastal House, Delray Beach, FL, and location of the Serial Number 7959-60, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Leon Goldin (VW 2010-160).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 11, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from firefighter's service, access to machine rooms, door restrictors, and electrical protective devices, A17.3, Section 3.11.3, 2.2.2, 2.7.4 and 3.10.4t, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Palma Del Mar 4 Condo Assoc. Inc., St. Petersburg, FL, and location of the Serial Number 28960 and 28962, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from William Snyder, agent (VW 2010-161).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 11, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from firefighter's service and door restrictors, A17.3, Section 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, The Cove, Panama City, FL, and location of the Serial Number 21655-56, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Lee Rigby, agent (VW 2010-162).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 11, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from door restrictors and firefighter's service, A17.3, Section 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Orlando Lutheran Towers, Orlando, FL, and location of the Serial Number 28483-86, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Lee Rigby, agent (VW 2010-163).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 12, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from firefighter's service, A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, The Parker Highland East, Highland Beach, FL, and location of the Serial Number 29755-56, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Cynthia Siedlecki (VW 2010-164).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 12, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from firefighter's service, door restrictors, and periodic inspection requirements of inside car and outside hoistway, A17.3, Section 3.11.3 and 2.7.4 and A17.1, Section 8.11.2.1.1 and 8.11.2.1.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Lake Worth Towers, Lake Worth, FL, and location of the Serial Number 4579 and 4549, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Robert Spear (VW 2010-165).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 15, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from firefighter's service, A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Little Hickory Bay Condo, Bonita Springs, FL, and location of the Serial Number 30107, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from T. DeBoer (VW 2010-166).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from firefighter's service, lighting, door restrictors, platform guards, normal terminal stopping devices, electrical protective devices and safety bulkhead, A17.3, Section 3.11.3, 2.2.3, 2.7.4, 3.3.2, 3.9.1 and 3.10.4t and A17.1, Section 8.6.5.8, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Gateway Square #5 Condo, St. Petersburg, FL, and location of the Serial Number 8828-89, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from William Snyder, agent (VW 2010-167).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from firefighter's service, A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Island Gulf Resort Condo, Madeira Beach, FL, and location of the Serial Number 33038, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Jo-Ann McNew (VW 2010-168).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from



firefighter's service, A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Grandview, Marco Island, FL, and location of the Serial Number 30160, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Jeffrey Will (VW 2010-169).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency variance from machine room access and hoistway door unlocking device, A17.1, Section 2.7.3 and 2.12.6.1, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Water Club, Longboat Key, FL, and location of the Serial Number 55108-15, requests the variance because of building design flaw. The petition was received from Lee Rigby, agent (VW 2010-170).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 17, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from firefighter's service, A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Horizon House of Naples, and location of the Serial Number 9008 and 9127, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Antonio Ancona (VW 2010-171).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 17, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from firefighter's service, A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, 410 Wilma Assoc. of West Palm Beach, FL, and location of the Serial Number 10520 and 10625, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Carroll O. Crawford, agent (VW 2010-172).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 17, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency variance from firefighter's service, A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Colony Surf Condo, Clearwater Beach, FL, and location of the Serial Number 33581, requests the variance because travel only exceeds the minimum requirement by 24 inches. The petition was received from Lee Rigby, agent (VW 2010-173).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN THAT on March 29, 2010, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The Department received a Petition for an Emergency Variance on March 23, 2010 for Section 509.221(1)(b), F.S., paragraph 61C-1.004(2)(a), subsections 61C-4.010(6), (7), F.A.C. and Section 6-402.11, 2001 FDA Food Code from Sangria's Wine and Piano Bar, St. Augustine, FL. The above referenced F.A.C. addresses the requirement that at least one accessible bathroom on the same level be provided for use by customers and employees. They are requesting to utilize the public bathrooms located on a different level.

The request was published in the F.A.W., Vol. 36, No. 13 on 4/2/10 and approval was contingent upon the Petitioner ensuring the public bathrooms located on the first level within the building are maintained in a clean and sanitary manner and are provided with hot and cold running water under pressure, soap, approved hand drying devices, employee hand washing signage and are available during all hours of operation. The Petitioner shall also ensure directional signage is installed within the establishment clearly stating the location of the bathrooms.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

---

NOTICE IS HEREBY GIVEN THAT on April 1, 2010, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for an Emergency Variance for paragraphs 61C-1.004(2)(a), 61C-4.010(7)(c), F.A.C., from Yogurtland, Hallandale, FL. The above referenced F.A.C. addresses the requirement that at least one accessible bathroom be provided for use by

customers. They are requesting to utilize public bathrooms located on the same level over 300 feet away for customers only.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

**DEPARTMENT OF ENVIRONMENTAL PROTECTION**

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

**DEPARTMENT OF HEALTH**

NOTICE IS HEREBY GIVEN THAT on March 29, 2010, the Board of Acupuncture, received a petition for waiver or variance from Rhonda A. Bilsker, seeking a waiver or variance of subsection 64B1-7.0015(4), F.A.C., with respect to Continuing Education Classes. Petitioner also requests the Board to consider her 8 CEU's and to give her credit for taking the classes.

Comments on this petition should be filed with: Board of Acupuncture, 4052 Bald Cypress Way, Bin #C01, Tallahassee, FL 32399-3256, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Kaye Howerton, Executive Director, Board of Acupuncture, 4052 Bald Cypress Way, Bin #C01, Tallahassee, FL 32399-3256.

**DEPARTMENT OF CHILDREN AND FAMILY SERVICES**

NOTICE IS HEREBY GIVEN THAT on March 18, 2010, the Department of Children and Families, received a petition for waiver of subsection 65C-15.017(3), F.A.C., from Gulf Coast Community Care and Carmen Monzon, assigned Case No.: 10-022W. Subsection 65C-15.017(3), F.A.C. requires agency staff responsible for performing casework services shall have a bachelor's or master's degree in social work or related area of study from an accredited college or university.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Children and Families, 1317 Winewood Blvd., Bldg. 2, Room 204, Tallahassee, FL 32399-0700.

**Section VI  
Notices of Meetings, Workshops and Public Hearings**

**DEPARTMENT OF STATE**

The **Division of Cultural Affairs** announces a public meeting to which all persons are invited.

DATE AND TIME: Monday, April 26, 2010, 1:00 p.m.

PLACE: Main Conference Room, 8323 N. W. 12th Street, Suite 212, Miami, FL 33126

GENERAL SUBJECT MATTER TO BE CONSIDERED: The Art Selection Committee for the new Miami-Dade County Health Department Administration Building is meeting to evaluate the artwork submitted for their review.

A copy of the agenda may be obtained by contacting: Lee Modica, ASB Administrator, 500 S. Bronough St., Tallahassee, FL 32399-0250, (850)245-6476.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 2 days before the workshop/meeting by contacting: Laura Blischke at (850)245-6475. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

If any person decides to appeal any decision made by the Board with respect to any matter considered at this meeting or hearing, he/she will need to ensure that a verbatim record of the proceeding is made, which record includes the testimony and evidence from which the appeal is to be issued.

The **Division of Cultural Affairs** announces a public meeting to which all persons are invited.

DATE AND TIME: Tuesday, April 27, 2010, 1:00 p.m.

PLACE: Conference Room, Brevard County Health Department, 2555 Judge Fran Jamieson Way, Viera, FL 32940

GENERAL SUBJECT MATTER TO BE CONSIDERED: The facility's Art Selection Committee will review and discuss the artwork proposed for the new building.

A copy of the agenda may be obtained by contacting: Lee Modica, ASB Administrator, Division of Cultural Affairs, 500 S. Bronough St., Tallahassee, FL 32399-0259, (850)245-6476.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 2 days before the workshop/meeting by contacting: Laura Blischke at (850)245-6476. If you are