

(10) The estimated overall odds of winning some prize in Instant Game Number 1057 are 1 in 4.82. Prizes, including the top prizes, are subject to availability at the time of ticket purchase. Prizes may be unavailable due to prior sale or other causes occurring in the normal course of business including, but not limited to, ticket damage, defect, theft, or loss.

(11) For reorders of Instant Game Number 1057, the estimated odds of winning, value, and number of prizes shall be proportionate to the number of tickets reordered.

(12) Payment of prizes for WILD DOUBLER lottery tickets shall be made in accordance with the rule of the Florida Lottery governing payment of prizes.

A copy of the current rule can be obtained from the Florida Lottery, Office of the General Counsel, 250 Marriott Drive, Tallahassee, Florida 32399-4011.

Rulemaking Authority 24.105(9)(a), (b), (c), 24.109(1), 24.115(1) FS. Law Implemented 24.105(9)(a), (b), (c), 24.115(1) FS. History—New 5-7-10.

THIS RULE TAKES EFFECT UPON BEING FILED WITH THE DEPARTMENT OF STATE UNLESS A LATER TIME AND DATE IS SPECIFIED IN THE RULE.

EFFECTIVE DATE: May 7, 2010

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

Section V

Petitions and Dispositions Regarding Rule Variance or Waiver

DEPARTMENT OF EDUCATION

NOTICE IS HEREBY GIVEN THAT on May 11, 2010, the Department of Education has issued an order.

Redlands Christian Migrant Association filed an Emergency Petition for Waiver from Rule 6A-1.099821, Voluntary Prekindergarten (VPK) Provider Kindergarten Readiness Rate, DOE Agency Case No.: DOE-2010-2050.

On April 12, 2010, an emergency petition was filed by Redlands Christian Migrant Association (RCMA) operating at the following locations: Centro Villas Child Development Center, Florida City; LaEstancia Child Development Center, Wimauma; Mira Verde Child Development Center, LaBelle; Mascotte Child Development Center, Mascotte; Pomona Park Child Development Center, Pomona Park; Wimauma Early Education Center, Wimauma; Krome Child Development Center, LaBelle; and Redlands Child Development Center, Homestead; requesting a waiver from Rule 6A-1.099821, Voluntary Prekindergarten (VPK) Provider Kindergarten

Readiness Rate. Redlands Christian Migrant Association petitions the Department for a temporary waiver from the requirements of subsection 6A-1.099821(4), F.A.C., beginning on April 13, 2010 through July 1, 2011. On May 11, 2010, an Order Denying Emergency Review of Petition for Waiver from Rule 6A-1.099821, F.A.C., was issued by the Department of Education stating that the Department did not find that the facts alleged in the petition constituted an emergency, therefore, emergency review was denied and the petition will be reviewed on a non-emergency basis. The notice of the petition may be obtained in the April 23, 2010, Florida Administrative Weekly.

A copy of the Order may be obtained by contacting: Lynn Abbott, Agency Clerk at (850)245-9661 or lynn.abbott@fldoe.org. a copy may also be obtained from the Department's website at https://app1.fldoe.org/DOE_Calendar/default.aspx?WhichCalendar=4.

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

PUBLIC SERVICE COMMISSION

NOTICE IS HEREBY GIVEN THAT on May 13, 2010, the Florida Public Service Commission, received a petition for waiver of Rules 25-4.0185, 25-4.066, 25-4.070, 25-4.073 and subsection 25-4.110(6), Florida Administrative Code, or in the alternative, a waiver of Rule 25-4.073, Florida Administrative Code, or Rule 25-4.0185, Florida Administrative Code. Docket No.: 100288-TL – Petition of Quincy Telephone Company d/b/a TDS Telecom/Quincy, Smart City Telecommunications LLC d/b/a Smart City Telecom, GTC, Inc. d/b/a Fairpoint Communications, Northeast Florida Telephone Company d/b/a NEFCOM, ITS Telecommunications Systems, Inc., and Frontier Communications of the South, LLC, for waiver of requirements of Rules 25-4.0185, 25-4.066, 25-4.070, 25-4.073 and subsection 25-4.110(6), Florida Administrative Code, relating to service quality, or in the alternative the waiver of Rule 25-4.073, Florida Administrative Code, relating to answer time requirements, or Rule 25-4.0185, Florida Administrative Code, relating to periodic service quality reporting requirements. These rules relate to quality of service requirements for basic residential customers. Comments on the petition should be filed with the Commission's Office of Commission Clerk, within 14 days of publication of this notice.

For additional information, please contact: Rosanne Gervasi, Office of the General Counsel, 2540 Shumard Oak Boulevard, Tallahassee, Florida 32399-0850, (850)413-6224.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Office of Commission Clerk, 2540 Shumard Oak Boulevard, Tallahassee, Florida 32399-0850.

WATER MANAGEMENT DISTRICTS

NOTICE IS HEREBY GIVEN THAT on May 17, 2010, the St. Johns River Water Management District, received a petition for variance from DG Palm Bay Malabar, LLC, pursuant to Section 120.542, Florida Statutes. Petitioner is seeking a variance from subparagraph 40C-41.063(1)(c)1., F.A.C., and Section 11.1.3 of the Applicant's Handbook: Management and Storage of Surface Waters (February 1, 2005) (A.H.), for Environmental Resource Permit (ERP) Application 40-009-123594-1. The permit applicant is proposing to construct a new surface water management system, including a wet detention pond, that discharge into the Melbourne-Tillman Water Control District canal system, for a surface water management system known as Dollar General Store Palm Bay, in Brevard County. Subparagraph 40C-41.063(1)(c)1., F.A.C., and Section 11.1.3, A.H., prohibit the construction, operation, and maintenance of a surface water management system in the Upper St. Johns River Hydrologic Basin that results in an increase in the amount of water being diverted from the Basin to coastal receiving waters. These rules are intended to protect the water resources of the state by limiting discharges of fresh water to estuarine waters and curtailing interbasin diversion. Comments on this petition should be filed with: Sandra Bertram, Acting District Clerk, St. Johns River Water Management District, 4049 Reid Street, Palatka, Florida 32177-2529, within 14 days of publication of this notice. The petition has been assigned F.O.R. Number 2010-20.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Gail Hankinson, Assistant General Counsel, Office of General Counsel, St. Johns River Water Management District, 4049 Reid Street, Palatka, Florida 32177, (386)329-4391.

NOTICE IS HEREBY GIVEN THAT on May 13, 2010, the South Florida Water Management District (District) Governing Board has issued an order.

SFWMD Order No.: 2010-089-DAO-ROW was issued to Palm Beach County Environmental Resource Management (Application No.: 09-1204-1). The petition for waiver was received by the SFWMD on December 4, 2010. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 35, No. 51, on December 24, 2009. No public comment was received. This Order provides a waiver of the District's criteria to allow two existing gates to remain within the rights of way of C-18W at the Petitioner's existing, previously-authorized pedestrian bridge located approx. 3.99 miles downstream of the Beeline Highway (S.R.710) Bridge; C-18W Canal, Section 30, Township 41 South, Range 42 East, Palm Beach County.

Specifically, the Order grants a waiver from subsections 40E-6.011(4) and (6), Florida Administrative Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District, incorporated by reference in subsection 40E-6.091(1), Florida Administrative Code, which governs the placement of permanent and/or semi-permanent above-ground facilities within forty feet of the top of the canal bank within works or land of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the District's current ability to perform necessary construction, alteration, operation, and routine maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent Petitioner from suffering a substantial hardship.

A copy of the Order may be obtained by contacting: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406-4680, (561)682-6268 or by email: jurussel@sfwmd.gov.

NOTICE IS HEREBY GIVEN THAT on May 5, 2010, the South Florida Water Management District (District), received a petition for waiver from Adele Gold for a Modification of Right of Way Occupancy Permit No. 10531, Application No.: 10-0505-1M, for utilization of Works or Lands of the District known as the C-17 Canal, Palm Beach County for proposed rip-rap boulder bank stabilization and existing trees within the north right of way of the C-17 Canal located adjacent to 540 Anchorage Drive, Section 16, Township 42 South, Range 43 East, Palm Beach County. The petition seeks relief from subsections 40E-6.011(4) and (6), Florida Administrative Code, which prohibits the placement of permanent and/or semi-permanent above-ground structures within 40 feet of the top of canal bank within Works or Lands of the District.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juli Russell at (561)682-6268 or e-mail: jurussel@sfwmd.gov. The District will accept comments concerning the petition for 14 days from the date of publication of this notice. To be considered, comments must be received by the end of business on the 14th day at the South Florida Water Management District, 3301 Gun Club Road, MSC 1414, West Palm Beach, FL 33406, Attention: Juli Russell, Office of Counsel.

DEPARTMENT OF MANAGEMENT SERVICES

NOTICE IS HEREBY GIVEN THAT on May 18, 2010, the Agency for Workforce Innovation, received a petition for variance from subsection 60BB-4.210(1), F.A.C., which provides requirements for maintaining school readiness eligibility and allows an individual to be unemployed for a maximum of 30 days before losing eligibility to receive services. The Petition was filed by: Early Learning Coalition of Osceola County, 1631 East Vine Street, Suite E, Kissimmee, Florida 34744.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Stephanie Savestanan, Agency for Workforce Innovation, Office of Early Learning, 107 East Madison Street, MSC #140, Tallahassee, FL 32399.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

NOTICE IS HEREBY GIVEN THAT on April 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurant, received a petition for/from Kevin Bunch, Eola Capital, CAT-FL Owner LLC, c/o Cypress West, Tampa, Florida. Petitioner seeks an emergency variance to the requirements of A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading three elevators for firefighters' emergency operations which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on April 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for / from Kevin Bunch, Eola Capital, FLA Owner LLC, c/o Registry One, Tampa, Florida. Petitioner seeks an emergency variance to the requirements of A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading two elevators for firefighters' emergency operations which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 4, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Barbara Burch, Lakeside at Lochmoor Condominium Association, c/o Building D, Lakeside at Lochmoor Condominium, North Ft.

Myers, Florida. Petitioner seeks a temporary variance to the requirements of A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for firefighters' emergency operations which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 4, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Chrissy Cronin, Safe Elevator Corp, c/o Miramar II Condominium, Jensen Beach, Florida. Petitioner seeks an emergency variance to the requirements of A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading two elevator for firefighters' emergency operations which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on April 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Chrissy Cronin, Safe Elevator Corp, c/o Island Dunes Admiral Condominium, Jensen Beach, Florida. Petitioner seeks an emergency variance to the requirements of A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading three elevators for firefighters' emergency operations which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on April 26, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Robert G. Duncan, Columbia Sussex Corp & Columbia Properties Westshore LLC, c/o Tampa Westshore Marriott, Tampa, Florida. Petitioner seeks an emergency variance to the requirements of A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on April 26, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Ivan Fuchsman, President, c/o Casuarina Condominium, Highland Beach, Florida. Petitioner seeks an emergency variance to the requirements of A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on April 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Harvey L. Glaser, Phoenix Management Services, c/o Flagler Yacht Club, West Palm Beach, Florida. Petitioner seeks a temporary variance to the requirements of A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code

adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for firefighters' emergency operations which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 12, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for a Routine Variance for Subparagraph 3-305.11(A)(2), 2001 FDA Food Code, Paragraph 3-305.14, 2001 FDA Food Code, Paragraph 6-202.15, 2001 FDA Food Code, Paragraph 6-202.16, 2001 FDA Food Code, subsections 61C-4.010(1), (6), Florida Administrative Code, from H & S Catering, Tallahassee, FL. The above referenced F.A.C. addresses the requirement for proper handling and dispensing of food. They are requesting to dispense bulk potentially hazardous foods other than frankfurters from an open air mobile food dispensing vehicle.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@DBPR.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on April 23, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Raymond Henney, President c/o Imperial Cove Clubhouse, Building VIII, Clearwater, Florida. Petitioner seeks a temporary variance to the requirements of A17.3, Section 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for door restrictors which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on April 29, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for / from Alex

Inglis, Flori De Leon Association c/o Flori De Leon Apts. Inc. St. Petersburg, Florida. Petitioner seeks a temporary variance to the requirements of A17.3, Section 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for door restrictors which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on April 29, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for Alex Inglis, Flori De Leon Association c/o Flori De Leon Apts. Inc., St. Petersburg, Florida. Petitioner seeks a temporary variance to the requirements of A17.3, Section 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator SN 31646 for door restrictors which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on April 29, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for / from Alex Inglis, Flori De Leon Association c/o Flori De Leon Apts. Inc., St. Petersburg, Florida. Petitioner seeks a temporary variance to the requirements of A17.3, Section 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator SN 31645 for door restrictors which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 17, 2010, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The Department received a Petition for a Routine Variance on May 7, 2010 for subsection 61C-4.010(6), Florida Administrative Code; Paragraph 6-501.115(A), 2001 Food Code from Jimmy Buffets Margaritaville, Panama City Beach, FL. The above referenced F.A.C. addresses the requirements that live animals are not allowed on the premise of a public food service establishment except as specifically provided in rule. They are requesting to have birds outside on the premise.

The initial petition will publish in Vol. 36, No. 21 on 5/28/10 and approval was contingent upon ensuring that the parrots will have no direct or indirect contact that may contaminate food, clean equipment, utensils, linens, or unwrapped single-service or single-use articles. No other prohibited animals will be allowed on the premise. Approval is also contingent upon the birds being located in and confined to an area where food preparation, food storage or warewashing do not occur. The birds shall be handled and cared for by nonfood employees. The area in which the birds are kept shall be kept in good repair and cleaned according to the prescribed cleaning procedures and as often as necessary to prevent any potential for cross contamination to occur.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on May 5, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for Jupiter Investment, c/o Jupiter Center, Jupiter, Florida. Petitioner seeks a temporary variance to the requirements of A17.3, Section 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for door restrictors which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 3, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from K. Preben Knudsen, Knudsen Partners c/o Scan Design Building, Altamonte Springs, Florida. Petitioner seeks a temporary variance to the requirements of A17.1, Section 2.13.3, A17.3, Section 3.11.3, where travel exceeds the 25 foot threshold by a minimal amount, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for firefighters' emergency operations which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 11, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Paul Komie, Alliance Elevator Consultants Inc., c/o The Land of the President Condominium, West Palm Beach, Florida. Petitioner seeks an variance to the requirements of A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for firefighters' emergency operations which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on April 23, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The Department received a petition for a Routine Variance on April 20, 2010 for Subparagraph 3-305.11(A)(2), 2001 FDA Food Code, Paragraph 3-305.14, 2001 FDA Food Code, Paragraph 6-202.15, 2001 FDA Food Code, Paragraph

6-202.16, 2001 FDA Food Code, subsections 61C-4.010(1), Florida Administrative Code, from Leon Express, Orlando, FL. The above referenced F.A.C. addresses the requirement for proper handling and dispensing of food. They are requesting to dispense bulk potentially hazardous foods other than frankfurters from an open air mobile food dispensing vehicle.

The variance request posted in Vol. 36, No. 17 on 4/30/10 and approval is contingent upon the Petitioner ensuring that each pan within the steam table is properly covered with an individual lid, the steam table is enclosed within a cabinet with tight-fitting doors and protected by an air curtain installed and operated according to manufacturer's specifications that protects against flying vermin or other environmental contaminants; all steam table foods must be properly reheated for hot holding at approved commissaries and held hot at the proper minimum temperature per the parameters of the currently adopted FDA Food Code; and steam table food is to be dispensed by the operator with no customer self-service. The Petitioner shall also strictly adhere to the operating procedures and copies of the variance and operating procedures are to be present on the MFDV during all periods of operation.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@DBPR.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on May 3, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for Stacey Lovell, c/o St. James and St. Andrew's Residence of the Palm Beaches Inc., Jensen Beach, Florida. Petitioner seeks an emergency variance to the requirements of A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading two elevators for firefighters' emergency operations which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for a Routine Variance for Subparagraph 3-305.11(A)(2), 2001 FDA Food Code, Paragraph 3-305.14, 2001 FDA Food Code, Paragraph 6-202.15, 2001 FDA Food Code, Paragraph 6-202.16, 2001

FDA Food Code, subsections 61C-4.010(1), (6), Florida Administrative Code, from Lunch Time Catering, Orlando, FL. The above referenced F.A.C. addresses the requirement for proper handling and dispensing of food. They are requesting to dispense bulk potentially hazardous foods other than frankfurters from an open air mobile food dispensing vehicle.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 7, 2010, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for a Routine Variance on May 7, 2010 for subsection 61C-4.010(6), Florida Administrative Code, Paragraph 6-501.115(A), 2001 Food Code from Jimmy Buffets Margaritaville, Panama City Beach, FL. The above referenced F.A.C. addresses the requirements that live animals are not allowed on the premise of a public food service establishment except as specifically provided in rule. They are requesting to have birds outside on the premise.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on April 29, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Ronald E. Nowvskie, VP, Root Real Estate Corp, c/o Indigo Professional Centre, Root Riverfront Partners LLC, Daytona Beach, Florida. Petitioner seeks an emergency variance to the requirements of A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for firefighters' emergency operations which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on April 28, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Adrian M. Pfeffer, Associa Benson's Inc., c/o Steamboat Bend East Condominium Association Inc., Ft. Myers, Florida. Petitioner

seeks a temporary variance to the requirements of A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on April 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for Charee Russell, Regional Property Manager, SPM, LCC c/o Casa Santa Marta, Sarasota, Florida. Petitioner seeks a temporary variance to the requirements of A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on April 26, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Don M. Stichter, Madison Street Properties, Inc., c/o 100 Madison Building, Tampa, Florida. Petitioner seeks a temporary variance to the requirements of A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for firefighters' emergency operations which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on April 29, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for / from David Vondenberger, Regional Manager, SPM, LCC c/o Orlando Cloisters, Orlando, Florida. Petitioner seeks a temporary variance to the requirements of A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 7, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The Department received a Petition for an Emergency Variance on April 27, 2010 for subsection 61C-4.010(6), Florida Administrative Code, Subparagraph 6-101.11 (A)(1) & (3), 2001 FDA Food Code, Paragraph 6-201.11, 2001 FDA Food Code from The Vineyard Wine Bar. The above referenced F.A.C. addresses the requirement that ceilings in a public food service establishment must be smooth, nonabsorbent and easily cleanable. They are requesting to operate with a ceiling that is not smooth and easily cleanable.

The initial request will be posted in Vol. 36, No. 20 on 5/21/10 and approval is contingent upon the Petitioner having a cleaning regimen to preclude the accumulation of dust, dirt and other debris on the ceiling that could cross contaminate the food and food-contact surfaces. The Petitioner shall also ensure that the historic status of the building and the current menu (consisting of wine and assorted cheese platters) does not change. If changes to the building status or menu do occur, the Petitioner shall notify the Division immediately.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@DBPR.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on April 26, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Jamie Winnick, The Lucerne Condo Association, c/o Lucerne Condominium, Lake Worth, Florida. Petitioner seeks an emergency variance to the requirements of A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

DEPARTMENT OF HEALTH

The Board of Massage Therapy hereby gives notice of the issuance of an Order regarding the Petition for Declaratory Statement filed by Kenneth Williams, D.C., which was filed on December 10, 2009. The Notice of Petition for Declaratory Statement was published in Vol. 35, No. 52, of the December 31, 2009, Florida Administrative Weekly. The Board considered the Petition at its duly-noticed meeting held on January 22, 2010. The Petitioner inquired whether the establishment license obtained by a massage therapist renting a room in a chiropractic clinic could be used by the entire clinic including a massage therapist employed by the Petitioner to satisfy the establishment licensure requirement.

The Board's Order, filed on March 16, 2010, grants the Petition, finding that Petitioner would not be required to obtain another establishment license.

A copy of the Board's Order may be obtained by contacting: Christy Robinson, Acting Executive Director, 4052 Bald Cypress Way, Bin #C06, Tallahassee, FL 32399-3256.

NOTICE IS HEREBY GIVEN THAT on May 17, 2010, the Board of Medicine, received a petition for variance or waiver filed by Sundara R. Sridhar, M.D., from subsection 64B8-4.009(5), F.A.C., with regard to the requirement for submission of documentation of medical education directly from Petitioner's medical school. Comments on this petition

should be filed with: Board of Medicine, 4052 Bald Cypress Way, Bin #C03, Tallahassee, Florida 32399-3053, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Larry McPherson, Jr., Executive Director, Board of Medicine, at the above address, or telephone (850)245-4131.

DEPARTMENT OF CHILDREN AND FAMILY SERVICES

NOTICE IS HEREBY GIVEN THAT on April 21, 2010, the Department of Children and Families, received a petition for waiver of subsection 65C-15.017(3), Florida Administrative Code, from Children’s Home Society and Vassilia Binensztok, assigned Case No.: 10-029W. Subsection 65C-15.017(2), F.A.C. requires staff responsible for the supervision, evaluation and monitoring of the direct child care staff shall have a bachelor’s degree in social work, or related area of study from college or university and at least 3 years of experience in working with children.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Faginal Jones at (850)921-8132.

FLORIDA HOUSING FINANCE CORPORATION

NOTICE IS HEREBY GIVEN THAT on May 17, 2010, the Florida Housing Finance Corporation, received a petition for waiver of that portion of subparagraph 67-48.0075(7)(a)1., F.A.C. (2008), which requires the principal of a supplemental loan awarded in the 2008 Universal Application Cycle to be forgivable.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Della Harrell, Corporation Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. The Petition has also been posted on Florida Housing’s website at www.floridahousing.org. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m. (Eastern Standard Time), on the 14th day after publication of this notice at Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

Section VI

Notices of Meetings, Workshops and Public Hearings

DEPARTMENT OF STATE

The **Friends of Mission San Luis, Inc.** announces a public meeting to which all persons are invited.

DATE AND TIME: Thursday, June 10, 2010, 6:00 p.m. – conclusion

PLACE: Mission San Luis Conference Room, 2100 West Tennessee Street, Tallahassee, FL 32304

GENERAL SUBJECT MATTER TO BE CONSIDERED: The Board of Directors will meet to discuss end of year income and expenses, fundraising opportunities, and other Friends business.

A copy of the agenda may be obtained by contacting: Jessica Shiver at (850)487-1666.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 48 hours before the workshop/meeting by contacting: Jessica Shiver at (850)487-1666. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

If any person decides to appeal any decision made by the Board with respect to any matter considered at this meeting or hearing, he/she will need to ensure that a verbatim record of the proceeding is made, which record includes the testimony and evidence from which the appeal is to be issued.

For more information, you may contact: Jessica Shiver at (850)487-1666 or jbshiver@dos.state.fl.us.

The **Division of Library and Information Services** announces a public meeting to which all persons are invited.

DATE AND TIME: Tuesday, June 15, 2010, 8:30 a.m. – until conclusion

PLACE: Room 307, R. A. Gray Building, 500 S. Bronough St., Tallahassee, FL 32399

GENERAL SUBJECT MATTER TO BE CONSIDERED: To review federal fiscal year 2010 grant applications for Library Services and Technology Act funds.

A copy of the agenda may be obtained by contacting: Dolly Frank, Library Program Specialist at (850)245-6631 or e-mail: dafrank@dos.state.fl.us.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 5 days before the workshop/meeting by contacting: Dolly Frank, Library Program Specialist at (850)245-6631 or e-mail: dafrank@dos.state.fl.us. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

For more information, you may contact: Dolly Frank, Library Program Specialist at (850)245-6631 or e-mail: dafrank@dos.state.fl.us.