

\$1 + \$4 + (\$10 x 2)	\$25	6,000.00	2,000
\$5 + (\$10 x 2)	\$25	6,000.00	2,000
\$5 + \$20	\$25	9,600.00	1,250
\$25	\$25	9,600.00	1,250
\$10 x 5	\$50	9,600.00	1,250
(\$10 x 3) + \$20	\$50	9,600.00	1,250
\$10 + (\$20 x 2)	\$50	9,600.00	1,250
\$25 x 2	\$50	9,600.00	1,250
\$50	\$50	9,600.00	1,250
\$20 x 5	\$100	24,000.00	500
\$25 x 4	\$100	24,000.00	500
(\$25 x 2) + \$50	\$100	24,000.00	500
\$50 x 2	\$100	24,000.00	500
\$100	\$100	24,000.00	500
\$50 x 5	\$250	60,000.00	200
(\$25 x 2) + (\$100 x 2)	\$250	60,000.00	200
(\$50 x 3) + \$100	\$250	60,000.00	200
\$50 + (\$100 x 2)	\$250	80,000.00	150
\$250	\$250	80,000.00	150
\$6,000	\$6,000	300,000.00	40

(11) The estimated overall odds of winning some prize in Instant Game Number 1078 are 1 in 4.88. Prizes, including the top prizes, are subject to availability at the time of ticket purchase. Prizes may be unavailable due to prior sale or other causes occurring in the normal course of business including, but not limited to, ticket damage, defect, theft, or loss.

(12) For reorders of Instant Game Number 1078, the estimated odds of winning, value, and number of prizes shall be proportionate to the number of tickets reordered.

(13) Payment of prizes for SEASON'S GOLD lottery tickets shall be made in accordance with the rule of the Florida Lottery governing payment of prizes.

A copy of the current rule can be obtained from the Florida Lottery, Office of the General Counsel, 250 Marriott Drive, Tallahassee, Florida 32399-4011.

Rulemaking Authority 24.105(9)(a), (b), (c), 24.109(1), 24.115(1) FS. Law Implemented 24.105(9)(a), (b), (c), 24.115(1) FS. History—New 10-1-10.

THIS RULE TAKES EFFECT UPON BEING FILED WITH THE DEPARTMENT OF STATE UNLESS A LATER TIME AND DATE IS SPECIFIED IN THE RULE.

EFFECTIVE DATE: October 1, 2010

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

**Section V
Petitions and Dispositions Regarding Rule
Variance or Waiver**

**BOARD OF TRUSTEES OF THE INTERNAL
IMPROVEMENT TRUST FUND**

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

PUBLIC SERVICE COMMISSION

NOTICE IS HEREBY GIVEN THAT on September 27, 2010, the Florida Public Service Commission received a petition for a rule waiver from Lighthouse Utilities Company, Inc.

DOCKET NO.: 100128-WU – Lighthouse Utilities Company, Inc. petition for a waiver of Rule 25-30.437, F.A.C., which requires rate applications be accompanied by Minimum Filing Requirements (MFRs) which are a series of schedules that require information on a utility's accounting and engineering costs, rate structures and billing practices for a test year. The MFRs provide information used by the Commission in its analysis and consideration of the utility's request for a rate change. Specific instructions for completing the schedules are included on the forms but are not separately listed in the published rule.

The petitioner is not requesting a waiver of the schedules in whole, but a partial waiver of the amount of information to be included on the following schedules: Schedule A-4 (Plant in Service Balances); Schedule A-8 (Accumulated Depreciation); Schedule A-11 (Contributions in Aid of Construction); A-13 (Accumulated Amortization of CIAC); and B-7 (Comparison of Current and Prior Operations and Maintenance "O & M" Expense). Any comments on the petition should be filed with the: Office of Commission Clerk, 2540 Shumard Oak Boulevard, Tallahassee, Florida 32399-0850, within 14 days after publication of this notice. For additional information, please contact: Keino Young, Office of the General Counsel, at the above address or telephone (850)413-6226.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Office of Commission Clerk, 2540 Shumard Oak Boulevard, Tallahassee, Florida 32399-0850.

WATER MANAGEMENT DISTRICTS

NOTICE IS HEREBY GIVEN THAT on October 5, 2010, the Suwannee River Water Management District, received a petition for variance from Cheryl & Michael Mahan, P. O. Box 848, Live Oak, FL 32064, pursuant to Section 120.542, F.S. Petitioner is seeking variance from paragraph 40B-4.3030(12)(b), F.A.C., as to the 75-foot setback requirement. Petitioner seeks to permit existing deck, in Suwannee County, located in Township 7 South, Range 14 East, Section 4. These rules are intended to set forth criteria for development activities within a Work of the District. Comments on this petition should be filed with: Jon Dinges, District Clerk, SRWMD, 9225 CR 49, Live Oak, FL 32060, within 14 days of publication of this notice. The petition has been assigned ERP number 09-0090, and the project name is C. Mahan Works of the District Deck.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Robin Lamm, Business Resource Specialist, Suwannee River Water Management District, 9225 CR 49, Live Oak, FL 32060, (386)362-1001 or 1(800)226-1066 in Florida only.

NOTICE IS HEREBY GIVEN that on October 01, 2010, the The Southwest Florida Water Management District, received a petition for rule variance from the City of Tampa. The City of Tampa seeks a variance from sub-subparagraphs 40D-80.073(8)(b)3.a., 40D-80.073(8)(b)3.b., and subparagraph 40D-80.073(8)(b)6., F.A.C., relating to the Lower Hillsborough River MFL Recovery Strategy. The variance would allow a one year time extension for completion of certain weir modifications and the Blue Sink Project.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Pam Gifford, Certified Legal Assistant, Southwest Florida Water Management District, 2379 Broad Street, Brooksville, FL 34604-6899, (352)796-7211. Any interested person or other agency may submit written comments on the petition within 14 days of the date this notice is published.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

NOTICE IS HEREBY GIVEN THAT on September 29, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from Plaza Tower, filed April 5, 2010, and advertised in Vol. 36, No. 19 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from an unspecified Section of A17.3

because the Petitioner has failed to meet its burden by not providing the information requested by the Division (VW 2010-226).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on September 29, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from FPL-Martin Plant Unit 1 & 2 Boiler Structure, filed May 18, 2010, and advertised in Vol. 36, No. 24 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from an unspecified Section of A17.3 because the Petitioner has failed to meet its burden by not providing the information requested by the Division (VW 2010-338).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on September 29, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Del Mar Office Park, filed July 15, 2010, and advertised in Vol. 36, No. 31, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-471).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 29, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Florida Hospital, filed August 27, 2010, and advertised in Vol. 36, No. 38, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.21.1.1

and 2.21.2.6 ASME A17.1, 2004 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for frames and securing weight frames because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-558).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 29, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from American Building, filed August 31, 2010, and advertised in Vol. 36, No 38, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 3.11.1(a)(2) ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and two-way communications until July 1, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-561).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That Final Order was in response to a Petition for Variance from USF – Wellness & Nutrition Center, filed September 7, 2010, and advertised in Vol. 36, No. 38 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from Rule 2.2.2.5, ASME A17.1e, 2005 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a sump pump in elevators provided with firefighters' emergency operation because the Bureau announced the new requirement well before the initial building permit was applied for (VW 2010-567).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on September 20, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Crestwood Nursing Center. Petitioner seeks a variance of the requirements of ASME A17.1, Section 204.7, 1001.2, 1206.7, 104.1 and 102, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for emergency lights, exposed brake wires, sprinklers, cages on sprinkler heads, pit switch, firefighter service operations, machine room lighting, intact pedestal bearings, cartop inspection box and two-way communication which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-589).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 20, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Island Walk. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-590).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Barwood Condo I Assoc. Petitioner seeks a variance of the requirements of ASME A17.3, Section 2.3.1, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for a pit ladder which poses a significant economic/financial hardship. Any interested person may file comments within 14

days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-591).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Park Lane. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-592).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 22, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Tamarind Condo. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, 3.10.4 and 2.2.3 and of ASME A17.1, Section 2.29.2, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code and of Rule 61C-5.009, Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations, electrical protective devices, lighting, identification of floors and venting of hoistways which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-593).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 22, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Waterview. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters'

emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-594).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 22, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Reef Club. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-595).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 22, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Park Plaza. Petitioner seeks a variance of the requirements of ASME A17.3, Section 2.3.3, 2.7.4, 3.3.2, 3.4.5(d), 3.10.4(e) & (u) and 3.11.1(a)(2), as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for a pit switch, restricted door openings, platform guards, emergency lighting, car-top stop switch, in-car stop switch and two-way communication which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-596).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 22, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Imperial Cove XIV. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida

Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-597).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 23, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Bldg. I & II. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3 and 3.11.1(a)(2), as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and two-way communication which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-598).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from JC Penney. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-599).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from One Orlando Center. Petitioner seeks a variance of the requirements of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which poses a significant economic/

financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-600).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from DeSoto Apts. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-601).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 28, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from New Tribes Mission. Petitioner seeks a variance of the requirements of ASME A17.3, Section 2.7.4, 3.3.2, 3.4.5(d), 3.10.3 and 3.11.1(a)(2), as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for restricted door openings, platform guards, emergency lighting, cartop operating devices and two-way communication which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-602).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on September 28, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Edwinola Retirement Community. Petitioner seeks a variance of the requirements of ASME A17.1, Section 303.3d, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for a supply line shutoff valve which

poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-603).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

DEPARTMENT OF HEALTH

NOTICE IS HEREBY GIVEN THAT on October 5, 2010, the Board of Massage Therapy, received a petition for waiver and variance from First Coast Chiropractic, Inc., seeking a waiver or variance of subsection 64B7-26.003(4), F.A.C., with respect to property damage and bodily injury liability insurance coverage.

Comments on this petition should be filed with the Board of Massage Therapy, 4052 Bald Cypress Way, Bin #C06, Tallahassee, FL 32399-3256, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Anthony Jusevitch, Executive Director, at the above-referenced address, or at telephone number (850)245-4161.

NOTICE IS HEREBY GIVEN THAT on October 4, 2010, the Florida Department of Health, Division of Emergency Medical Operations, Bureau of Emergency Medical Services (EMS) has issued an order.

The following is a summary of the proceeding and order for an emergency petition for waiver:

On September 7, 2010, a petition was filed by Henry J. del Valle on behalf of Florida Keys Community College for an emergency waiver of subparagraph 64J-1.0201(3)(a)5., Florida Administrative Code, as it relates to the minimum qualifications for Program Directors at Florida-approved EMS Training Programs. Specifically, Petitioner requested a waiver of the required two years teaching experience as a Level B Instructor. On October 4, 2010, EMS filed an "Order and Disposition on Emergency Petition for Waiver" allowing Petitioner to serve as Program Director for the EMS Program while employed by Florida Keys Community College, based on his extensive educational background and professional experience.

A copy of the Order may be obtained by contacting: John Bixler, Chief, Bureau of Emergency Medical Services, 4052 Bald Cypress Way, Bin #C-18, Tallahassee, Florida 32399-1738, (850)245-4055, Fax: (850)488-9408, john_bixler@doh.state.fl.us.

DEPARTMENT OF CHILDREN AND FAMILY SERVICES

NOTICE IS HEREBY GIVEN THAT on September 22, 2010, the Department of Children and Families, received a petition for waiver of Rule 65C-14.055, Florida Administrative Code, from Panama Youth Services at Wakefield Place and Anthony Upson, assigned Case No.: 10-045W. Rule 65C-14.055, F.A.C. requires the Executive Director who is responsible for the general management and administration of the agency is required to have a bachelor's degree in social work or a related area of study from an accredited college or university and three years of experience in management supervision.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Children and Families, 1317 Winewood Blvd., Bldg. 2, Room 204, Tallahassee, FL 32399-0700.

NOTICE IS HEREBY GIVEN THAT on September 23, 2010, the Department of Children and Families, received a petition for waiver of subsection 65C-15.010(3), Florida Administrative Code, from Options 4 Adoption, Inc., assigned Case No.: 10-046W. Subsection 65C-15.010(3), F.A.C. requires a licensed child-placing agency to annually obtain an audit of its financial records.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Children and Families, 1317 Winewood Blvd., Bldg. 2, Room 204, Tallahassee, FL 32399-0700.

Section VI Notices of Meetings, Workshops and Public Hearings

DEPARTMENT OF STATE

The **Division of Cultural Affairs** and the **Florida Council on Arts and Culture** announces a public meeting to which all persons are invited.

DATES AND TIME: November 17-18, 2010, 8:30 a.m. – conclusion

PLACE: R. A. Gray Building, Room 307, Tallahassee, FL

GENERAL SUBJECT MATTER TO BE CONSIDERED: To discuss, review and take action on funding recommendations for grants and any other business which may appropriately come before the Council.