

the word. The three letters that appear in the YOUR LETTERS box under the scratch-off coating on the ticket that are smaller in size than the 20 YOUR LETTERS, are not play symbols to be used in playing the game.

(b) A ticket having a LUCKY SYMBOL (☘ ☙ ☚ ☆) in place of a letter in any one of the winning matched words shall entitle the claimant to double the prize shown in the PRIZE LEGEND.

(9) The estimated odds of winning, value and number of prizes in Instant Game Number 7011 are as follows:

GAME PLAY	WIN	ESTIMATED ODDS OF 1 IN	NUMBER OF WINNERS IN 84 POOLS OF TICKETS PER POOL
2 WORDS	\$3.00	10.20	987,840
3 WORDS	\$5.00	33.33	302,400
2 WORDS DBL	\$6.00	21.74	463,680
4 WORDS	\$10.00	83.33	120,960
3 WORDS DBL	\$10.00	35.71	282,240
5 WORDS	\$15.00	100.00	100,800
6 WORDS	\$20.00	250.00	40,320
4 WORDS DBL	\$20.00	166.67	60,480
5 WORDS DBL	\$30.00	338.03	29,820
6 WORDS DBL	\$40.00	438.26	23,000
7 WORDS	\$50.00	560.00	18,000
8 WORDS	\$100.00	1,482.35	6,800
7 WORDS DBL	\$100.00	1,362.16	7,400
8 WORDS DBL	\$200.00	6,000.00	1,680
9 WORDS	\$500.00	8,000.00	1,260
10 WORDS	\$1,000.00	72,517.99	139
9 WORDS DBL	\$1,000.00	72,517.99	139
10 WORDS DBL	\$2,000.00	1,120,000.00	9
11 WORDS	\$25,000.00	1,120,000.00	9
11 WORDS DBL	\$50,000.00	840,000.00	12

(10) The estimated overall odds of winning some prize in Instant Game Number 7011 are 1 in 4.12. Prizes, including the top prizes, are subject to availability at the time of ticket purchase. Prizes may be unavailable due to prior sale or other causes occurring in the normal course of business including, but not limited to, ticket damage, defect, theft, or loss.

(11) For reorders of Instant Game Number 7011, the estimated odds of winning, value, and number of prizes shall be proportionate to the number of tickets reordered.

(12) Payment of prizes for LUCKY SYMBOL CROSSWORD lottery tickets shall be made in accordance with the rule of the Florida Lottery governing payment of prizes.

A copy of the current rule can be obtained from the Florida Lottery, Office of the General Counsel, 250 Marriott Drive, Tallahassee, Florida 32399-4011.

Rulemaking Authority 24.105(9)(a), (b), (c), 24.109(1), 24.115(1) FS. Law Implemented 24.105(9)(a), (b), (c), 24.115(1) FS. History—New 7-9-10.

THIS RULE TAKES EFFECT UPON BEING FILED WITH THE DEPARTMENT OF STATE UNLESS A LATER TIME AND DATE IS SPECIFIED IN THE RULE.

EFFECTIVE DATE: July 9, 2010

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled “Official Notices.”

**Section V
Petitions and Dispositions Regarding Rule
Variance or Waiver**

DEPARTMENT OF EDUCATION

NOTICE IS HEREBY GIVEN THAT on July 16, 2010, the Florida Department of Education received a petition for an emergency petition for a one-time variance or waiver from subsection 6A-6.03315(2), F.A.C., from Taylor County Christian Academy. Specifically Taylor County Christian Academy requests a variance or waiver from the time limit in subsection (2) of Rule 6A-6.03315, F.A.C., which requires that any outstanding compliance issues, including submission of the annual survey be resolved by the private school prior to May 1 of each year or within 45 days of receipt of notification from the Department of any noncompliance issue, whichever is later, for the school to remain eligible to participate in the scholarship program. The Agency Case No.: DOE-2010-2121. A copy of the Petition for Variance or Waiver may be obtained by contacting: Lynn Abbott, Agency Clerk, lynn.abbott@fldoe.org, (850)245-9661 or from the Department’s web site at: https://app1.fldoe.org/DOE_Calendar/default.aspx?WhichCalendar=4.

DEPARTMENT OF LAW ENFORCEMENT

NOTICE IS HEREBY GIVEN THAT on July 16, 2010, the Criminal Justice Standards and Training Commission, received a petition for received a petition for permanent waiver of subsection 11B-27.00213(4), F.A.C., by Tabitah Williams. The rule requires recruits employed by agencies on a temporary employment authorization (TEA) to have a four-year break in service before they may enter into another TEA if their TEA is terminated prior to the recruit becoming certified. Petitioner’s

employer terminated her employment while she was on a TEA. Petitioner seeks a waiver of this rule so that she may seek another TEA immediately at another facility and, thereby, remain employed while she fulfils the requirements of Section 943.13, F.S., to become certified.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Grace A. Jaye, Assistant General Counsel, Florida Department of Law Enforcement, P. O. Box 1489, Tallahassee, FL 32302, (850)410-7676.

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

AGENCY FOR HEALTH CARE ADMINISTRATION

NOTICE IS HEREBY GIVEN THAT on June 30, 2010, the Agency for Health Care Administration, received a petition for Variance or Waiver from of subsection 59A-1.005(35), Florida Administrative Code, from TISSUE BANKS INTERNATIONAL, INCORPORATED. The petition requests a variance of rule provisions requiring HTLV testing for donor tissue. The specific provision on which the waiver is sought is subparagraph 59A-1.005(35)(a)2., Florida Administrative Code. The Petitioner in its request seeks a permanent variance from the rule due to substantial hardship.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Jamie L. Jackson, Agency for Health Care Administration, 2727 Mahan Drive, Mail Stop #3, Tallahassee, Florida 32308.

NOTICE IS HEREBY GIVEN THAT on July 16, 2010, the Agency for Health Care Administration, received a petition for Variance or Waiver from of subsection 59A-1.005(35), Florida Administrative Code, from SURGICAL TISSUE NETWORK, INC. d/b/a TISSUENET. The petition requests a variance of rule provisions requiring HTLV testing for donor tissue. The specific provision on which the waiver is sought is subparagraph 59A-1.005(35)(a)2., Florida Administrative Code. The Petitioner in its request seeks a permanent variance from the rule due to substantial hardship.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Jamie L. Jackson, Agency for Health Care Administration, 2727 Mahan Drive, Mail Stop #3, Tallahassee, Florida 32308.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

NOTICE IS HEREBY GIVEN THAT on June 17, 2010, the Division of Florida Condominiums, Timeshares, and Mobile Homes, Department of Business and Professional Regulation, State of Florida, has issued an order.

The Division grants Waterbrook's petition. This waiver is limited to extending the approval of Waterbrook's filing; it does not exempt Real Property Holding or any person acquiring the property who later offers these units for sale to the public from the successor developer filing requirements of the Condominium Act.

A copy of the Order may be obtained by contacting: Agency Clerk, Department of Business and Professional Regulation, Division of Florida Condominiums, Timeshares, and Mobile Homes, 1940 North Monroe Street, Tallahassee, Florida 32399-2202, (850)921-0342.

NOTICE IS HEREBY GIVEN THAT on July 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Bank of America Bldg., filed July 9, 2010, and advertised in Vol. 36, No. 20, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until January 1, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-251).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from Ocean Club Condo, filed April 12, 2010, and advertised in Vol. 36, No. 17 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance because the Petitioner failed to meet its burden by not providing the information necessary for the Division to make an informed decision (VW 2010-252).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on July 12, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from FL-1200 Corporate LLC, filed April 14, 2010, and advertised in Vol. 36, No. 20 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance because the Petitioner has failed to meet its burden by not providing the information requested by the Division (VW 2010-255).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on July 14, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Belmont Park Apartments, filed April 16, 2010, and advertised in Vol. 36, No. 17, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.1(a)(2), ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until July 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-258).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 12, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Bay Tree Club Assoc., filed April 16, 2010, and advertised in Vol. 36, No. 17, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until November 1, 2010, because the

Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-259).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 14, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from USF Marine Science, filed April 19, 2010, and advertised in Vol. 36, No. 17, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.1(a)(1) & (2), 3.4.5, 3.10.5, 3.10.3 and 2.2.2, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until July 1, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-265).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 12, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from Arlington by the River Condo Assoc., filed June 15, 2010, and advertised in Vol. 36, No. 26 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has not demonstrated that the purpose of the statute underlying the rule will be met (VW 2010-410).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on July 12, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Arlington by the River Condo Assoc., filed

June 15, 2010, and advertised in Vol. 36, No. 26, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until June 1, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-411).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 12, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from Beau Ciel Condo, filed June 16, 2010, and advertised in Vol. 36, No. 26 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from Rule 2.8.1, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has not demonstrated that the purpose of the statute underlying the rule will be met or that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-414).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on July 8, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Sheraton Suites Tampa Airport. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, 2.7.4 and ASME A17.1, Section 111.12, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and restricted door openings which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-459).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 8, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Gulf Cove Condos. Petitioner seeks a variance of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-460).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 8, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Hillcrest Building. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-461).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 8, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Sand Dollar Villas. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-462).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 8, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Treasure Bay Apartments. Petitioner seeks a variance of the requirements of ASME A17.3, Section 2.7.4, 3.3.2, 3.3.5, 3.10.3, 3.10.4(q) and 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the restricted door openings, platform guards, protection of platforms against fire, top-of-car operating devices, electrical protective devices, firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-463).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from St. Anthony's Park. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-464).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from St. Anthony's SARC. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file

comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-465).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 12, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Ciega Cove Condo. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-466).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

NOTICE IS HEREBY GIVEN THAT on July 14, 2010, the Florida Department of Environmental Protection has issued an order.

On April 28, 2010, Pinellas County applied for a variance from the provisions of subparagraph 62-701.500(7)(e)1., F.A.C., which requires daily cover at Class I landfills. Petitioner alleged that requiring daily cover at its Bridgeway Acres Landfill would create a substantial hardship. Notice was published in the F.A.W. on May 14, 2010. The Order Granting Variance allows the petitioner to continue applying weekly cover at those parts of the landfill that accept only non-putrescible waste.

A copy of the Order may be obtained by contacting: Richard Tedder, Department of Environmental Protection, Solid Waste Section, MS #4565, 2400 Blair Stone Road, Tallahassee, FL 32399, (850)245-8735, email: richard.tedder@dep.state.fl.us.

DEPARTMENT OF HEALTH

The Board of Dentistry hereby gives notice of the issuance of an Order regarding the Petition for Variance filed by Ivette Contreas, D.D.S. The Notice of Petition for Variance was

published in Vol. 36, No. 17, of the April 30, 2010, Florida Administrative Weekly. The Board considered the Petition at a duly-noticed public meeting held on June 18, 2010. The petition requested a waiver or variance from the requirement imposed by subsection 64B5-2.021(1), F.A.C., whereby the Petitioner requested that she be allowed to sit for the next examination without the requirement of taking additional education.

The Board's Order, filed on July 12, 2010, denies the Petition for Variance or Waiver, finding that Petitioner has complied with the requirements of Section 120.542(2), Florida Statutes. Specifically, Petitioner has not demonstrated how the purpose of the underlying statute has been achieved or will be achieved by other means. Additionally, Petitioner has not demonstrated that strict application of subsection 64B5-2.021(1), Florida Administrative Code, would create a substantial hardship or violate principles of fairness within the meaning of Section 120.542(2), Florida Statutes. Based upon the foregoing, the Board determined that Petitioner is not eligible for a waiver or variance of subsection 64B5-2.021(1), F.A.C.

A copy of the Board's Order may be obtained by contacting: Sue Foster, Executive Director, Board of Dentistry, 4052 Bald Cypress Way, Bin #C08, Tallahassee, Florida 32399-3258.

The Board of Dentistry hereby gives notice of the issuance of an Order regarding the Petition for Variance filed by Edward A. Bayo, Esq. on behalf of Richard Rolle, D.D.S. The Notice of Petition for Variance was published in Vol. 36, No. 22, of the June 4, 2010, Florida Administrative Weekly. The Board considered the Petition at a duly-noticed public meeting held on June 18, 2010. The petition requested a waiver or variance from the requirement imposed by paragraph 64B5-2.013(1)(c) and subsection 64B5-2.021(1), F.A.C., whereby Petitioner requests that the remediation course and third year of residency be counted as the remediation coursework required by the above rules in order to sit for the examination again. The Petitioner further requests that he be permitted to sit only for the restorative portion, along with the Diagnostic and Laws and Rules portion of the examination.

The Board's Order, filed on July 12, 2010, grants the Petition for Variance or Waiver, finding that Petitioner has complied with the requirements of Section 120.542(2), Florida Statutes. Specifically, Petitioner has demonstrated how the purpose of the underlying statute has been achieved or will be achieved by other means. Additionally, Petitioner has demonstrated that strict application of paragraph 64B5-2.013(1)(c) and subsection 64B5-2.021(1), Florida Administrative Code, would create a substantial hardship or violate principles of fairness within the meaning of Section 120.542(2), Florida Statutes. Based upon the foregoing, the Board determined that Petitioner is eligible for a waiver or

variance of paragraph 64B5-2.013(1)(c) and subsection 64B5-2.021(1), F.A.C., and that upon completion of the remedial education course, he be permitted to sit for the examination and only take the restorative portion of the examination, along with the Diagnostic and laws and rules examination.

A copy of the Board's Order may be obtained by contacting: Sue Foster, Executive Director, Board of Dentistry, 4052 Bald Cypress Way, Bin #C08, Tallahassee, Florida 32399-3258.

DEPARTMENT OF CHILDREN AND FAMILY SERVICES

NOTICE IS HEREBY GIVEN THAT on June 22, 2010, the Department of Children and Families, received a petition for waiver of subsection 65C-14.055(4), Florida Administrative Code, from Transitions Home, Children's Home Society, and Joan Jordan, assigned Case No.: 10-039W. Subsection 65C-14.055(4), F.A.C. requires staff of licensed child caring agencies responsible for supervision of direct care staff have a bachelor's degree in social work or a related field with two years of experience, or two years of college and four years of experience.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Children and Families, 1317 Winewood Blvd., Bldg. 2, Room 204, Tallahassee, FL 32399-0700.

DEPARTMENT OF FINANCIAL SERVICES

NOTICE IS HEREBY GIVEN THAT on June 14, 2010, the Department of Financial Services, Division of State Fire College, received a petition for Variance from Petitioner, Patrick Pointu. The Petition has been assigned the number 111315-10-FM. Petitioner seeks a variance of Rules 69A-37.084 and 69A-37.085, Florida Administrative Code, which set forth the requirements for firefighter supplemental compensation. Because Petitioner holds a degree from a foreign educational institution, Petitioner seeks a variance from the requirement that an "eligible Bachelor's Degree" must be conferred by a post-secondary institution that has received accreditation "from an accrediting agency that is recognized by the U.S. Department of Education."

A copy of the Petition for Variance or Waiver may be obtained by contacting: Nic Thornton, Assistant General Counsel, Department of Financial Services, 200 East Gaines Street, Tallahassee, Florida 32399-0333, (850)413-4300.
