

FINANCIAL SERVICES COMMISSION

OIR – Insurance Regulation

RULE NOS.:	RULE TITLES:
69O-236.001	Annual Report Card
69O-236.002	Definitions
69O-236.003	Methodology
69O-236.004	Limitations and Exclusions
69O-236.005	Data Sources

NOTICE OF WITHDRAWAL

Notice is hereby given that the above rule, as noticed in Vol. 35, No. 47, November 25, 2009 issue of the Florida Administrative Weekly has been withdrawn.

DEPARTMENT OF FINANCIAL SERVICES

Finance

RULE NO.:	RULE TITLE:
69V-40.002	Adoption of Forms

NOTICE OF CORRECTION

Notice is hereby given that the following correction has been made to the proposed rule in Vol. 36, No. 32, August 13, 2010 issue of the Florida Administrative Weekly.

In the body of the Notice of Change, item #4 references “69V-49.002(1)(b)5., F.A.C.” The correct reference is “69V-40.002(1)(b)5., F.A.C.”

**Section IV
Emergency Rules**

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled “Official Notices.”

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled “Official Notices.”

**Section V
Petitions and Dispositions Regarding Rule
Variance or Waiver**

DEPARTMENT OF EDUCATION

NOTICE IS HEREBY GIVEN THAT on August 11, 2010, the Department of Education has issued an order.

On July 16, 2010, Taylor County Christian Academy filed an Emergency Petition for a One-Time Variance or Waiver from subsection 6A-6.03315(2), F.A.C. (DOE Agency Case No.: DOE-2010-2121). The notice of the receipt of the emergency petition was noticed in the July 30, 2010, Florida Administrative Weekly. The Department issued an order on August 11, 2010, Denying Emergency Petition for Variance or Waiver of Rule 6A-6.03315, F.A.C., Private School Scholarship Compliance, with the conclusion that the Petition does not identify any specific facts constituting an emergency required by paragraph 28-104.004(2)(a), F.A.C., and the Petition does not allege that any immediate danger to the public health, safety, or welfare exists. Also on August 11, 2010, the Department issued an Order Denying Petition for Variance or Waiver of subsection 6A-6.03315(2), F.A.C., Private School Scholarship Compliance, with the conclusion that the purpose of the underlying statutes cannot be achieved through the means requested, the application of the rule does not create a substantial hardship, and that application of subsection 6A-6.03315(2), F.A.C., does not violate principles of fairness.

A copy of the Order may be obtained by contacting: Lynn Abbott, Agency Clerk at (850)245-9661 or lynn.abbott@fldoe.org. A copy may also be obtained from the Department’s website at: https://app1.fldoe.org/DOE_Calendar/default.aspx?WhichCalendar=4.

DEPARTMENT OF LAW ENFORCEMENT

NOTICE IS HEREBY GIVEN THAT on August 12, 2010, the Criminal Justice Standards and Training Commission has issued an order.

On June 29, 2010, the Criminal Justice Standards and Training Commission, received a petition for a permanent waiver of paragraph 11B-20.0014(3)(d), F.A.C., by Brevard Community College on behalf of breath test instructor, Robert Wagner. The rule requires specialized topics instructors to meet certain criteria prior to teaching courses in their specialized topic area, in this case, alcohol breath tests. Petitioner asserts that instructor Wagner completed all aspects of certification as a specialized topics instructor and submitted paperwork to the College’s Program Specialist for Breath Test Operator certification. That specialist left employment with the College without submitting the paperwork to the CJSTC for processing. Petitioner believed that his certification as a breath test instructor had been granted and taught five separate breath test operator courses for the College from June 8, 2009 to February 1, 2010. The Petitioner and the College argue that the failure to comply with all administrative requirements of the rule did not jeopardize the delivery of instruction by Petitioner. Petitioner requested a permanent waiver of paragraphs 11B-20.001(3)(d) and 11B-20.0016(1)(a)-(c), F.A.C., and that his certification as a breath test instructor be recognized as

dating from June 1, 2009. Notice of receipt of the petition was published in the Florida Administrative Weekly Vol. 36, No. 28, on July 16, 2010.

On August 12, 2010, at its regularly scheduled business agenda meeting held in Tampa, Florida, the Commission found that the Petitioner's situation is unique. The Petitioner demonstrated that the strict application of the Commission's rules in this case would violate the principles of fairness resulting in the need to for the Petitioner to dispense with the services of a well-qualified instructor and re-qualify officers who passed instructor Wagner's course all because of an administrative oversight. The Commission found that the purposes of the underlying statute, to ensure that officers are properly trained, will be met by granting this waiver request. The Commission granted the Petitioner's request to back date instructor Wagner's certification to June 1, 2009.

A copy of the Order may be obtained by contacting: Grace A. Jaye, Assistant General Counsel, Florida Department of Law Enforcement, P. O. Box 1489, Tallahassee, FL 32302-1489, (850)410-7687.

NOTICE IS HEREBY GIVEN THAT on August 12, 2010, the Criminal Justice Standards and Training Commission has issued an order.

A petition for permanent waiver of paragraph 11B-27.00213(4)(b), F.A.C., was received from Eduardo Fernandez on June 29, 2010. Petitioner requested a waiver of the rule requiring him to wait four years after quitting one temporary employment authorization (TEA) before beginning another TEA. Notice of the petition was published in the Florida Administrative Weekly, Vol. 36, No. 29, on July 23, 2010. Paragraph 11B-27.00213(4)(b), F.A.C., requires individuals who have not completed a TEA to have a four-year break in service from the last date worked prior to beginning another TEA. Section 943.131(1)(a), F.S., requires those employed on a TEA to complete basic recruit training within 18 months of commencing basic recruit training, and to pass the State Officer Certification Examination within 180 days of completing basic recruit training. Section 943.131(1)(b), F.S., makes it impossible for a person to be employed on at TEA for more than 30 months, or to change employers while on a TEA. Petitioner is currently employed on a TEA with a private correction corporation. His employer has turned over its facilities to another private correction corporation that does not permit TEAs. Petitioner finds himself unable to look for work with another entity because he cannot become employed unless he is fully certified or eligible for a TEA. He is not yet fully certified and cannot complete certification without being on a TEA.

The Commission found that the application of the rule to Petitioner's situation would violate the principles of fairness because it would affect him in a manner different from the way that is affects other similarly situated persons who are subject

to the rule. The Criminal Justice Standards and Training Commission granted the Petitioner a permanent waiver of paragraph 11B-27.00213(4)(b), F.A.C., in its order issued August 12, 2010. The order grants Petitioner a waiver of that portion of the rule requiring those who have failed to complete one temporary employment authorization to wait four years before beginning a new temporary employment authorization.

A copy of the Order may be obtained by contacting: Grace A. Jaye, Assistant General Counsel, Florida Department of Law Enforcement, P. O. Box 1489, Tallahassee, Florida 32327, (850)410-7676.

NOTICE IS HEREBY GIVEN THAT on August 12, 2010, the Criminal Justice Standards and Training Commission has issued an order.

Pursuant to Section 120.542, F.S., a petition for a waiver of subsection 11B-27.002(4), F.A.C., was received from Duane Miller on June 22, 2010. Notice of receipt of this petition was published in the Florida Administrative Weekly, Vol. 36, No. 26, on July 2, 2010. No public comment was received. Subsection 11B-27.002(4), F.A.C., requires recruits to successfully complete basic recruit training, pass the State Officer Certification Examination, and obtain employment within four years of beginning basic recruit training. Petitioner has requested thirty additional days to obtain employment because he relied upon incorrect information in an older version of the curriculum as to how long he had to obtain employment. On August 12, 2010, at its regularly scheduled business agenda meeting held in Tampa, Florida, the Criminal Justice Standards and Training Commission granted a 30 day waiver of this rule to Duane Miller, in a final order, OGC File No.: VAR 2010-14. This rule waiver was granted because the petitioner demonstrated that a strict application of the rule would result in undue hardship to the Petitioner or would affect him differently than other similarly situated applicants and because the Petitioner could successfully fulfill the requirements of Section 943.13, F.S., by other means. Specifically, Petitioner relied to his detriment upon outdated written information in the curriculum concerning how long he had to obtain employment. The Commission found that it would violate the principles of fairness to enforce the rule upon Petitioner because Petitioner would be affected differently than other similarly situated individuals who are subject to the rule because Petitioner was given incorrect written information upon which he relied.

A copy of the Order may be obtained by contacting: Grace A. Jaye, Assistant General Counsel, Florida Department of Law Enforcement, Post Office Box 1489, Tallahassee, Florida 32302-1489, (850)410-7676.

NOTICE IS HEREBY GIVEN THAT on August 12, 2010, the Criminal Justice Standards and Training Commission has issued an order.

A Petition for Waiver of Rule 11B-20.0014, F.A.C., was received from Northwest Florida State College and Tony Simpson, on June 29, 2010. Notice of the Petition was published in the Florida Administrative Weekly, Vol. 36, No. 7, July 9, 2010. The rule requires law topics instructors who are practicing attorneys and who wish to be exempted from other instructor requirements to complete an internship and have student evaluations on file prior to being hired as law topics instructors. Northwest Florida State College hired practicing attorney Tony Simpson and assigned him to teach law topics to a basic recruit class without having him first complete the internship and evaluations. As soon as the school became aware of the deficiency, it had Tony Simpson complete the internship and student evaluations. The Petitioner college stated that Mr. Simpson met all the requirements for correctly teaching the law topics courses at issue, but failed to complete all administrative aspects of exemption as outlined in the rule. Mr. Simpson was at all times qualified to instruct the course, he had only failed to complete the internship and student evaluations.

The Commission found that the Petitioner's situation is unique. The Petitioner demonstrated that the strict application of the Commission's rules in this case would violate the principles of fairness resulting in the need to re-qualify many working officers who suffered no disability in training as a result of the failure to complete the administrative aspects of the rule. The Commission found that the purposes of the underlying statute, to ensure that criminal justice training is carried out uniformly throughout all Commission-certified training schools, would be served by permitting a waiver of a clerical, as opposed to tactical training, requirement. Accordingly, the Commission granted Petitioner's request for a waiver of Rule 11B-20.0014, F.A.C., on August 12, 2010, at its regularly scheduled Business Agenda meeting in Tampa, Florida.

A copy of the Order may be obtained by contacting: Grace A. Jaye, Assistant General Counsel, Florida Department of Law Enforcement, P. O. Box 1489, Tallahassee, FL 32327, (850)410-7676.

NOTICE IS HEREBY GIVEN THAT on August 12, 2010, the Criminal Justice Standards and Training Commission has issued an order.

This matter concerned a request for a permanent waiver of subsection 11B-27.00212(14), F.A.C., by Miami-Dade Police Department and Eney Castellanos. The rule requires officers to successfully complete firearms qualification every two years unless an officer is injured in the line of duty, which would grant the officer two additional years to complete the qualification. Petitioner Castellanos received an injury in an off-duty vehicle accident which prevents her from completing her firearms qualification. Petitioner Castellanos and her agency requested a waiver of the operation of the rule in her

case. Notice of receipt of the petition was published in the Florida Administrative Weekly Vol. 36, No. 26, on July 2, 2010.

On August 12, 2010, at its regularly scheduled business agenda meeting held in Tampa, Florida, the Commission found that the Petitioners' situation is unique. The Petitioners demonstrated that the strict application of the Commission's rules in this case would violate the principles of fairness resulting in the need to for the Petitioner to qualify while undergoing medical treatment for serious injuries. The Commission found that the purposes of the underlying statute, to ensure that officers are properly trained, will be met by granting this waiver request. The Commission granted Petitioner Castellanos two extra years to complete her firearms requalification.

A copy of the Order may be obtained by contacting: Grace A. Jaye, Assistant General Counsel, Florida Department of Law Enforcement, P. O. Box 1489, Tallahassee, Florida 32327, (850)410-7676.

NOTICE IS HEREBY GIVEN THAT on August 12, 2010, the Criminal Justice Standards and Training Commission has issued an order.

This matter concerned a request for a permanent waiver of subsection 11B-27.00212(14), F.A.C., by Barbara Smith. The rule requires officers to successfully complete firearms qualification every two years unless an officer is injured in the line of duty, which would grant the officer two additional years to complete the qualification. The Petitioner has a life-threatening illness which prevents her from completing her firearms qualification. The Petitioner requested a waiver of the operation of the rule in her case. Notice of receipt of the petition was published in the Florida Administrative Weekly Vol. 36, No. 7, on July 9, 2010. On August 12, 2010, at its regularly scheduled business agenda meeting held in Tampa, Florida, the Commission found that the Petitioner's situation is unique. The Petitioner demonstrated that the strict application of the Commission's rules in this case would violate the principles of fairness resulting in the need to for the Petitioner to qualify while undergoing medical treatment for a life-threatening illness. The Commission found that the purposes of the underlying statute, to ensure that officers are properly trained, will be met by granting this waiver request. The Commission granted the Petitioner two extra years to complete her firearms requalification.

A copy of the Order may be obtained by contacting: Grace A. Jaye, Assistant General Counsel, Florida Department of Law Enforcement, P. O. Box 1489, Tallahassee, Florida 32327, (850)410-7676.

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

WATER MANAGEMENT DISTRICTS

NOTICE IS HEREBY GIVEN THAT on August 12, 2010, the South Florida Water Management District (District), received a petition for waiver from Mathias and Maria Cecilia Staubli, Right of Way Occupancy Permit Application No.: 10-0812-2, for utilization of Works or Lands of the District known as the C-100A Canal for a proposed fence within the south right of way of the C-100A Canal, Section 11, Township 55 South, Range 40 East, Miami-Dade County. The petition seeks relief from subsections 40E-6.011(4), (6) and paragraph 40E-6.221(2)(j), Florida Administrative Code, which governs the placement of permanent or semi-permanent above-ground encroachments within 40 feet from the top of bank within Works or Lands of the District.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juli Russell at (561)682-6268 or e-mail: jurussel@sfwmd.gov. The District will accept comments concerning the petition for 14 days from the date of publication of this notice. To be considered, comments must be received by the end of business on the 14th day at the: South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406, Attn.: Juli Russell, Office of Counsel.

NOTICE IS HEREBY GIVEN THAT on August 6, 2010, the South Florida Water Management District (District), received a petition for waiver from Palm Beach County Roadway Production, Application No.: 10-0128-1, Permit (MOD) Number 8388, for utilization of Works or Lands of the District known as the C-51. The County requests authorization to relocate an existing high mast street light, mast arm traffic signalization pole and associated above ground pull boxes located within the northeasterly bridge quadrant in conjunction with the SR7/US 441 bridge widening crossing the C-51 Canal; Section 36, Township 43 South, Range 41 East, Palm Beach County. The petition seeks relief from subsections 40E-6.011(4), (6), Florida Administrative Code, which governs the placement of permanent and/or semi-permanent above-ground structures within 40 feet of the top of the canal bank within Works and Lands of the District.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juli Russell at (561)682-6268 or e-mail: jurussel@sfwmd.gov. The District will accept comments concerning the petition for 14 days from the date of publication of this notice. To be considered, comments must be received by

the end of business on the 14th day at the: South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406, Attn.: Juli Russell, Office of Counsel.

NOTICE IS HEREBY GIVEN THAT on August 12, 2010, the South Florida Water Management District (District) Governing Board has issued an order.

SFWMD Order No.: 2010-151-DAO-ROW was issued to Adele J. Gold (Application No.: 10-0505-1M). The petition for waiver was received by the District on May 5, 2010. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 36, No. 21, on May 28, 2010. An amended petition was received by the District on June 20, 2010. Notice of receipt of the amended petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 36, No. 27, on July 9, 2010. No public comment was received. This Order provides a waiver of the District's criteria to allow an existing fence enclosure, fabric tube erosion barrier, removable tables, and various trees and shrubs within the north right of way of the C-17 Canal; Section 16, Township 42 South, Range 43 East, Palm Beach County. Specifically, the Order grants a waiver from subsections 40E-6.011(4) and (6), Florida Administrative Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District, incorporated by reference in subsection 40E-6.091(1), Florida Administrative Code, which governs the placement of permanent and/or semi-permanent above-ground facilities within 40 feet of the top of the canal bank within works of lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the District's current ability to perform necessary construction, alteration, operation, and routine maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent Petitioner from suffering a substantial hardship and would violate principles of fairness.

A copy of the Order may be obtained by contacting: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406-4680, (561)682-6268 or email: jurussel@sfwmd.gov.

AGENCY FOR HEALTH CARE ADMINISTRATION

NOTICE IS HEREBY GIVEN THAT on August 5, 2010, the Agency for Health Care Administration, received a petition for Variance or Waiver from of subsection 59A-1.005(35), Florida Administrative Code, from ALLOSOURCE, INC. The petition requests a variance of rule provisions requiring HTLV testing for donor tissue. The specific provision on which the waiver is sought is subparagraph 59A-1.005(35)(a)2., Florida Administrative Code. The Petitioner in its request seeks a permanent variance from the rule due to substantial hardship.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Jamie L. Jackson, Agency for Health Care Administration, 2727 Mahan Drive, Mail Stop #3, Tallahassee, Florida 32308.

NOTICE IS HEREBY GIVEN THAT on August 2, 2010, the Agency for Health Care Administration has issued an order.

The order is on the petition for variance or waiver filed by James Mark on May 3, 2010 and published in Vol. 36, No. 20, Florida Administrative Weekly on May 21, 2010. The petition was assigned Agency Case Number: 2010004701. The Agency has granted a temporary waiver from subsection 59A-18.006(1), F.A.C. to James Mark for a period of 2 years upon a finding that the purpose of the underlying statute will be achieved by other means and that an application of the rule would violate the principles of fairness.

A copy of the Order may be obtained by contacting: Richard Shoop, Agency Clerk, Agency for Health Care Administration, 2727 Mahan Drive, Building 3, MS #3, Tallahassee, Florida 32308.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

NOTICE IS HEREBY GIVEN THAT on August 11, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Lakeside at Lochmoor Condo, Bldg. D, filed May 4, 2010, and advertised in Vol. 36, No. 21, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-292).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2010 the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Three Oaks Buildings 2 & 3, filed May 13, 2010, and advertised in Vol. 36, No. 25, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for

Variance grants the Petitioner a variance from Rule 3.11.3 and 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and restricted door openings until April 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-324).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2010 the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Lake Davis Apartments, filed May 13, 2010, and advertised in Vol. 36, No. 25, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4, 3.3.2 and 3.9.1 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the restricted door openings, platform guards and normal terminal stopping devices until May 7, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-325).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 13, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Santa Maria Condo, filed May 17, 2010, and advertised in Vol. 36, No. 25, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until August 1, 2014, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-328).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 13, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Mg Tower, LLC d/b/a Clearwater Garden Tower, filed May 17, 2010, and advertised in Vol. 36, No. 24, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until December 31, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-330).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 13, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Shands UF, filed May 17, 2010, and advertised in Vol. 36, No. 24, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.3.2 ASME A17.3, 1996 edition and from Rules 1206.7 and 204.4b ASME A17.1a, 1997 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for platform guards, maintenance of fire fighter's service and door and gate electric contacts until December 31, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-331, VW 2010-332, VW 2010-333).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 13, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Shands UF, filed May 17, 2010, and

advertised in Vol. 36, No. 24, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 204.4b ASME A17.1a, 1997 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for door and gate electric contacts until December 31, 2010, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-334).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Gainesville Downtown Inn Venture, filed May 18, 2010, and advertised in Vol. 36, No. 24, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until July 1, 2011, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-335).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Fortune Street Partners, LTD, filed May 18, 2010, and advertised in Vol. 36, No. 24, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until July 1, 2013, because the Petitioner has demonstrated that

the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-337).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from St. Petersburg/Clearwater Airport Assoc., LLC, filed May 18, 2010, and advertised in Vol. 36, No. 24, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until July 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-339).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from The Ambassador Hotel Cooperative Apartment Corp., filed May 21, 2010, and advertised in Vol. 36, No. 25, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-345).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition

for Variance from Crown House Assoc., Inc., filed May 21, 2010, and advertised in Vol. 36, No. 25, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until January 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-346).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Labcorp Bldg., filed May 24, 2010, and advertised in Vol. 36, No. 25, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, 2.7.4, 3.10.4(t) and 2.6.2 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations, restricted door openings, in-car stop switch and closing of hoistway doors until January 1, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-350).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Southbay Condo Assoc., filed May 24, 2010, and advertised in Vol. 36, No. 25, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and restricted door openings until August 1, 2015, because the Petitioner has

demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-351). A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from The Home Assoc., filed May 24, 2010, and advertised in Vol. 36, No. 25, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.10.4(e) and 2.3.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for the stop switch on top of car until May 18, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-352).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Internal Operations Center One, filed May 27, 2010, and advertised in Vol. 36, No. 25, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until December 31, 2011, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-365).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition

for Variance from Oxford House Apts., filed June 1, 2010, and advertised in Vol. 36, No. 25, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4 and 3.3.2 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators with restricted door openings and platform guards until March 1, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-367).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from See Ray Shores Condo, filed June 7, 2010, and advertised in Vol. 36, No. 26, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until May 30, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-376).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Le Chateau Royal Condo Assoc., filed June 1, 2010, and advertised in Vol. 36, No. 26, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.1(a)(2), 3.11.3 and 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for two-way communication, firefighters' emergency operations and restricted door openings until March 1, 2013, because the

Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-386).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Mellon Bank Bldg., filed June 10, 2010, and advertised in Vol. 36, No. 26, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until June 30, 2011, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-400).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from AT&T Tower, filed June 10, 2010, and advertised in Vol. 36, No. 26, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and restricted door openings until August 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-403).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has

issued an order. The Final Order was in response to a Petition for Variance from Viewpoint On-The-Bay, filed June 11, 2010, and advertised in Vol. 36, No. 26, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, 3.3.2 and 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations, platform guards and restricted door openings until July 1, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-404).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Lakecrest Office Bldg., filed June 15, 2010, and advertised in Vol. 36, No. 26, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until November 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-413).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Gulfstream of Lake Worth, filed June 16, 2010, and advertised in Vol. 36, No. 26, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations

until January 1, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-415).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from AAA Auto Club South, filed June 21, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-423).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Cheffy Passidomo Bldg, filed June 21, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.18.5, 2.20.4 and 8.11.2.1.3(cc)1&3 ASME A17.1, 2005 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for specific rope requirements because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-426).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition

for Variance from June 21, 2010, filed June 21, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until August 1, 2014, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-427).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from First Financial Plaza, filed June 21, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and restricted door openings until July 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-429).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Tallahassee Professional Building, filed June 29, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.18.5.1 and 2.20.1 ASME A17.1, 2004 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires that the elevator car be suspended from metallic ropes because the Petitioner has demonstrated that the purpose of the

statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-446 and VW 2010-447).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Hilton Tampa Airport Westshore, filed July 1, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until August 30, 2010, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-450).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Manatee Co. Judicial Center, filed July 1, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until June 28, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-451).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition

for Variance from 933 Office Bldg. A, filed July 1, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until July 1, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-452).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Mayfair of Boca Raton, filed July 2, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until January 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-454).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Washington Towers – Sea Towers, filed July 2, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and restricted door openings until July 1, 2013, because the Petitioner has demonstrated that the purpose of the statute

underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-455).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Ciega Cove Condo Assoc., filed July 12, 2010, and advertised in Vol. 36, No. 30, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until August 1, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-466).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 13, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Bayport Plaza, filed July 14, 2010, and advertised in Vol. 36, No. 31, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until December 31, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-469).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 13, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition

for Variance from Poe Parking Garage, filed July 14, 2010, and advertised in Vol. 36, No. 31, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 3.10.4(t) ASME A17.3, 1996 edition and from Rule 303.4(a) ASME A17.1a, 1997 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations, in-car stop switch and shut-off valve until July 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-470).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Long Key Townhouse, filed July 19, 2010, and advertised in Vol. 36, No. 31, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until July 1, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-476).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Suntrust Bldg., filed July 21, 2010, and advertised in Vol. 36, No. 32, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until December 31, 2014,

because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-480).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 11, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Clarion Hotel Maingate, filed July 13, 2010, and advertised in Vol. 36, No. 33, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, 3.3.2 and 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations, platform guards and restricted door openings until July 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-482).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Halifax Professional Bldg., filed July 25, 2010, and advertised in Vol. 36, No. 33, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4 ASME A17.3, 1996 edition and from Rule 1002.2(f) ASME A17.1, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until July 31, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-486).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from UCF – Arts Complex II, filed July 26, 2010, and advertised in Vol. 36, No. 33, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.2.2.5 ASME A17.1a, 2005 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators with a sump pump because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-487).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from UCF – Public Safety, filed July 26, 2010, and advertised in Vol. 36, No. 33, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.2.2.5 ASME A17.1a, 2005 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators with a sump pump because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-488).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Halifax Professional Building, LLC, filed July 28, 2010, and advertised in Vol. 36, No. 33, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations

until July 31, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-489).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Harbor Oaks Professional Center, filed July 30, 2010, and advertised in Vol. 36, No. 33, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.2.2.5 ASME A17.1a, 2005 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators with a sump pump because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-496).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Waters Edge IV, Bldg A, filed August 2, 2010, and advertised in Vol. 36, No. 33, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 3.3.2 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and platform guards until July 15, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-498).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has

issued an order. The Final Order was in response to a Petition for Variance from Menorah Manor, filed August 2, 2010, and advertised in Vol. 36, No. 33, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until June 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-499).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Waters Edge IV, Bldg B, filed August 2, 2010, and advertised in Vol. 36, No. 33, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 3.3.2 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and platform guards until July 15, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-501).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Robb & Stucky Bldg., filed August 2, 2010, and advertised in Vol. 36, No. 33, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until January 1, 2013, because the Petitioner has demonstrated that the purpose of the

statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-503).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for The Ocean Club. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-505).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 6, 2010, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for a Routine Variance for subsection 61C-4.010(6), Florida Administrative Code, Paragraph 6-501.115(A), 2001 Food Code from Crab's, Gulf Breeze, FL. The above referenced F.A.C. addresses the requirements that live animals are not allowed on the premise of a public food service establishment except as specifically provided in rule. They are requesting to have forty live hermit crabs on the premise from March 1st through September 30th each year.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on August 5, 2010, the Electrical Contractors' Licensing Board, received a petition for Larry J. Andrews, seeking a variance or waiver of Rule 61G6-6.017, Florida Administrative Code, which requires for the purpose of certification, a passing examination score on any part of the examination shall be valid only for a period of two (2) years from the date of the examination.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juanita Chastain, Executive Director, Electrical Contractors' Licensing Board, 1940 North Monroe Street,

Tallahassee, FL 32399-0783. Comments on this petition should be filed with the Electrical Contractors' Licensing Board within 14 days of publication of this notice.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

DEPARTMENT OF HEALTH

The Board of Dentistry hereby gives notice that it has received a petition, filed on August 11, 2010, by Romina L. Valguarnera, seeking a waiver or variance of paragraph 64B5-2.0135(1)(a), F.A.C., with respect to the following licensure requirement: that each applicant for a Florida dental license successfully complete all portions of the examination within a thirteen month period in order to qualify for licensure. Comments on this petition should be filed with the Board of Dentistry, 4052 Bald Cypress Way, Bin #C08, Tallahassee, Florida 32399-3258, within 14 days of publication of this notice.

For a copy of the petition, contact: Susan Foster, Executive Director, at the above address or telephone (850)245-4474.

NOTICE IS HEREBY GIVEN THAT the Petition for Waiver or Variance filed by Aparna Dole, M.D., on June 8, 2010, has been withdrawn, upon request of the Petitioner. The Notice of Petition for Waiver or Variance was published in Vol. 36, No. 25, of the June 25, 2010, issue of the F.A.W.

The person to be contacted regarding this Petition is: Larry McPherson, Jr., Executive Director, Board of Medicine, 4052 Bald Cypress Way, Bin #C03, Tallahassee, Florida 32399-3053.

NOTICE IS HEREBY GIVEN THAT on August 16, 2010, the Department of Health has issued an order.

The order was issued in response to a petition for a variance filed on May 19, 2010, by Daniel Hernandez, Esq., representing Infiltrator Systems, Incorporated, regarding the "treatment receptacle bulkhead stiffening member". Petitioner sought a variance from paragraph 64E-6.013(2)(a), Florida Administrative Code, which requires all receptacle stiffening members such as ribs to be a homogenous part of the structure. Notice of the petition was published in the June 4, 2010, edition of the Florida Administrative Weekly.

The Department found that the Petitioner demonstrated that the underlying intent of the statute could be achieved by alternative means and that strict application of the rules would create a substantial hardship in the Petitioner's particular circumstance. Therefore, pursuant to the requirements of

Section 120.542(2), Florida Statutes, the Department GRANTED WITH STIPULATIONS Petitioner’s request for a variance.

A copy of the Order may be obtained by contacting: Agency Clerk, Department of Health, Office of the General Counsel, 4052 Bald Cypress Way, Bin #A02, Tallahassee, Florida 32399-1703.

FLORIDA HOUSING FINANCE CORPORATION

NOTICE IS HEREBY GIVEN THAT on August 11, 2010, the Florida Housing Finance Corporation, received a petition for Waiver/Variance from NVC Spring Hill, LTD. The petition is seeking a waiver from paragraph 67-48.004(14)(g), F.A.C., which requires that certain information be included in a Universal Application and prohibits revisions to that information, and a variance to the Universal Application section which requires an applicant to select a specific Development Type.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Della Harrell, Corporation Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. The Petition has also been posted on Florida Housing’s website at: floridahousing.org. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m., Eastern Standard Time, on the 14th day after publication of this notice at: Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

FISH AND WILDLIFE CONSERVATION COMMISSION

NOTICE IS HEREBY GIVEN THAT on July 8, 2010, the Florida Fish and Wildlife Conservation Commission, received a petition for a variance from portions of the Sarasota County manatee protection rule (Rule 68C-22.026, Florida Administrative Code) that establish Slow Speed boat speed zones in the Sarasota Bay and Little Sarasota Bay to Venice Bypass Canal areas. The petition was submitted by Sarasota Crew, and seeks authorization for the applicant and associated parties to operate small, outboard-driven safety launches (generally a 16-foot johnboat or semi-v boat with a 25 horsepower engine) at speeds greater than Slow Speed (and less than 20 MPH except in emergencies) while accompanying rowing boats and shells during training and competitions. Generally there is one safety launch per one to four shells. Comments regarding the petition will be accepted for no less than 14 days from the date of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mr. Scott Calleson, Florida Fish and Wildlife Conservation Commission, Imperiled Species Management Section (6A), 620 South Meridian Street, Tallahassee, FL 32399-1600, (850)922-4330.

**Section VI
Notices of Meetings, Workshops and Public Hearings**

The following state governmental agencies, boards and commissions announce a public meeting to which all persons are invited:

- State Board of Administration
- Division of Bond Finance
- Financial Services Commission:
 - Office of Insurance Regulation
 - Office of Financial Regulation
- Agency for Enterprise Information Technology
- Department of Veterans’ Affairs
- Department of Highway Safety and Motor Vehicles
- Department of Law Enforcement
- Department of Revenue
- Administration Commission
- Florida Land and Water Adjudicatory Commission
- Board of Trustees of the Internal Improvement Trust Fund
- Department of Environmental Protection
- DATE AND TIME: September 14, 2010, 9:00 a.m.
- PLACE: Cabinet Meeting Room, Lower Level, The Capitol, Tallahassee, Florida

GENERAL SUBJECT MATTER TO BE CONSIDERED:
Regular scheduled meeting of the Governor and Cabinet to act on all executive branch matters provided by law and to act on any agendas submitted for their consideration. The Governor and Cabinet will proceed through each agenda, item by item.

The **State Board of Administration** will take action on matters duly presented on its agenda, which may include such matters as Executive Director’s reports; approval of fiscal sufficiency of state bond issues; approval of sale of local bonds at an interest rate in excess of statutory interest rate limitation; reports on investment performance; designation of banks as depositories for state funds; adoption of rules and regulations; investment of state funds pursuant to Chapter 215, F.S.; and consideration of other matters within its authority pursuant to Chapters 215 and 344, F.S., and Section 16 of Article IX of the Florida Constitution of 1885, as continued by subsection 9(c) of Article XII of the Florida Constitution of 1968.

The **Division of Bond Finance** of the State Board of Administration will take action on matters duly presented on its agenda, which will deal with the issuance of State bonds, arbitrage compliance and related matters.