

\$1 x 10	\$10	150.00	72.000
\$2 (5X)	\$10	150.00	72.000
\$2 x 5	\$10	187.50	57.600
\$5 x 2	\$10	250.00	43.200
\$10	\$10	250.00	43.200
\$2 x 10	\$20	750.00	14.400
\$4 x 5	\$20	750.00	14.400
\$4 (5X)	\$20	750.00	14.400
\$10 x 2	\$20	750.00	14.400
\$20	\$20	750.00	14.400
(\$2 x 8) + \$4 + \$5	\$25	3,600.00	3.000
\$5 x 5	\$25	3,600.00	3.000
\$5 (5X)	\$25	2,400.00	4.500
\$5 + (\$10 x 2)	\$25	3,600.00	3.000
\$25	\$25	3,600.00	3.000
(\$2 x 5) + (\$5 x 4)	\$30	4,500.00	2.400
(\$5 x 4) + \$10	\$30	4,500.00	2.400
\$10 x 3	\$30	4,500.00	2.400
\$5 + \$5 (5X)	\$30	4,500.00	2.400
\$30	\$30	4,500.00	2.400
\$4 x 10	\$40	5,000.00	2.160
\$10 x 4	\$40	6,000.00	1.800
\$4 (5X) + \$4 (5X)	\$40	5,000.00	2.160
\$20 x 2	\$40	6,000.00	1.800
\$40	\$40	6,000.00	1.800
\$10 x 10	\$100	3,000.00	3.600
(\$20 x 3) + \$40	\$100	3,000.00	3.600
\$25 x 4	\$100	3,000.00	3.600
\$20 (5X)	\$100	3,000.00	3.600
\$100	\$100	3,600.00	3.000
\$40 x 10	\$400	36,000.00	300
(\$25 x 4) + (\$100 x 3)	\$400	45,000.00	240
\$40 (5X) + \$40 (5X)	\$400	36,000.00	300
\$100 x 4	\$400	45,000.00	240
\$400	\$400	45,000.00	240
\$100 x 10	\$1,000	180,000.00	60
(\$100 x 6) + \$400	\$1,000	180,000.00	60
(\$100 x 2) + (\$400 x 2)	\$1,000	180,000.00	60
\$100 (5X) + \$100 (5X)	\$1,000	90,000.00	120
\$1,000	\$1,000	180,000.00	60
\$1,000 x 5	\$5,000	1,080,000.00	10
\$5,000	\$5,000	1,080,000.00	10
\$25,000	\$25,000	1,080,000.00	10

(10) The estimated overall odds of winning some prize in Instant Game Number 1111 are 1 in 4.31. Prizes, including the top prizes, are subject to availability at the time of ticket

purchase. Prizes may be unavailable due to prior sale or other causes occurring in the normal course of business including, but not limited to, ticket damage, defect, theft, or loss.

(11) For reorders of Instant Game Number 1111, the estimated odds of winning, value, and number of prizes shall be proportionate to the number of tickets reordered.

(12) Payment of prizes for ROCKIN' 5'S lottery tickets shall be made in accordance with the rule of the Florida Lottery governing payment of prizes.

A copy of the current rule can be obtained from the Florida Lottery, Office of the General Counsel, 250 Marriott Drive, Tallahassee, Florida 32399-4011.

Rulemaking Authority 24.105(9)(a), (b), (c), 24.109(1), 24.115(1) FS. Law Implemented 24.105(9)(a), (b), (c), 24.115(1) FS. History—New 6-3-11.

THIS RULE TAKES EFFECT UPON BEING FILED WITH THE DEPARTMENT OF STATE UNLESS A LATER TIME AND DATE IS SPECIFIED IN THE RULE.

EFFECTIVE DATE: June 3, 2011

Section V Petitions and Dispositions Regarding Rule Variance or Waiver

AGENCY FOR HEALTH CARE ADMINISTRATION

The Agency for Health Care Administration hereby gives notice that on May 19, 2011, a Final Order was issued Denying the Petition for Waiver of subsection 59A-35.100(2), Florida Administrative Code.

The Order concerned the Petition for Waiver, received by the Agency on February 11, 2011, by Alzheimer's Community Care, Inc. The Notice of Petition for Waiver was published in the Florida Administrative Weekly at page 611 of Vol. 37, No. 10, published on March 11, 2011.

The Petitioner requested a waiver from subsections 59A-35.100(2) and 59A-35.100(2), F.A.C., implements Section 408.810, Florida Statutes. This rule states that no more than one license will be issued to operate the same provider types at the identical physical or street address, with the exception of federally authorized clinical laboratories. The Petition sought a waiver to allow it to hold a license to operate an adult day care center at a physical location which already houses an adult day care center.

The Agency denied this request and issued a Final Order on the Petition on May 19, 2011. The basis for the Agency's denial of the petition is the failure of the Petitioner to establish that the requirements for a waiver under Section 120.542(2), F.S. would be met. The Petitioner failed to establish a substantial

hardship or that the underlying purpose of the authorizing statute would be met or that the Agency's decision would violate the principles of fairness.

A copy of the Order or additional information may be obtained by contacting: Mr. Vikram Mohan, Assistant General Counsel, Agency for Health Care Administration, 2727 Mahan Drive, Mail Stop #3, Tallahassee, Florida 32308, vikram.mohan@ahca.myflorida.com, (850)412-3630.

DEPARTMENT OF MANAGEMENT SERVICES

The Agency for Workforce Innovation hereby gives notice that on May 16, 2011, the Agency for Workforce Innovation received a request from the Early Learning Coalition of Florida's Gateway, seeking a withdrawal of its petition for temporary waiver of subsection 60BB-4.100(22), F.A.C., which provides eligibility requirements for working families receiving School Readiness services. The Petition has been assigned OGC file number 2011-00038. A Notice of Receipt of Petition for Variance/Waiver was published on March 18, 2011.

A copy of the Order or additional information may be obtained by contacting: Stephanie Savestanan, Agency for Workforce Innovation, Office of Early Learning, 107 East Madison Street, MSC #140, Tallahassee, Florida 32399.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on June 1, 2011, the Department issued a Final Order that was in response to a Petition for Emergency Variance from Preserves of Bal Harbor, filed May 4, 2011, and advertised in Vol. 37, No. 20 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from Rules 2.2.2.3, 2.2.2.4, 2.2.2.5, 2.2.4.2, 2.8.2.3.2, 2.8.6, 2.10.2, 2.10.2.4, 2.11.6.3, 2.11.12.2, 2.11.15.1.2, 2.11.18, 2.12.2.4.1, 2.12.4.1(b), 2.12.4.3, 2.14.7.1.3, 2.26.1.4.4, 2.26.1.5, 2.26.1.5.4, 2.26.1.5.5, 2.26.1.5.6, 2.27.1.2, 2.26.2.33, 2.26.12.4, 2.27.1.1.2, 2.27.1.1.3, 2.27.1.1.5, 2.27.3.6(h), 2.27.3.2.1, 2.27.3.2.5, 2.27.3.3.1, 2.27.3.3.7, 2.27.3.2.6, 2.27.4.2, 2.27.7.2, 2.27.9, 3.19.2.5, 3.26.9, 8.10.3.2.2(r), 8.11.3 and 8.11.3.2.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires providing a permanent provision to prevent accumulation of water, gases and odors from entering the hoistway, an automatic disconnect of the main line power supply prior to application of water from sprinklers, a standard railing, able to withstand certain forces, unrestricted egress from the interior to any landing, a specific type of entrance frame, labels on each entrance,

installation instructions, positively opened interlock contacts, identification marking, type tests, auxiliary lighting, machine room inspection operation, bypass switches, firefighter's service, two-way communication, emergency stop switch, a "DO NOT USE IN CASE OF FIRE" sign, hydraulic pipeline identification, low oil protection, supply line shut-off valve, and periodic inspection and tests. Also, from allowing miscellaneous equipment, not used in conjunction with the designed use of the elevator, in the hoistway because the Petitioner has not met its burden as although he states the elevators were originally permitted under the 2000 edition of ASME A17.1, the requested variance has many requirements that were in existence prior to that edition of the code. In addition, Petitioner has failed to state how the intent of these requirements will be met (VW 2011-144).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on June 1, 2011 the Division issued an order. The Final Order was in response to a Petition for emergency Variance from Waverly Towers Condo, filed April 20, 2011, and advertised in Vol 37, No 18, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until January 1, 2015 because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2011-126).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on June 1, 2011 the Division issued an order. The Final Order was in response to a Petition for Variance from 520 Tampa Building, filed March 7, 2011, and advertised in Vol 37, No 12, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires restricted door openings until April 30, 2016 because the Petitioner has demonstrated

that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2011-082).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on June 1, 2011 the Division issued an order. The Final Order was in response to a Petition for emergency Variance from Oasis on Osprey, filed March 16, 2011, and advertised in Vol 37, No 13, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4, 3.3.2, 3.11.1(a)(2) and 3.4.5(d) ASME A17.3, 1996 edition and from Rule 8.6.5.8 ASME A17.1, 2005 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires restricted door openings, platform guards, two-way communication, emergency lighting and safety bulkhead until March 1, 2013 because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2011-091).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on June 1, 2011 the Division issued an order. The Final Order was in response to a Petition for emergency Variance from Lands End Condo at Sunset Beach #1, filed May 6, 2011, and advertised in Vol 37, No 20, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 303.3d ASME A17.1, 1982 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a supply line shut-off valve in the machine room because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2011-148).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on June 1, 2011 the Division issued an order. The Final Order was in response to a Petition for emergency Variance from Crowne Plaza Tampa East, filed May 10, 2011, and advertised in Vol 37, No 20, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until December 31, 2011 because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2011-152).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on June 1, 2011 the Division issued an order. The Final Order was in response to a Petition for emergency Variance from Weeki Wachee Boat Dock, filed May 10, 2011, and advertised in Vol 37, No 20, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.1.1.3 ASME A18.1, 2003 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires runway entrances at all but the upper-most landing be guarded by un-perforated self-closing doors because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2011-151).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on June 1, 2011 the Division issued an order. The Final Order was in response to a Petition for emergency Variance from Royal Celebration Inn, filed May 10, 2011, and advertised in Vol 37, No 20, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section

3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until July 1, 2015 because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2011-154).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on June 1, 2011 the Division issued an order. The Final Order was in response to a Petition for emergency Variance from Gulf Island II Clubhouse, filed May 10, 2011, and advertised in Vol 37, No 20, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2011-153).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on June 1, 2011 the Division issued an order. The Final Order was in response to a Petition for emergency Variance from Bank of America, filed April 29, 2011, and advertised in Vol 37, No 19, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until January 14, 2014 because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2011-138).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on June 1, 2011 the Division issued an order. The Final Order was in response to a Petition for emergency Variance from Yacht Club Towers, filed April 21, 2011, and advertised in Vol 37, No 18, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until December 31, 2011 because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2011-130).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on June 2, 2011 the Division issued an order. The Final Order was in response to a Petition for emergency Variance from Park Center, filed May 11, 2011, and advertised in Vol 37, No 21, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and restricted door openings until May 1, 2013 because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2011-164).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on June 2, 2011 the Division issued an order. The Final Order was in response to a Petition for emergency Variance from Maitland Forum, filed May 11, 2011, and advertised in Vol 37, No 21, of the Florida Administrative Weekly. No comments were received in

response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until May 1, 2013 because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2011-165).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on May 24, 2011, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Shands Lake Shore Regional Medical Center. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, 2.7.4 and 3.11.1(a)(2), as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code that requires upgrading the elevators with firefighters' emergency operations, restricted door openings and two way communication which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2011-186).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on June 2, 2011, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Bank of America Plaza. Petitioner seeks a variance of the requirements of Section 3003.1.4 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code that requires ventilation or air conditioning be connected to standby power which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2011-187).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on June 2, 2011, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received

a petition for Naples Community Hospital. Petitioner seeks an emergency variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code that requires upgrading the elevators with firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2011-188 & VW 2011-191).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on June 2, 2011, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Bank of America Plaza. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.8.1, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code that limits equipment allowed in the hoistway which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2011-190).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on June 6, 2011, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Bermuda Cay. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code that requires upgrading the elevators with firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2011-192).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on June 6, 2011, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for University of Florida. Petitioner seeks an

emergency variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code that requires upgrading the elevators with firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2011-193).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on June 6, 2011, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Imperial Pines Condo. Petitioner seeks an emergency variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code that requires upgrading the elevators with firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2011-194).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on June 7, 2011, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Winter Park Professional Bldg. Petitioner seeks an emergency variance of the requirements of ASME A17.3, Section 3.11.3, 2.7.4, 3.3.2 and 3.10.4(u), as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code that requires upgrading the elevators with firefighters' emergency operations, restricted door openings, platform guards and emergency communication which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2011-196).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants hereby gives notice on May 2, 2011, the Department received a Petition for a Routine variance for subsection 61C-4.010(7), Florida Administrative Code and subsection 61C-4.010(6), Florida Administrative Code from Gigi located in Miami. The above referenced F.A.C. addresses the requirement that at least one accessible bathroom be provided for use by customers. They are requesting to utilize bathrooms located within another licensed food service establishment under the same ownership. The Petition was published in Vol. 37, No. 19 on May 13, 2011. The Order for this Petition was signed in May 31, 2011 and after a complete review of the variance request, the Division finds that the application of this Rule will create a financial hardship to the food service establishment. Furthermore, the Division finds that the Petitioner meets the burden of demonstrating that the underlying statute has been achieved by the Petitioner ensuring the bathrooms located within the existing Gigi kitchen are maintained in a clean and sanitary manner and are provided with cold running water under pressure, soap, approved hand drying devices, and available during all hours of operation. The Petitioner shall also ensure directional signage is installed within or outside the establishment clearly stating the location of the bathrooms. If the ownership of the existing Gigi kitchen changes, a signed agreement for use of the bathroom facilities will be required immediately.

A copy of the Order or additional information may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN that on June 2, 2011, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for an Emergency Variance for Paragraph 4-301.12(A), 2001 FDA Food Code and subsection 61C-4.010(5), Florida Administrative Code from Oasis located in Bonita Springs. The above referenced F.A.C. addresses the requirement that dishwashing facilities for manually washing, rinsing and sanitizing equipment and utensils are provided. They are requesting to utilize dishwashing facilities located within another licensed establishment under the same ownership.

The Division of Hotels and Restaurants will accept comments concerning the Petition for 5 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@DBPR.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN that on May 12, 2011, the Division of Pari-Mutuel Wagering, Department of Business & Professional Regulation, received a petition for emergency variance from PPI, Inc., d/b/a The Isle Casino and Racing at Pompano Park, Petitioner, in DBPR Case No. 2011025419 (VW 2011-168). Petitioner is a pari-mutuel facility and slot machine/cardroom operator licensed pursuant to Chapters 550 and 551, Florida Statutes, and Section 849.086, Florida Statutes, whose address is 1800 S.W. 3rd Street, Pompano Beach, FL 33069. Petitioner seeks a temporary waiver of the requirements of subsection 61D-11.016(1), Florida Administrative Code (F.A.C.), that mandates poker tables have clearly designated rake circles, imprest trays, tip boxes, and drop box slots. The Petitioner states that it wishes to use ten designated poker tables without the above features exclusively for tournament play, in which no cash will be used on the table for purchasing chips or tokens. The tables in question will otherwise be licensed and used about four times annually; they will be stored when not in use. Petitioner further states that strict compliance with subsection 61D-11.016(1), F.A.C., under the current circumstances would pose a substantial financial hardship because Petitioner's intended purchase of ten poker tables only for tournaments but with the features the rule requires will cost \$700-\$800 dollars more per unit than those without. Since no cash will be used on the tournament tables, the Petitioner believes using tables without the required features will not adversely affect the integrity of game. This waiver is requested to be effective for a duration of two years from the date of variance. Any person whose substantial interests may be affected by a waiver on the subject matter of the Petition may file a petition to intervene within five days of the publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202, phone: (850)921-0342.

DEPARTMENT OF HEALTH

The Board of Dentistry hereby gives notice of the issuance of an Order regarding the Petition for Variance filed by Jeana M. Pfiester, filed on April 12, 2011. The Notice of Petition for Variance was published in Vol. 37, No. 17, of the April 29, 2011, Florida Administrative Weekly. The Board considered the Petition at a duly-noticed public meeting held on May 20, 2011. The petition requested a waiver or variance from the requirement imposed by paragraph 64B5-2.0135(1)(a), F.A.C., as to an applicant for a Florida dental hygiene license must successfully complete all portions of the hygiene examination, as provided in Section 466.007, Florida Statutes, within a thirteen month period in order to qualify for licensure.

The Board's Order, filed on June 2, 2011, grants the Petition for Variance or Waiver, finding that Petitioner has complied with the requirements of Section 120.542(2) of the Florida

Statutes, and Chapter 28-104, Florida Administrative Code. Additionally, Petitioner has demonstrated that strict application of paragraph 64B5-2.0135(1)(a), Florida Administrative Code, would create a substantial hardship or violate principles of fairness within the meaning of Section 120.542(2), Florida Statutes. Based upon the foregoing, the Board determined that Petitioner is eligible for a waiver or variance of paragraph 64B5-2.0135(1)(a), Florida Administrative Code.

A copy of the Order or additional information may be obtained by contacting: Sue Foster, Executive Director, Board of Dentistry, 4052 Bald Cypress Way, Bin #C08, Tallahassee, Florida 32399-3258.

The Board of Dentistry hereby gives notice of the issuance of an Order regarding the Petition for Variance filed by Ruth L. Masso, D.D.S., filed on April 12, 2011. The Notice of Petition for Variance was published in Vol. 37, No. 17, of the April 29, 2011, Florida Administrative Weekly. The Board considered the Petition at a duly-noticed public meeting held on May 20, 2011. The petition requested a waiver or variance from the requirement imposed by paragraph 64B5-2.013(1)(c), Florida Administrative Code, that each applicant for a Florida dental license successfully complete all three examinations as provided for in Section 466.006, Florida Statutes, within a 13 month period in order to qualify for licensure.

The Board's Order, filed on June 2, 2011, grants the Petition for Variance or Waiver, finding that Petitioner has complied with the requirements of Section 120.542 of the Florida Statutes, and Chapter 28-104, Florida Administrative Code. The Board determined that Petitioner has complied with Section 120.542(2), Florida Statutes as she demonstrated that the purpose of the underlying statute, Section 466.006, Florida Statutes, will be achieved or has been achieved by other means. Additionally, Petitioner has demonstrated that strict application of paragraph 64B5-2.013(1)(c), Florida Administrative Code, would create a substantial hardship or violate principles of fairness within the meaning of Section 120.542(2), Florida Statutes. Based upon the foregoing, the Board determined that Petitioner is eligible for a waiver or variance of paragraph 64B5-2.013(1)(c), Florida Administrative Code for six (6) months from the effective date of the final order to take and pass the law and rule exam.

A copy of the Order or additional information may be obtained by contacting: Sue Foster, Executive Director, Board of Dentistry, 4052 Bald Cypress Way, Bin #C08, Tallahassee, Florida 32399-3258.

NOTICE IS HEREBY GIVEN that on June 6, 2011, the Department of Health, received a petition for variance from Gary Duren, Code Compliance, Inc., representing Highland Tank Manufacturing Company. Specifically, the petitioner seeks a variance from paragraphs 64E-6.013(1)(a), (2)(a), (2)(h), subsections (4), (7), Florida Administrative Code,

which requires tanks to be constructed of concrete, fiberglass or polyethylene; tanks to have multiple compartments; compartments to be connected with 4-inch openings; annual manufacturing inspections per the rule; and various grease interceptor requirements per the rule.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Health, Office of the General Counsel, 4052 Bald Cypress Way, Bin #A02, Tallahassee, Florida 32399-1703.

NOTICE IS HEREBY GIVEN that on May 20, 2011, the Department of Health, received a petition for Variance from or Waiver of Agency Rule 64F-12.013(3)(c), F.A.C. from Shepherd's Hope, Inc., 4851 South Apopka-Vineland Road, Orlando, Florida 32819. The Petition seeks a variance from or waiver of paragraph 64F-12.013(3)(c), F.A.C. The rule subsection requires a temperature reading to be taken in the prescription drug storage area at least five days each week with the temperature readings taken between 2:00 p.m. and 4:00 p.m. E.S.T.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Gregg Jones, R.Ph., Executive Director, Drugs, Devices and Cosmetics Program, 4052 Bald Cypress Way, Main Bin #C-04, Tallahassee, Florida 32399, (850)245-4294.

NOTICE IS HEREBY GIVEN that on May 19, 2011, the Department of Financial Services, Division of Workers' Compensation, received a petition for variance or waiver which stated that American Policyholders Liquidating Trust was seeking a waiver from the requirements of Rule Chapter 69L-56, Florida Administrative Code. On June 3, 2011, the Department of Financial Services, Division of Workers' Compensation received an Amended Petition for Variance or Waiver, from American Policyholders Liquidating Trust, pursuant to Section 120.542, Florida Statutes, and Rule 28-104.002, Florida Administrative Code. The Petitioner is requesting a variance or waiver from Rules 69L-56.100, .110, .200, .210, .300, .304, .310, .320, .500, .3012, .3013, .3045, Florida Administrative Code, which sets forth requirements for filing certain workers' compensation claims information with the Division of Workers' Compensation via electronic data interchange rather than by submitting paper forms. American Policyholders Liquidating Trust requests the variance or waiver so that it may submit by paper the information for its one open Florida workers' compensation claim rather than being required to submit the information via electronic data interchange. The amended petition is a clarification of the original Petition submitted on April 7, 2011, in that it specifies the precise provision of Rule Chapter 69L-56, Florida Administrative Code, of which a waiver is being sought. The Petitioner, via Amended Petition for Variance or Waiver, has filed a statement with the Department withdrawing the original

petition dated April 7, 2011. Therefore, the Department will only consider the Amended Petition for Variance or Waiver filed on June 3, 2011.

Comments on this petition should be filed with: Department of Financial Services, Division of Workers' Compensation, 200 E. Gaines Street, Tallahassee, Florida 32399-4229, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Andrew Sabolic, Assistant Division Director, Division of Workers' Compensation, 200 E. Gaines Street, Tallahassee, Florida 32399-4228 or by telephone at (850)413-1600.

Section VI Notices of Meetings, Workshops and Public Hearings

DEPARTMENT OF STATE

The **Department of State Division of Cultural Affairs** announces a public meeting to which all persons are invited.

DATE AND TIME: Wednesday, June 29, 2011, 9:30 a.m.

PLACE: Charlotte County Health Department, 1100 Loveland Boulevard, Port Charlotte, FL 33980

GENERAL SUBJECT MATTER TO BE CONSIDERED: The Art Selection Committee for the new Charlotte County Health Department in Port Charlotte will meet to evaluate the proposal submitted by their selected artist.

A copy of the agenda may be obtained by contacting: Lee Modica, ASB Administrator, 500 S. Bronough Street, Tallahassee, FL 32399-0250, (850)294-5445.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 2 days before the workshop/meeting by contacting: Laura Blischke, (850)245-6476. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

If any person decides to appeal any decision made by the Board with respect to any matter considered at this meeting or hearing, he/she will need to ensure that a verbatim record of the proceeding is made, which record includes the testimony and evidence from which the appeal is to be issued.

The **Department of State Division of Cultural Affairs** announces a public meeting to which all persons are invited.

DATE AND TIME: Wednesday, June 29, 2011, 1:30 p.m.

PLACE: Pinellas County Health Department, 205 Dr. M. L. King Street North, St. Petersburg, FL 33701