

GAME PLAY	WIN	ESTIMATED ODDS OF 1 IN	NUMBER OF WINNERS IN 168 POOLS OF 180,000 TICKETS PER POOL
\$2	\$2	9.38	3,225,600
\$1 x 4	\$4	75.00	403,200
\$1 (TRAIN) + \$2	\$4	50.00	604,800
\$2 (TRAIN)	\$4	50.00	604,800
\$4	\$4	50.00	604,800
\$1 x 5	\$5	375.00	80,640
(\$1 x 3) + \$2	\$5	375.00	80,640
\$1 + \$2 (TRAIN)	\$5	375.00	80,640
\$1 + \$4	\$5	375.00	80,640
\$5	\$5	375.00	80,640
\$1 x 10	\$10	250.00	120,960
\$2 x 5	\$10	250.00	120,960
\$5 x 2	\$10	250.00	120,960
\$5 (TRAIN)	\$10	250.00	120,960
\$10	\$10	250.00	120,960
\$2 x 10	\$20	750.00	40,320
\$4 x 5	\$20	750.00	40,320
\$10 x 2	\$20	750.00	40,320
\$10 (TRAIN)	\$20	750.00	40,320
\$20	\$20	750.00	40,320
\$5 x 5	\$25	1,125.00	26,880
\$5 + \$10 (TRAIN)	\$25	900.00	33,600
\$5 + (\$10 x 2)	\$25	1,125.00	26,880
\$5 + \$20	\$25	1,125.00	26,880
\$25	\$25	1,125.00	26,880
\$5 x 10	\$50	3,000.00	10,080
\$10 x 5	\$50	3,000.00	10,080
(\$10 x 3) + \$20	\$50	3,600.00	8,400
\$10 + \$20 (TRAIN)	\$50	3,000.00	10,080
\$50	\$50	3,000.00	10,080
\$10 x 10	\$100	3,600.00	8,400
\$20 x 5	\$100	4,500.00	6,720
\$50 x 2	\$100	3,600.00	8,400
\$50 (TRAIN)	\$100	3,600.00	8,400
\$100 (GO)	\$100	1,800.00	16,800
\$20 x 10	\$200	18,000.00	1,680
\$25 (TRAIN) + \$50 + \$100 (GO)	\$200	18,000.00	1,680
\$50 (TRAIN) + \$100 (GO)	\$200	18,000.00	1,680
\$100 (TRAIN)	\$200	18,000.00	1,680

\$200	\$200	18,000.00	1,680
\$100 x 10	\$1,000	180,000.00	168
\$100 (TRAIN) + \$200 (TRAIN)	\$1,000	180,000.00	168
\$50 (TRAIN) + \$100 (GO) + \$200 (TRAIN)	\$1,000	180,000.00	168
(\$200 x 2) + \$200 x 5	\$1,000	180,000.00	168
\$1,000	\$1,000	180,000.00	168
\$2,500	\$2,500	180,000.00	168
\$30,000	\$30,000	1,080,000.00	28

(10) The estimated overall odds of winning some prize in Instant Game Number 1144 are 1 in 4.38. Prizes, including the top prizes, are subject to availability at the time of ticket purchase. Prizes may be unavailable due to prior sale or other causes occurring in the normal course of business including, but not limited to, ticket damage, defect, theft, or loss.

(11) For reorders of Instant Game Number 1144, the estimated odds of winning, value, and number of prizes shall be proportionate to the number of tickets reordered.

(12) Payment of prizes for MONOPOLY™ lottery tickets shall be made in accordance with the rule of the Florida Lottery governing payment of prizes.

A copy of the current rule can be obtained from the Florida Lottery, Office of the General Counsel, 250 Marriott Drive, Tallahassee, Florida 32399-4011.

Rulemaking Authority 24.105(9)(a), (b), (c), 24.109(1), 24.115(1) FS. Law Implemented 24.105(9)(a), (b), (c), 24.115(1) FS. History—New 3-2-12.

THIS RULE TAKES EFFECT UPON BEING FILED WITH THE DEPARTMENT OF STATE UNLESS A LATER TIME AND DATE IS SPECIFIED IN THE RULE.

EFFECTIVE DATE: March 2, 2012

Section V Petitions and Dispositions Regarding Rule Variance or Waiver

DEPARTMENT OF EDUCATION

NOTICE IS HEREBY GIVEN that on February 29, 2012, the Florida’s Office of Early Learning, received a request from the Early Learning Coalition of Alachua County, seeking a withdrawal of its petition for temporary variance of Rule 6M-4.210, F.A.C., which provides which provides requirements for maintaining school readiness eligibility and allows an individual to be unemployed for a maximum of 30

days before losing eligibility to receive services. A Notice of Receipt of Petition for Variance/Waiver was published on December 22, 2011.

A copy of the request for variance or request for withdraw may be obtained by contacting: Stephanie Savestanan, Florida's Office of Early Learning, 250 Marriott Drive, Tallahassee, Florida 32399.

WATER MANAGEMENT DISTRICTS

NOTICE IS HEREBY GIVEN that on March 1, 2012, the Suwannee River Water Management District (SRWMD) has issued an order. This Order (12-0001) grants variance under Section 120.542, F.S., to Paul & Sherry Millington, 18850 217th Road, Live Oak, FL 32060, for the elevation of an existing residence within a Work of the District in Township 4 South, Range 11 East, Section 26, Suwannee County for P. Millington District Floodway Modification (ERP04-0094M). The petition for variance was received by SRWMD on November 28, 2011. Notice of receipt of petition requesting variance was published in F.A.W., Vol. 37, No. 49, December 9, 2011. No public comment has been received. This Order provides a variance from SRWMD criteria for subsection 40B-4.3030(9), F.A.C., as to the Zero-Rise Certification requirements and paragraph 40B-4.3030(12)(b), F.A.C., as to the 75-foot setback requirements. SRWMD granted the petition because the petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that a substantial hardship would be created if the petitioners were required to comply with this rule.

A copy of the Order or additional information may be obtained by contacting: Robin Lamm, Business Resource Specialist, Suwannee River Water Management District, 9225 CR 49, Live Oak, FL 32060, (386)362-1001 or 1(800)226-1066 in Florida only.

NOTICE IS HEREBY GIVEN that on February 29, 2012, the South Florida Water Management District (District), received a petition for waiver from Donna Wells Joannides, Application No. 12-0229-1, for utilization of Works or Lands of the District known as the C-17 Canal for an existing dock, boat lift, and water/electric service to the dock within the south right of way of the C-17, Section 17, Township 42 South, Range 43 East, Palm Beach County. The petition seeks relief from paragraph 40E-6.221(2)(j), Florida Administrative Code, which governs the placement of permanent or semi-permanent above-ground encroachments within 40 feet from the top of bank within Works or Lands of the District.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juli Russell, (561)682-6268 or e-mail: jurussel@sfwmd.gov. The District will accept comments concerning the petition for 14 days from the date of publication of this notice. To be considered, comments must be received by the

end of business on the 14th day at: South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406, Attn.: Juli Russell, Office of Counsel.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

NOTICE IS HEREBY GIVEN that on March 2, 2012, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for an Emergency Variance for subparagraph 61C-1.002(5)(a)2., Florida Administrative Code, from BBQ Cart 1, 2 and 3, Pensacola, FL. The above referenced F.A.C. addresses the requirement that a mobile food dispensing vehicle be a vehicle that is otherwise movable. They are requesting to mount the mobile food dispensing vehicle on casters rather than an axle.

The Division of Hotels and Restaurants will accept comments concerning the Petition for 5 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN that on February 28, 2012, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for an Emergency Variance for subsections 61C-4.010(6), (7), Florida Administrative Code, from Naked Pizza, Coral Gables, FL. The above referenced F.A.C. addresses the requirement that at least one accessible bathroom be provided for use by customers. They are requesting to share the bathrooms located within another establishment for use by customers only.

The Division of Hotels and Restaurants will accept comments concerning the Petition for 5 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

The Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants hereby gives notice on February 9, 2012, the Division of Hotels and Restaurants received a Petition for an Emergency Variance for paragraph 61C-1.004(1)(a), Florida Administrative Code, Section 5-203.13, 2001 FDA Food Code, Paragraph 5-202.11(A), 2001 FDA Food Code, paragraph 61C-1.004(2)(a), subsections 61C-4.010(6), (7), Florida Administrative Code and Section 6-402.11, 2001 FDA Food Code from Siesta Key Beach Pavilion, Sarasota, FL. The

above referenced F.A.C. addresses the requirement that at least one service sink is provided for the cleaning of mops or similar cleaning tools and the disposal of mop water; that each establishment have an approved plumbing system installed to transport potable water and wastewater, and that at least one accessible bathroom be provided for use by customers and employees. They are requesting to utilize a mopsink located within another licensed establishment under the same ownership, utilize holding tanks to provide potable water and to collect wastewater, and utilize public bathrooms located on the same premises.

The Petition for this variance was published in Vol. 38, No. 8 on February 24, 2012. The Order for this Petition was signed on March 2, 2012 and after a complete review of the variance request, the Division finds that the application of this rule will create a financial hardship to the food service establishment. Furthermore, the Division finds that the Petitioner meets the burden of demonstrating that the underlying statute has been achieved by the Petitioner ensuring the mop sink located within Siesta Key Beach Concession (NOST6800023) is maintained in a clean and sanitary manner and is provided with hot and cold running water under pressure and is available during all hours of operation. The Petitioner shall also ensure the wastewater holding tanks for the 3-compartment and handwash sinks are emptied at a frequency as to not create a sanitary nuisance; and potable water provided must come from an approved source and be protected from contamination during handling. The Petitioner shall also ensure directional signage is installed in the establishment clearly stating the location of the public bathrooms. If the owner of Siesta Key Beach Concession or bathroom situation changes, a signed agreement for use of the mop sink and bathroom is required immediately.

A copy of the Order or additional information may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on March 1, 2012, the Division issued an order. The Final Order was in response to a Petition for emergency Variance from Baptist Medical Center Shuttle Elevator Project, filed February 7, 2012, and advertised in Vol. 38, No. 7, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.2.2.5 ASME A17.1, 2004 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a sump pump in the elevator hoistway because the Petitioner has demonstrated that the purpose of the statute

underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-039).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on March 1, 2012, the Division issued an order. The Final Order was in response to a Petition for emergency Variance from International Paper, Recovery Room Elevator, filed February 7, 2012, and advertised in Vol. 38, No. 7, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until July 1, 2015 because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-038).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on March 1, 2012, the Division issued an order. The Final Order was in response to a Petition for Variance from Children's Museum, filed December 13, 2011, and advertised in Vol. 37, No. 51, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.2.2.5 ASME A17.1, 2005 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, and Section 3008.1(3)(e), Florida Building Code, that requires a sump pump in the elevator hoistway because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2011-416).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on March 1, 2012, the Division issued an order. The Final Order was in response to a Petition for

Variance from Lake Worth Casino, filed December 15, 2011, and advertised in Vol. 38, No. 1, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.10.2.1 and 2.4.6.2(c) ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a 42" car-top handrail because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2011-419).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on March 6, 2012, the Division issued an order. The Final Order was in response to a Petition for emergency Variance from Florida Hospital Waterman, filed February 14, 2012, and advertised in Vol. 38, No. 8, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.2.2.5 ASME A17.1, 2005 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a sump pump in the hoistway because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-050).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on March 6, 2012 the Division issued an order. The Final Order was in response to a Petition for Variance from Middle School LL, filed February 13, 2012, and advertised in Vol. 38, No. 8, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.18.5.1, 2.20.4 and 8.11.2.1.3(cc)1 & 3 ASME A17.1, 2005 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires suspension and governor ropes be no less than 9.5 mm because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-047).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on March 7, 2012, the Division issued an order. The Final Order was in response to a Petition for emergency Variance from 101 Coronado, filed February 13, 2012, and advertised in Vol. 38, No. 8, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.15.9.2(a) ASME A17.1, 2005 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a platform guard be a minimum 48 inches because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-049).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on March 1, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Addison Condominium. Petitioner seeks a variance of the requirements of ASME A17.3, Section 2.7.4, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires restricted door openings which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-072).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on March 2, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Trinity Catholic High School. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.4.5, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires car lighting which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-074).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on November 16, 2011, the Board of Cosmetology, received a petition for a waiver or variance of subsection 61G5-20.002(4), F.A.C., filed by Planet Fitness, in regards to the requirement that the full salon have a minimum of 200 square feet of floor space.

Comments on this petition should be filed with: Board of Cosmetology, 1940 North Monroe Street, Tallahassee, Florida 32399-0790, within 14 days of publication of this notice.

For a copy of the petition, contact: Robyn Barineau, Executive Director, at the above address or telephone (850)487-1395.

The Florida Real Estate Appraisal Board hereby gives notice that it has received a petition, filed on February 15, 2012, by Louis Joseph Romano, Jr. The Petitioner is seeking that his disciplinary violation be deemed a minor violation pursuant to Rule 61J1-8.003, F.A.C., pursuant with the Final Order issued by the Florida Real Estate Appraisal Board on March 22, 2007. Comments on this petition should be filed with: Florida Real Estate Appraisal Board, 400 West Robinson Street, Hurston Building, North Tower, Suite N801, Orlando, Florida 32801, within 14 days of publication of this notice.

For a copy of the petition, contact: Juana Watkins, Director, Division of Real Estate, 400 West Robinson Street, Suite N801, Orlando, Florida 32801.

DEPARTMENT OF HEALTH

NOTICE IS HEREBY GIVEN that on March 5, 2012, the Board of Chiropractic Medicine, received a petition for Lisa Gail Raskin. The petitioner is seeking a waiver or variance of Rule 64B2-13.004, Florida Administrative Code, which requires that for the purpose of renewing or reactivating a license, an applicant must demonstrate to the Board that he/she has participated in at least forty (40) classroom hours of Board approved continuing chiropractic education during all bienniums which the license was inactive.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Bruce Deterding, Executive Director, Board of Chiropractic Medicine/MQA, 4052 Bald Cypress Way, Bin #C07, Tallahassee, Florida 32399-3257. Comments on this petition should be filed with the Board of Chiropractic Medicine within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN that on March 1, 2012, the Board of Optometry, received a petition for waiver or variance filed by Helen Viksnins, from paragraph 64B13-5.002(3)(c), F.A.C., with regard to approval of transcript quality continuing education programs. Specifically, the Petitioner, requests a one-time variance/waiver of the requirement of paragraph

64B13-5.002(3)(c), F.A.C., that a transcript-quality continuing education program be approved by the Board of Optometry as transcript-quality coursework prior to the time the course was taken. This one-time waiver/variance is requested only for Course Anterior Segment Grand Rounds, by Paul Ajamian, which was offered by Petitioner on October 14, 2011. Comments on this petition should be filed with the Board of Optometry, 4052 Bald Cypress Way, Bin #C07, Tallahassee, Florida 32399-3257, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Bruce Deterding, Executive Director, Board of Optometry, at the above address or telephone (850)245-4355.

NOTICE IS HEREBY GIVEN that on February 28, 2012, the Board of Psychology, received a petition for waiver filed by Rosamari Pena, Psy.D., from Rule 64B19-11.005, F.A.C., with regard to the requirements of the rule regarding appropriate supervised experience. Comments on this petition should be filed with: Board of Psychology, 4052 Bald Cypress Way, Bin #C05, Tallahassee, Florida 32399-3055, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Allen Hall, Executive Director, Board of Psychology, at the above address or telephone (850)245-4373.

**Section VI
Notices of Meetings, Workshops and Public Hearings**

The following state governmental agencies, boards and commissions announce a public meeting to which all persons are invited:

- State Board of Administration
- Financial Services Commission
- Department of Veterans' Affairs
- Department of Highway Safety and Motor Vehicles
- Department of Law Enforcement
- Department of Revenue
- Department of Education
- Administration Commission
- Florida Land and Water Adjudicatory Commission
- Board of Trustees of the Internal Improvement Trust Fund
- Department of Environmental Protection

DATE AND TIME: April 4, 2012, 9:00 a.m.

PLACE: Cabinet Meeting Room, Lower Level, The Capitol, Tallahassee, Florida

GENERAL SUBJECT MATTER TO BE CONSIDERED: Regular scheduled meeting of the Governor and Cabinet