

to amend their Florida corporate income tax return(s) to conform to the new law. To the extent that any tax is due and paid on an amended return(s) as a result of these changes in law for the differences between the additions and subtractions required by Section 220.13(1)(e), F.S., and the adjustments required by Section 220.13(1)(e), F.S., reasonable cause exists under Rule 12-13.007, F.A.C., for a waiver of the resulting penalty. The provisions of this rule do not relieve a taxpayer of its obligation to file a Florida corporate income tax return and report the adjustments required by Section 220.13(1)(e), F.S.

(7) The subtractions allowed by Section 220.13(1)(e), F.S., are the means by which the additions required by Section 220.13(1)(e), F.S., are reconciled and recovered. If a taxpayer does not claim a deduction for bonus depreciation or a deduction for IRC section 179 expense in excess of \$250,000 (for tax years beginning in 2010) and \$128,000 (for tax years beginning in 2011), no add-back is required or subtraction allowed for Florida corporate income tax purposes. Similarly, if a taxpayer did not add back bonus depreciation or excess section 179 expense because, for example, it was not subject to the Florida corporate income tax in that year, no subtraction is allowed for Florida corporate income tax purposes.

(8) Bonus depreciation claimed for assets placed in service after December 31, 2012, is not required to be added back under Section 220.13(1)(e), F.S. IRC section 179 expense claimed in tax years beginning after December 31, 2012, is not required to be added back. No subtraction is allowed for bonus depreciation or IRC section 179 expense unless it has been added back in computing Florida taxable income under Section 220.13(1)(e), F.S.

Rulemaking Authority s. 4, Ch. 2011-229, L.O.F. Law Implemented Ch. 2011-229, L.O.F. History—New 7-18-12.

THIS RULE TAKES EFFECT UPON BEING FILED WITH THE DEPARTMENT OF STATE UNLESS A LATER TIME AND DATE IS SPECIFIED IN THE RULE.  
EFFECTIVE DATE: July 18, 2012

**DEPARTMENT OF THE LOTTERY**

RULE NO.:                   RULE TITLE:  
53ER12-54:                Replacement of Obsolete Emergency Rules

SUMMARY: This emergency rule is replacing other emergency rules that have been determined to be obsolete or unnecessary by the Department of the Lottery.

THE PERSON TO BE CONTACTED REGARDING THE EMERGENCY RULE IS: Diane D. Schmidt, Legal Analyst, Department of the Lottery, 250 Marriott Drive, Tallahassee, Florida 32399-4011

THE FULL TEXT OF THE EMERGENCY RULE IS:

53ER12-54 Replacement of Obsolete Emergency Rules.

The following Department of the Lottery emergency rules relating to Lottery games, promotions or retailer programs are being replaced because the games, promotions or programs have concluded, or the provisions of the rule are obsolete. This rule shall replace the following rules: 53ER09-31, 53ER09-33, 53ER09-42, 53ER09-43, 53ER10-10, 53ER10-26, 53ER10-65, 53ER11-4, 53ER11-6, 53ER11-9, 53ER11-22, 53ER12-28 F.A.C.

Rulemaking Authority 24.109(1) FS. Law Implemented 24.109(1), 120.74(1)(c) FS. History—New 7-13-12. Replaces 53ER09-31, 53ER09-33, 53ER09-42, 53ER09-43, 53ER10-10, 53ER10-26, 53ER10-65, 53ER11-4, 53ER11-6, 53ER11-9, 53ER11-22, 53ER12-28 F.A.C.

THIS RULE TAKES EFFECT UPON BEING FILED WITH THE DEPARTMENT OF STATE UNLESS A LATER TIME AND DATE IS SPECIFIED IN THE RULE.

EFFECTIVE DATE: July 13, 2012

**Section V  
Petitions and Dispositions Regarding Rule  
Variance or Waiver**

**WATER MANAGEMENT DISTRICTS**

The South Florida Water Management District (District) hereby gives notice on July 12, 2012, the District’s Governing Board issued SFWMD Order No.: 2012-074-DAO-ROW to Florida Department of Transportation (Application No. 12-0503-1M). The petition for waiver was received by the District on May 3, 2012. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 38, No. 21, on May 25, 2012. No public comment was received. This Order provides a waiver of the District’s criteria to allow for the installation of two single arm signal poles within the north right of way of C-51 Canal at the northwest quadrant of the Jog Road bridge; Section 3, Township 44 South, Range 42 East, Palm Beach County. Specifically, the Order grants a waiver from subsections 40E-6.011(4) and (6), Florida Administrative Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District, incorporated by reference in subsection 40E-6.091(1), Florida Administrative Code, which governs the placement of permanent and/or semi-permanent above-ground structures within 40 feet of the top of canal bank within works or lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver as follows: 1) the facilities will not significantly interfere with the District’s current ability to perform necessary construction, alteration, operation, and routine maintenance activities; and 2) the Order granting a waiver from the subject rule is based upon a substantial hardship.

A copy of the Order or additional information may be obtained by contacting: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406-4680, (561)682-6268, by email: jurussel@sfwmd.gov.

The South Florida Water Management District (District) hereby gives notice on July 12, 2012, the District's Governing Board issued SFWMD Order No. 2012-075-DAO-ROW to Patrick and Alicia Curry (Application No. 00-0627-4M). The petition for waiver was received by the District on June 27, 2000. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 26, No. 28, on July 14, 2000. No public comment was received. This Order provides a waiver of the District's criteria to allow an existing fence enclosure with existing landscape inside the fenced area to remain within the west right of way of C-100C Canal at the rear of 11705 S.W. 99th Court, Miami; Section 8, Township 55 South, Range 40 East, Miami-Dade County. Specifically, the Order grants a waiver from paragraph 40E-6.221(2)(j), Florida Administrative Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District, incorporated by reference in subsection 40E-6.091(1), Florida Administrative Code, which governs the placement of permanent and/or semi-permanent above-ground structures within 40 feet of the top of canal bank within works or lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver as follows: 1) the existing fence enclosure aligns with existing, previously-authorized fences and will not interfere with the District's operation, and routine maintenance activities; and 2) the Order granting a waiver from the subject rule is based upon principles of fairness.

A copy of the Order or additional information may be obtained by contacting: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406-4680, (561)682-6268, by email: jurussel@sfwmd.gov.

The South Florida Water Management District (District) hereby gives notice on July 12, 2012, the District's Governing Board issued SFWMD Order No. 2012-076-DAO-ROW to Florida Department of Transportation (Application No. 12-0426-2M). The petition for waiver was received by the District on May 2, 2012. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 38, No. 19, on May 11, 2012. No public comment was received. This Order provides a waiver of the District's criteria to allow for the replacement of an existing guardrail with traffic barrier and new guardrail within the east right of way of L-20 at the existing S.R. 80 bridge; Section 14, Township 44 South, Range 36 East, Palm Beach County. Specifically, the Order grants a waiver from paragraph 40E-6.221(2)(j), Florida Administrative Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the

District, incorporated by reference in subsection 40E-6.091(1), Florida Administrative Code, which governs the placement of permanent and/or semi-permanent above-ground structures within 40 feet of the top of canal bank and within the District's designated 100' long equipment staging areas located at all bridge and pile-supported utility crossings within works or lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver as follows: 1) the facilities will not significantly interfere with the District's current ability to perform necessary construction, alteration, operation, and routine maintenance activities; and 2) the Order granting a waiver from the subject rule is based upon a substantial hardship.

A copy of the Order or additional information may be obtained by contacting: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406-4680, (561)682-6268, by email: jurussel@sfwmd.gov.

NOTICE IS HEREBY GIVEN that on July 11, 2012, the South Florida Water Management District (District), received a petition for waiver from George Abraham for a Right of Way Occupancy Permit, Application No. 12-0507-3, for utilization of Works or Lands of the District known as the C-14 Canal for an existing seawall with dock and a proposed dock extension within the north right of way of the C-14 Canal located adjacent to 930 S.E. 5th Terrace, Pompano Beach; Section 1, Township 49 South, Range 42 East, Broward County. The petition seeks relief from paragraph 40E-6.221(2)(j), Florida Administrative Code, which requires a minimum low member elevation for docks.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juli Russell, (561)682-6268 or e-mail: jurussel@sfwmd.gov. The District will accept comments concerning the petition for 14 days from the date of publication of this notice. To be considered, comments must be received by the end of business on the 14th day at the South Florida Water Management District, 3301 Gun Club Road, MSC #1414, West Palm Beach, FL 33406, Attention: Juli Russell, Office of Counsel.

#### **DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION**

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on July 16, 2012, the Division issued an order. The Final Order was in response to a Petition for a Variance from St. Paul Building, filed June 4, 2012, and advertised in Vol. 38, No. 24, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida

Administrative Code, that requires upgrading the elevators door restrictors until December 31, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-169).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on July 16, 2012, the Division issued an order. The Final Order was in response to a Petition for a Variance from Amherst Building, filed June 4, 2012, and advertised in Vol. 38, No. 24, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators door restrictors until December 31, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-165).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on July 16, 2012, the Division issued an order. The Final Order was in response to a Petition for a Variance from Carr Building, filed June 4, 2012, and advertised in Vol. 38, No. 24, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators door restrictors until December 31, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-166).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on July 16, 2012, the Division issued an order. The Final Order was in response to a Petition for a Variance from Palmetto Building, filed June 4, 2012, and advertised in Vol. 38, No. 24, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators door restrictors until December 31, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-168).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on July 16, 2012, the Division issued an order. The Final Order was in response to a Petition for a Variance from Lexington Building, filed June 4, 2012, and advertised in Vol. 38, No. 24, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators door restrictors until December 31, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-181).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on July 16, 2012, the Division issued an order. The Final Order was in response to a Petition for a Variance from Hollister Building, filed June 4, 2012, and advertised in Vol. 38, No. 24, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida

Administrative Code, that requires upgrading the elevators door restrictors until December 31, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-174).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on July 16, 2012, the Division issued an order. The Final Order was in response to a Petition for a Variance from Langley Building, filed June 4, 2012, and advertised in Vol. 38, No. 24, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators door restrictors until December 31, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-180).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on July 16, 2012, the Division issued an order. The Final Order was in response to a Petition for a Variance from Independence Building, filed June 4, 2012, and advertised in Vol. 38, No. 24, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators door restrictors until December 31, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-175).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on July 16, 2012, the Division issued an order. The Final Order was in response to a Petition for a Variance from Forrestal Building, filed June 4, 2012, and advertised in Vol. 38, No. 24, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators door restrictors until December 31, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-167).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on July 16, 2012, the Division issued an order. The Final Order was in response to a Petition for a Variance from Bennington Building, filed June 4, 2012, and advertised in Vol. 38, No. 24, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators door restrictors until December 31, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-178).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on July 16, 2012, the Division issued an order. The Final Order was in response to a Petition for a Variance from Chandler Building, filed June 4, 2012, and advertised in Vol. 38, No. 24, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida

Administrative Code, that requires upgrading the elevators door restrictors until December 31, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-171).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on July 16, 2012, the Division issued an order. The Final Order was in response to a Petition for a Variance from Tedder Building, filed June 4, 2012, and advertised in Vol. 38, No. 24, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators door restrictors until December 31, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-170).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on July 15, 2012, the Division issued an order. The Final Order was in response to a Petition for a Variance from Porterfield Building, filed June 4, 2012, and advertised in Vol. 38, No. 24, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators door restrictors until December 31, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-176).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on July 16, 2012, the Division issued an order. The Final Order was in response to a Petition for a Variance from Enterprise Building, filed June 4, 2012, and advertised in Vol. 38, No. 24, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators door restrictors until December 31, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-173).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on July 15, 2012, the Division issued an order. The Final Order was in response to a Petition for a Variance from Saratoga Building, filed June 4, 2012, and advertised in Vol. 38, No. 24, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators door restrictors until December 31, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-177).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on July 16, 2012, the Division issued an order. The Final Order was in response to a Petition for a Variance from Commodore Building, filed June 4, 2012, and advertised in Vol. 38, No. 24, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida

Administrative Code, that requires upgrading the elevators door restrictors until December 31, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-172).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on July 16, 2012, the Department issued a Final Order that was in response to a Petition for Variance from Lakewood Mid-Rise Condo. Assoc., filed June 13, 2012, and advertised in Vol. 38, No. 26, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from Rule 3.11.3, and 2.7.4, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and door restrictors because of the time to install and no means of meeting intent of code, the Petitioner has not demonstrated that the purpose of the statute underlying the rule will be met or that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2012-192).

A copy of the Order or additional information may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

---

NOTICE IS HEREBY GIVEN that on July 12, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Winter Haven Harbour Condominium. Petitioner seeks an emergency variance of the requirements of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators keyed lock stop in cab, toe guard and machine room door which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-223).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on July 13, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Rood Legal Building. Petitioner seeks an emergency variance of the requirements of ASME A17.1, Section 8.6.5.8, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators safety bulkhead which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-224).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on July 13, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Steiner Stone, LLC. Petitioner seeks an emergency variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators with firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-225).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on July 13, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Spring Lake Towers Management. Petitioner seeks a variance of the requirements of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators with toe guards which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-226).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on July 16, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Shalimar Condo. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators with firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-227).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on July 16, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Vero Towers. Petitioner seeks an emergency variance of the requirements of ASME A17.3, Section 3.11.3, 3.3.2, 3.10.4(q), and 3.10.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators with firefighters' emergency operations, platform guards, cartop operating devices, and normal terminal stopping devices, which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-228).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on July 16, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Venetian of Treasure Island. Petitioner seeks an emergency variance of the requirements of ASME A17.1, Section 2.7.3, 2.12.6.1 and FBC rule 3006.1, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators access to machine room, hoistway door unlocking device and lobby egress which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-230).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on July 16, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for The Breakers Condo. Petitioner seeks an emergency variance of the requirements of ASME A17.1, Section 303.3d, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code that requires upgrading the elevators shut off valve be located within the machine room which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-229).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on July 11, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for 5000 Town Center. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.20.4, 2.18, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires steel ropes of a minimum diameter of 9.5 mm and circular elastomeric coated steel suspension members which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-220).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on July 16, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Lafayette Building. Petitioner seeks an emergency variance of the requirements of ASME A17.1, Section 8.6.5.8, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators safety bulkhead which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-232).

---

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on July 17, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Chico's Bldg. 10 (G5782). Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.18, 2.20, 2.19.2.2(4)(a), and 2.15.9.2(a), as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by Chapter 61C, F.A.C., platform guards, speed governors, car movement, and suspension ropes which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-233).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

NOTICE IS HEREBY GIVEN that on July 17, 2012, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Chico's Bldg. 10 (G5783). Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.18, 2.20, 2.19.2.2(4)(a), and 2.15.9.2(a), as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by Chapter 61C, F.A.C., platform guards, speed governors, car movement, and suspension ropes which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2012-234).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on July 16, 2012, the Department received a letter withdrawing the Petition for variance from Surf Dweller, filed July 11, 2012. The Petition for variance requested a variance from an unspecified Section of ASME A17.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators. The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety is taking no further action on the petition (VW 2012-219).

---

A copy of the Order or additional information may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

---

The Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants hereby gives notice on June 25, 2012, the Division of Hotels and Restaurants received a Petition for an Emergency Variance for paragraph 61C-1.004(1)(a), Florida Administrative Code, Section 5-203.13, 2001 FDA Food Code, Paragraph 4-301.12(A), 2001 FDA Food Code, and subsection 61C-4.010(5), Florida Administrative Code, from Pelican Marsh Golf Club Snack Bar located in Naples, FL. The above referenced F.A.C. addresses the requirement that at least one service sink is provided for the cleaning of mops or similar cleaning tools and the disposal of mop water and that dishwashing facilities for manually washing, rinsing and sanitizing equipment and utensils are provided. They are requesting to share the mop and three-compartment sinks located within Pelican Marsh Golf Club main kitchen (SEA2102324).

The Petition for this variance was published in Vol. 38, No. 27 on July 6, 2012. The Order for this Petition was signed on July 12, 2012, and after a complete review of the variance request, the Division finds that the application of this Rule will create a financial hardship to the food service establishment. Furthermore, the Division finds that the Petitioner meets the burden of demonstrating that the underlying statute has been achieved by the Petitioner ensuring the dishwashing and mop sink areas located within Pelican Marsh Golf Club main kitchen (SEA2102324) are maintained in a clean and sanitary manner, provided with hot and cold running water under pressure, and available during all hours of operation. If the ownership of Pelican Marsh Golf Club main kitchen (SEA2102324) changes, an updated written agreement must be provided to the division immediately.

A copy of the Order or additional information may be obtained by contacting: Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, FL 32399-1011, Lydia.Gonzalez@dbpr.state.fl.us.

---

NOTICE IS HEREBY GIVEN that on July 12, 2012, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for an Emergency Variance for paragraph 61C-1.004(2)(a), subsections 61C-4.010(6), (7), Florida Administrative Code, and Section 6-402.11, 2001 FDA Food Code, Section 5-203.13, 2001 FDA Food Code, paragraph 61C-1.004(1)(a), Florida Administrative Code, Paragraph 4-301.12(A), 2001 FDA Food Code and subsection 61C-4.010(5), Florida Administrative Code, from Wild Greens Cafe located in Tallahassee, FL. The above referenced F.A.C. addresses that each establishment must have at least one accessible bathroom



for use by customers and employees, at least one service sink for the cleaning of mops or similar cleaning tools and the disposal of mop water and dishwashing facilities for manually washing, rinsing and sanitizing equipment and utensils. They are requesting to share bathroom, mop sink and warewashing areas located within Bread and Roses Food Cooperative (Firm #339678).

The Division of Hotels and Restaurants will accept comments concerning the Petition for 5 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, FL 32399-1011, Lydia.Gonzalez@dbpr.state.fl.us.

---

NOTICE IS HEREBY GIVEN that on June 26, 2012, the Florida Real Estate Appraisal Board, received a petition for a permanent waiver or variance of subsection 61J1-4.007(5), F.A.C., filed by Elizabet Velez, in regards to the hour requirements for continuing education.

Comments on this petition should be filed with the Florida Real Estate Appraisal Board, 400 West Robinson Street, Hurston Building, North Tower, Suite N801, Orlando, Florida 32801, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juana Watkins, Director, Division of Real Estate, 400 West Robinson Street, Suite N801, Orlando, Florida 32801.

---

#### **DEPARTMENT OF ENVIRONMENTAL PROTECTION**

NOTICE IS HEREBY GIVEN that on July 17, 2012, the Department of Environmental Protection, received a petition for a variance from paragraphs 62-342.700(1)(a), (2), (3) and (4), F.A.C., from CRP/HLV Highlands Ranch, LLC, to waive the requirement that it provide proof of financial responsibility for the construction and implementation phase of a proposed mitigation bank and the release of mitigation credits. The petition has been assigned OGC File No.: 12-1338. Any interested person or other agency may submit written comments on the petition with 14 days after publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mary VanTassel, Florida Department of Environmental Protection, Bureau of Submerged Lands and Environmental Resources, 2600 Blair Stone Road, MS #2500, Tallahassee, Florida 32399-2400, (850)245-8486, e-mail: Mary.VanTassel@dep.state.fl.us or Facsimile: (850)245-8499.

---

The Department of Environmental Protection Northwest District Office hereby gives notice that on June 21, 2012, the Department issued an order granting a variance to the Talquin

Electric Cooperative (Petitioner). The petition was received on April 19, 2012, and the notice of receipt of this petition was published in the Florida Administrative Weekly on May 18, 2012. The petition requested a variance from subsection 62-610.521(6), F.A.C. Subsection 62-610.521(6), F.A.C., requires a setback distance of 100 feet from a rapid infiltration basin to the property boundary. The petitioner seeks relief from the 100' ft. setback distance from the edge of their Lake Jackson WWTP southern most rapid infiltration basin (RIB) to the site property line. A survey of the site has identified that the closest distance from the property line to the edge of the RIB is measured at 70' feet. The petitioner is requesting a permanent variance to reduce the setback from 100 feet to a minimum of 70' feet. No public comment was received. The Order, file number FLA010171-008-DWF/VO [OGC Case No.: 12-1045], granted the Petition from the minimum 100-foot setback requirement to the Petitioner, based on a showing that Petitioner demonstrated that a strict application of the rule would result in substantial hardship to Petitioner or would affect Petitioner differently than other similarly situated applicants and because Petitioner had successfully fulfilled the requirements of the underlying statute.

A copy of the Order or additional information may be obtained by contacting: Department of Environmental Protection, Northwest District, Jonathan May, 160 W. Governmental Street, Suite 308, Pensacola, FL 32502-5794, (850)595-0609, jonathan.may@dep.state.fl.us.

---

#### **DEPARTMENT OF HEALTH**

The Board of Psychology hereby gives notice that on July 13, 2012, an Order was filed on the Petition for Waiver or Variance. The Petition for Waiver or Variance was filed on behalf of Ariadna Montero Psy.D., on May 3, 2012, seeking a waiver or variance from Rule 64B19-11.005, F.A.C., with regard to the requirements of the rule regarding appropriate supervised experience. The Notice was published in Vol. 38, No. 21, of the Florida Administrative Weekly, on May 25, 2012. The Board, at its meeting held on June 22, 2012, voted to grant the Petition for Waiver or Variance finding that the Petitioner demonstrated a substantial hardship; that application of the rule would violate the principles of fairness; and that she has met the purpose of the underlying statute.

A copy of the Order or additional information may be obtained by contacting: Board of Psychology, 4052 Bald Cypress Way, Bin #C05, Tallahassee, Florida 32399-3055.

---

The Board of Psychology hereby gives notice that on July 13, 2012, an Order was filed on the Petition for Waiver or Variance. The Petition for Waiver or Variance was filed on behalf of Miladys N. Rivera Ph.D., on May 22, 2012, seeking a waiver or variance from Rule 64B19-11.005, F.A.C., with regard to the requirement that all applicants for licensure complete at least 2,000 hours of post doctoral experience under

a supervisor whose supervision comports with the rule. The Notice was published in Vol. 38, No. 23, of the Florida Administrative Weekly, on June 8, 2012. The Board, at its meeting held on June 22, 2012, voted to grant the Petition for Waiver or Variance finding that the Petitioner demonstrated a substantial hardship; that application of the rule would violate the principles of fairness; and that she has met the purpose of the underlying statute.

A copy of the Order or additional information may be obtained by contacting: Board of Psychology, 4052 Bald Cypress Way, Bin #C05, Tallahassee, Florida 32399-3055.

## Section VI Notices of Meetings, Workshops and Public Hearings

### DEPARTMENT OF STATE

The **Bureau of Historic Preservation**, and the **Florida Historical Commission** announces a telephone conference call to which all persons are invited.

DATE AND TIME: August 15, 2012, 9:00 a.m. – Conclusion  
PLACE: R. A. Gray Building, Room 307, 500 South Bronough Street, Tallahassee, Florida 32399-0250

GENERAL SUBJECT MATTER TO BE CONSIDERED: Public review and ranking of the 2014 Viva Florida Small Matching (Acquisition and Development) Historic Preservation Grant applications.

A copy of the agenda may be obtained by contacting: Bureau of Historic Preservation Grants Staff, 1(800)847-7278, via email: [bhpgrants@dos.myflorida.com](mailto:bhpgrants@dos.myflorida.com) or by visiting the web site: [www.flheritage.com/grants](http://www.flheritage.com/grants).

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 3 days before the workshop/meeting by contacting: Bureau of Historic Preservation, Grants Staff 1(800)847-7278, via email: [bhpgrants@dos.myflorida.com](mailto:bhpgrants@dos.myflorida.com) or by visiting the web site: [www.flheritage.com/grants](http://www.flheritage.com/grants). If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

If any person decides to appeal any decision made by the Board with respect to any matter considered at this meeting or hearing, he/she will need to ensure that a verbatim record of the proceeding is made, which record includes the testimony and evidence from which the appeal is to be issued.

For more information, you may contact: Bureau of Historic Preservation, Grants Staff, 1(800)847-7278, via email: [bhpgrants@dos.myflorida.com](mailto:bhpgrants@dos.myflorida.com) or by visiting the web site: [www.flheritage.com/grants](http://www.flheritage.com/grants).

The **Bureau of Historic Preservation**, and the **Florida Historical Commission** announces a telephone conference call to which all persons are invited.

DATE AND TIME: August 16, 2012, 9:00 a.m. – Conclusion  
PLACE: R. A. Gray Building, Room 307, 500 South Bronough Street, Tallahassee, Florida 32399-0250

GENERAL SUBJECT MATTER TO BE CONSIDERED: Public review and ranking of the 2014 VIVA Florida Small Matching (Protection and Education) Historic Preservation Grant applications.

A copy of the agenda may be obtained by contacting: Bureau of Historic Preservation, Grants Staff, 1(800)847-7278, via email: [bhpgrants@dos.myflorida.com](mailto:bhpgrants@dos.myflorida.com) or by visiting the website: [www.flheritage.com/grants](http://www.flheritage.com/grants).

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 3 days before the workshop/meeting by contacting: Bureau of Historic Preservation, Grants Staff, 1(800)847-7278, email: [bhpgrants@dos.myflorida.com](mailto:bhpgrants@dos.myflorida.com) or by visiting website: [www.flheritage.com/grants](http://www.flheritage.com/grants). If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

If any person decides to appeal any decision made by the Board with respect to any matter considered at this meeting or hearing, he/she will need to ensure that a verbatim record of the proceeding is made, which record includes the testimony and evidence from which the appeal is to be issued.

For more information, you may contact: Bureau of Historic Preservation, Grants Staff, 1(800)847-7278, via email: [bhpgrants@dos.myflorida.com](mailto:bhpgrants@dos.myflorida.com) or by visiting the website: [www.flheritage.com/grants](http://www.flheritage.com/grants).

The **Division of Cultural Affairs** announces a public meeting to which all persons are invited.

DATE AND TIME: Thursday, August 9, 2012, 9:00 a.m.  
PLACE: Polk County Health Department Lake Wales Clinic, 835 W. Central Avenue, Lake Wales, Florida 33853-4017, (863)678-4144, ext. 20031

GENERAL SUBJECT MATTER TO BE CONSIDERED: The Art Selection Committee of the new Polk County Health Department in Haines City will meet to evaluate submissions and select artwork or artist finalists.

A copy of the agenda may be obtained by contacting: Lee Modica, 500 S. Bronough St., Tallahassee FL 32399-0250, (850)245-5445.