

Florida Department of Agriculture and Consumer Services Division of Consumer Services

QUALIFIER LP GAS INSTALLER (0803) RENEWAL APPLICATION

Section 527.0201, Florida Statutes Rule 5J-20.004, Florida Administrative Code Remit Payment Online at: www.freshfromflorida.com

- or ·

Check or Money Order Payable to FDACS and remit with form to:

FDACS P.O. Box 6700 Tallahassee, FL 32314-6700

0803 Fee: \$20.00	Total Amount Due: \$20.00

INSTRUCTIONS

TO RENEW your Qualifier Certification, fill this form out completely **(PRINT OR TYPE)** and return it with all attachments, INCLUDING THE RENEWAL FEE SHOWN ABOVE, to the Bureau of Standards at the address in the upper right-hand corner.

EVIDENCE OF CONTINUING EDUCATION MUST BE DOCUMENTED ON THE ATTACHED FORM AND RETURNED WITH YOUR APPLICATION AND FEE. Please list all continuing education hours on this form where provided. Any CEU's reported to our office have been recorded and should appear on this list. Continuing education must meet the requirements of Rule 5J-20.062, Florida Administrative Code, must be 16 hours minimum for the past 3 year period, and must include a minimum of two hours in one of the following topics: Inspections and Maintenance of LP gas facilities and equipment; State and Federal LP gas laws, rules, regulations, codes, and standards; or Gas Emergency Procedures, Fire Protection or Risk Management Planning.

QUALIFIER NAME:	EMAIL ADDRESS:			CERTIFICATE NO.:		
MAILING ADDRESS OF QUALIFIER:	l .					
Street:	City:			State:	Zip Code:	
NAME OF COMPANY/EMPLOYER:		LICENSE N	IO.:			
MAILING ADDRESS OF COMPANY/EMPLOYER:		1				
Street:	City:			State:	Zip Code:	
COUNTY NAME:		TELEPHON	IE NO. (-		
APPLICANT SIGNATURE				DATE		
Questions should be directed to:			Org. Code: 4: EO: A2	2 10 06 25 000		
			Object Code:	002102		
Bureau of Standards (850) 921-1545						
(333) 321. 13.13						
FDACS-03570 Rev. 02/14 Page 1 of 2						

DOCUMENTATION OF CONTINUING EDUCATION FOR RENEWAL

CERTIFICATE #:		NAME:			DATE: /		
	Date of Training	Total Hours	Course Id		Course Title		For Bureau Use Only