Child Care Food Program Meal Pattern for Children

A significant goal of the Child Care Food Program (CCFP) is to safely serve nutritious meals and snacks that meet program meal pattern requirements and are appetizing to children. To help achieve this goal, there are several policies regarding meals that child care providers must meet when participating in the CCFP.

Child care providers must ensure that each meal served to children contains, at a minimum, each of the food components in the amounts indicated for the appropriate age group as stated in the CCFP Meal Pattern for Children.

	Obilid Maral Dattama	Age Group and Serving Size:		
Child Meal Pattern Food Components:		1 and 2	3 – 5	6 – 12 ¹
	•	year olds:	year olds:	year olds:
Breakfast (3 components)	Milk ¹¹			
	Fluid milk	1/2 cup	3/4 cup	1 cup
	Vegetables and Fruits ¹⁰			
	Vegetable(s) and/or fruit(s) or	1/4 cup	1/2 cup	1/2 cup
	Full-strength vegetable or fruit juice ²	1/4 cup	1/2 cup	1/2 cup
	Grains/Breads ^{3, 10}			
	Bread or	1/2 slice	1/2 slice	1 slice
	Cornbread, biscuits, rolls, muffins, etc. or	1/2 serving	1/2 serving	1 serving
	Cold dry cereal ⁴ or	1/4 cup or 1/3 oz.	1/3 cup or 1/2 oz.	3/4 cup or 1 oz.
	Cooked cereal grains or	1/4 cup	1/4 cup	1/2 cup
	Cooked pasta or noodle products	1/4 cup	1/4 cup	1/2 cup
(9)	Milk ¹¹			
	Fluid milk	4/2 0.00	2/4 000	1 000
	Vegetables and Fruits ^{8, 10}	1/2 cup	3/4 cup	1 cup
	Vegetable(s) and/or fruit(s), 2 or more	1/4 cup total	1/2 cup total	3/4 cup total
	Grains/Breads ^{3, 10}			
Ĕ	Bread or	1/2 slice	1/2 slice	1 slice
تر نو	Cornbread, biscuits, rolls, muffins, etc. or	1/2 serving	1/2 serving	1 serving
pe -5	Cooked pasta or noodle products or	1/4 cup	1/4 cup	1/2 cup
dn -	Cooked cereal grains	1/4 cup	1/4 cup	1/2 cup
Lunch/Supper (4 components – 5 items)	Meat and Meat Alternates 10			
	Lean meat or poultry or fish⁵ or	1 oz.	1 1/2 oz.	2 oz.
	Alternate protein products ⁶ or	1 oz.	1 1/2 oz.	2 oz.
	Cheese or	1 oz.	1 1/2 oz.	2 oz.
	Egg (large) or	1/2 egg	3/4 egg	1 egg
	Cooked dry beans or peas or	1/4 cup	3/8 cup	1/2 cup
	Peanut butter or soynut butter or other nut/seed	2 Tbsp.	2 Than	4 Thon
	butters or	2 10sp. 1/2 oz. = 50%	3 Tbsp. 3/4 oz. = 50%	4 Tbsp. 1 oz. = 50%
	Peanuts or soynuts or tree nuts or seeds ⁹ or	1/2 02. = 50%	3/4 UZ. = 3U %	1 02. = 50%
	Yogurt, plain or flavored, unsweetened or sweetened	4 oz. or 1/2 cup	6 oz. or 3/4 cup	8 oz. or 1 cup

Note: Milk must be served with each breakfast, lunch and supper meal. Between a child's first and second birthday, serving whole milk is strongly recommended. After the child's second birthday, it is required that lowfat or fat-free milk be served. To encourage adequate calcium intake, lowfat flavored milk can be served.

Conversions:

½ cup = 4 fl. oz.
 ¼ cup = 6 fl. oz.
 1 pint = 2 cups
 1 quart = 2 pints = 4 cups
 1 cup = 8 fl. oz.
 1 gallon = 4 quarts = 16 cups

Revised 8/2013 N-050-06

CCFP Meal Pattern for Children (continued)

Child Meal Pattern Food Components:		Age Group and Serving Size:		
		1 and 2	3 – 5	6 – 12 ¹
		year olds:	year olds:	year olds:
Snack ⁷ (Select 2 different components)	Milk ¹¹ Fluid milk	1/2 cup	1/2 cup	1 cup
	Vegetables and Fruits ¹⁰ Vegetable(s) and/or fruit(s) or Full-strength vegetable or fruit juice ²	1/2 cup 1/2 cup	1/2 cup 1/2 cup	3/4 cup 3/4 cup
	Grains/Breads ^{3, 10} Bread or Cornbread, biscuits, rolls, muffins, etc. or Cold dry cereal ⁴ or Cooked cereal grains or Cooked pasta or noodle products	1/2 slice 1/2 serving 1/4 cup or 1/3 oz. 1/4 cup 1/4 cup	1/2 slice 1/2 serving 1/3 cup or 1/2 oz. 1/4 cup 1/4 cup	1 slice 1 serving 3/4 cup or 1 oz. 1/2 cup 1/2 cup
	Meat and Meat Alternates ¹⁰ Lean meat or poultry or fish ⁵ or Alternate protein products ⁶ or Cheese or Egg (large) or Cooked dry beans or peas or Peanut butter or soynut butter or other nut or seed butters or Peanuts or soynuts or tree nuts or seeds or Yogurt, plain or flavored, unsweetened or sweetened	1/2 oz. 1/2 oz. 1/2 oz. 1/2 oz. 1/2 egg 1/8 cup 1 Tbsp. 1/2 oz.	1/2 oz. 1/2 oz. 1/2 oz. 1/2 oz. 1/2 egg 1/8 cup 1 Tbsp. 1/2 oz.	1 oz. 1 oz. 1 oz. 1/2 egg 1/4 cup 2 Tbsp. 1 oz.

- 1. Children ages 13 through 18 must be served minimum or larger portion sizes as specified for children ages 6-12.
- 2. Vegetable or fruit juice must be full-strength, pasteurized and 100% juice. Unless orange or grapefruit juice, it must also be fortified with 100% or more of Vitamin C.
- 3. Bread, pasta or noodle products, and cereal grains, must be whole grain or enriched; cornbread, biscuits, rolls, muffins, etc., must be made with whole grain or enriched meal or flour; cereal must be whole grain or enriched or fortified. Prepackaged grain/bread products must have enriched flour or meal or whole grain as the first ingredient.
- 4. Cold dry cereal can be measured by volume (cup) or weight (ounces) whichever is less.
- 5. The serving size for lean meat, poultry or fish is the edible portion as served.
- 6. Alternate protein products must be equal to at least 80% of the protein quality of milk (casein) determined by the Protein Digestibility Corrected Amino Acid Score (PDCAAS) and must contain at least 18% protein by weight when fully hydrated or formulated.
- 7. At snack, select at least two different food components. Juice must not be served when milk is served as the only other component.
- 8. At lunch and supper, serve two or more kinds of vegetables(s) and/or fruit(s) or a combination of both. Full-strength vegetable or fruit juice must not be counted to meet more than one-half of this requirement.
- 9. At lunch and supper, no more than 50% of the meat/meat alternate requirement can be met with nuts or seeds. Nuts or seeds must be combined with another meat/meat alternate to fulfill the requirement. For purpose of determining combinations, 1 ounce of nuts or seeds is equal to 1 ounce of cooked lean meat, poultry, or fish.
- 10. Servings can be an equal amount of any combination of this component. Note: Less than 1/8 cup of fruit or vegetables is not creditable.
- 11. After the child's first birthday and prior to the second birthday, serving whole milk is strongly recommended. After the child's second birthday, it is required that lowfat or fat free milk be served.

CCFP Meal Pattern for Children Guidelines to Follow

Child care providers must ensure quality meals are served to children and that nutrition education is encouraged.

Fluid Milk:

- After the child's first birthday and prior to the second birthday, serving whole milk is strongly recommended.
- After the child's second birthday, lowfat (1%) or fat-free milk must be served.

Vegetable or fruit or juice:

- Vegetable or fruit juice must be full-strength, pasteurized, and 100% juice. Unless orange or grapefruit juice, it must also be fortified with 100% or more of Vitamin C.
- Fruit juice should not be served more than once a day.
- Fresh, frozen, or canned vegetables and/or fruits should be served at least twice a week on the
 breakfast menu and twice a week on the snack menu.
 Please note: For those centers that claim two snacks and one meal, instead of two meals and one
 snack, fresh, frozen, or canned vegetables and/or fruits should be served at least twice a week <u>at each</u>
 snack time.
- Good vitamin A sources from vegetables and fruits should be served a minimum of two times a week.
- Good vitamin C sources from vegetables and fruits or fruit juice should be served daily.
- Less than 1/8 cup of vegetables and fruits may not be counted to meet the vegetable/fruit component.

Grains/breads:

- Grain/bread food must be whole grain, enriched, or made from whole grain or enriched meal or flour.
 Bran and germ are counted as enriched or whole-grain meals or flours. Cornmeal, corn flour, and corn grits must be designated as whole or enriched to be creditable.
- Only ready-to-eat breakfast cereals containing 10 grams of sugar or less per serving as stated on the Nutrition Facts label should be served.
- Sweet grain/bread foods must be whole grain or made with enriched flour or meal and may be credited
 as a bread serving at breakfast and snack only. Prepackaged grain/bread products must have enriched
 flour or meal or whole grains as the first ingredient listed on the package.
- Sweet grain/bread items should not be served more than two times a week at breakfast and two times a week at snack and should not exceed four sweet items per week.

Meat or meat alternate:

- Commercially processed combination foods (convenience entrees frozen or canned) must have a CN label or manufacturer's analysis sheet stating the food component contribution to the meal pattern.
- A serving of cooked dry beans or peas may count as a vegetable or as a meat alternate, but not as both components in the same meal.